#### Product datasheet

## OCULT

### OD1RE306MF830NBB




#### OCULT REC 3 600 WW MFL BK/BK.

#### **Description:**

Fixed linear recessed downlight model OCULT REC 3 600 WW MFL BK/ BK., LAMP brand. Body made of anodized aluminium to optimised heat dissipation. External frame made of injected aluminium painted in textured black and reflector made of ABS painted in black matt. With spring loaded clamping system. Model with LED HI-POWER with a warm white colour temperature and control gear included. With Medium Flood optics. Glare rating UGR<10 (for 4h, 8h 70/50/20). IP43 protection rating. Insulation class II.

Finish: Texturised black RAL 9011

Weight: 328 g



Installation: Recessed

### **TECHNICAL SPECIFICATIONS:**

Light output:	540 lm	⁰K :	3000
Light output.	540 111	• <b>N</b> :	3000
Plum:	8W	<b>CRI</b> : 80	
Efficacy:	67,5 lm/w	MacAdam:	3
UGR:	<10	Power Supply:	100-240V 50/60Hz
Туре:	HIGH POWER LED	Gear:	Electronic
LED Lifetime:	50.000 L90 B10 (Ta=25°C)		
Power:	6W		

#### Light output tolerance +/- 10%



#### **CUSTOM MADE OPTIONS:**



LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es Worktitude for light

#### Product datasheet

# OCULT

OD1RE306MF830NBB

OCULT REC 3 600 WW MFL BK/BK.



OD1RE306MF830NBB	180°	alpha = 25,5°	H (m)	D (m)	Emax	Emed
η = 100% Imax = 4449 cd/klm		$\land$	1	0,45	2398	1732
UTE:	90° 90°		2	0,90	600	433
CIE: 102 100 100 100 100			3	1,36	266	192
	03		4	1,81	150	108

Worktitude for light

#### Product datasheet

## OCULT



## ACCESORIES :

### Optical



Product code: ODRF3C

Description: OCULT ACC. REFLECTOR 3 CO.



Product code: ODRF3M

Description: OCULT ACC. REFLECTOR 3 MT.



Product code: ODRF3W Description: OCULT ACC. REFLECTOR 3 WH.