OCULT

OD1RE306MF840DBB



OCULT REC 3 600 NW MFL DALI BK/BK.

Description:

Fixed linear recessed downlight model OCULT REC 3 600 NW MFL DALI BK/ BK., LAMP brand. Body made of anodized aluminium to optimised heat dissipation. External frame made of injected aluminium painted in textured black and reflector made of ABS painted in black matt. With spring loaded clamping system. Model with LED HI-POWER with a neutral white colour temperature and control DALI gear included. With Medium Flood optics. Glare rating UGR<10 (for 4h, 8h 70/50/20). IP43 protection rating. Insulation class II.

Finish: Texturised black RAL 9011

Weight: 328 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output: 540 lm °K: 4000 Plum: 8W CRI: 80 Efficacy: 67,5 lm/w 3 MacAdam:

UGR: <10

Type: HIGH POWER LED Gear: Adjustable DALI

LED Lifetime: 50.000 L90 B10 (Ta=25°C)

Power:

Light output tolerance +/- 10%















CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU











Power Supply:





100-240V 50/60Hz

OCULT

UTE:




OD1RE306MF840DBB


OCULT REC 3 600 NW MFL DALI BK/BK.

PHOTOMETRIC DATA:

OD1RE306MF840NBB $\eta = 100\%$ $Imax = 4449 \ cd/kIm$

CIE: 102 100 100 100 100





alpha = 25,5°	H (m)	D (m)	Emax	Emed
\wedge	1	0,45	2398	1732
	2	0,90	600	433
	3	1,36	266	192
	4	1,81	150	108

Data according to regulations 2019/2020/EU and 2019/2015/EU

Product datasheet

OCULT



ACCESORIES:

Optical



Product code:

ODRF3C

Description:

OCULT ACC. REFLECTOR 3 CO.



Product code:

ODRF3M

Description:

OCULT ACC. REFLECTOR 3 MT.



Product code:

Description:

ODRF3W OCULT ACC. REFLECTOR 3 WH.