


OD1RE306MF840NBB



OCULT REC 3 600 NW MFL BK/BK.

Description:

Fixed linear recessed downlight model OCULT REC 3 600 NW MFL BK/ BK., LAMP brand. Body made of anodized aluminium to optimised heat dissipation. External frame made of injected aluminium painted in textured black and reflector made of ABS painted in black matt. With spring loaded clamping system. Model with LED HI-POWER with a neutral white colour temperature and control gear included. With Medium Flood optics. Glare rating UGR<10 (for 4h, 8h 70/50/20). IP43 protection rating. Insulation class II.

Finish: Texturised black RAL 9011


Weight: 328 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output:	540 lm	°K :	4000
Plum:	8W	CRI :	80
Efficacy:	67,5 lm/w	MacAdam:	3
UGR:	<10	Power Supply:	100-240V 50/60Hz
Type:	HIGH POWER LED	Gear:	Electronic
LED Lifetime:	50.000 L90 B10 (Ta=25°C)		
Power:	6W		


Light output tolerance +/- 10%

**CUSTOM MADE OPTIONS:**

OD1RE306MF840NBB

OCULT REC 3 600 NW MFL BK/BK.

PHOTOMETRIC DATA :



ACCESORIES :

Optical



Product code:
ODRF3C

Description:
OCULT ACC. REFLECTOR 3 CO.



Product code:
ODRF3M

Description:
OCULT ACC. REFLECTOR 3 MT.



Product code:
ODRF3W

Description:
OCULT ACC. REFLECTOR 3 WH.