### **OCULT**

# Worktitude for light

### OD1RE306MF840NBW



### OCULT REC 3 600 NW MFL BK/WH.

### Description:

Fixed linear recessed downlight model OCULT REC 3 600 NW MFL BK/ WH., LAMP brand. Body made of anodized aluminium to optimised heat dissipation. External frame made of injected aluminium painted in textured white and reflector made of ABS painted in black matt. With spring loaded clamping system. Model with LED HI-POWER with a neutral white colour temperature and control gear included. With Medium Flood optics. Glare rating UGR<10 (for 4h, 8h 70/50/20). IP43 protection rating. Insulation class II.

Finish: Texturised white RAL 9010

Weight: 328 g





Installation: Recessed

### **TECHNICAL SPECIFICATIONS:**

 Light output:
 540 lm
 % :
 4000

 Plum:
 8W
 CRI :
 80

 Efficacy:
 67,5 lm/w
 MacAdam:
 3

**UGR**: <10

Type: HIGH POWER LED

**LED Lifetime:** 50.000 L90 B10 (Ta=25°C)

Power: 6W

## Light output tolerance +/- 10%















## **CUSTOM MADE OPTIONS:**









Data according to regulations 2019/2020/EU and 2019/2015/EU











Power Supply:

Gear:





100-240V 50/60Hz

Electronic

# **OCULT**






## OCULT REC 3 600 NW MFL BK/WH.

## PHOTOMETRIC DATA:

OD1RE306MF840NBW  $\eta = 100\%$   $Imax = 4449 \ cd/kIm$  UTE:  $CIE: \ 102 \ 100 \ 100 \ 100 \ 100$ 



alpha = 25,5°	H (m)	D (m)	Emax	Emed
$\wedge$	1	0,45	2398	1732
	2	0,90	600	433
	3	1,36	266	192
	4	1,81	150	108

## **Product datasheet**

# **OCULT**



# ACCESORIES:

## Optical



Product code:

ODRF3C

Description:

OCULT ACC. REFLECTOR 3 CO.



Product code:

ODRF3M

Description:

OCULT ACC. REFLECTOR 3 MT.



Product code:

Description:

ODRF3W OCULT ACC. REFLECTOR 3 WH.