#### Product datasheet

# OCULT

### OD1RE306WF840NBW




#### OCULT REC 3 600 NW WFL BK/WH.

#### **Description:**

Fixed linear recessed downlight model OCULT REC 3 600 NW WFL BK/ WH., LAMP brand. Body made of anodized aluminium to optimised heat dissipation. External frame made of injected aluminium painted in textured white and reflector made of ABS painted in black matt. With spring loaded clamping system. Model with LED HI-POWER with a neutral white colour temperature and control gear included. With Wide Flood optics. Glare rating UGR<16 (for 4h, 8h 70/50/20). IP43 protection rating. Insulation class II.

Finish: Texturised white RAL 9010

Weight: 328 g



Installation: Recessed

### **TECHNICAL SPECIFICATIONS:**

Light output:	549 lm	⁰K :	4000	
Plum:	8W	CRI :	80	
Efficacy:	68,6 lm/w	MacAdam:	3	
UGR:	<16	Power Supply:	100-240V 50/60Hz	
Туре:	HIGH POWER LED	Gear:	Electronic	
LED Lifetime:	50.000 L90 B10 (Ta=25°C)			
Power:	6W			

#### Light output tolerance +/- 10%



## **CUSTOM MADE OPTIONS:**



LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es Worktitude for light

### Product datasheet

# OCULT

OD1RE306WF840NBW

OCULT REC 3 600 NW WFL BK/WH.



OD1RE306WF840NBW	180°	alpha = 45,3°	H (m)	D (m)	Emax	Emed
η = 100% Imax = 1657 cd/klm			1	0,83	908	598
UTE:	90° 90°		2	1,67	227	150
CIE: 98 100 100 100 100			3	2,50	101	66
	0.		4	3,34	57	37

Worktitude for light

#### Product datasheet

## OCULT



## ACCESORIES :

## Optical



Product code: ODRF3C

Description: OCULT ACC. REFLECTOR 3 CO.



Product code: ODRF3M

Description: OCULT ACC. REFLECTOR 3 MT.



Product code: ODRF3W Description: OCULT ACC. REFLECTOR 3 WH.