Product datasheet

OCULT



OD1RE612MF840NBW



OCULT REC 6 1200 NW MFL BK/WH.

Description:

Fixed linear recessed downlight model OCULT REC 6 1200 NW MFL BK/ WH., LAMP brand. Body made of anodized aluminium to optimised heat dissipation. External frame made of injected aluminium painted in textured white and reflector made of ABS painted in black matt. With spring loaded clamping system. Model with LED HI-POWER with a neutral white colour temperature and control gear included. With Medium Flood optics. Glare rating UGR<10 (for 4h, 8h 70/50/20). IP43 protection rating. Insulation class II.





Finish: Texturised white RAL 9010

Weight: 614 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output: 1.080 lm °K: 4000 Plum: 14W CRI: 80 Efficacy: 77,1 lm/w 3 MacAdam:

UGR: <10

Type: HIGH POWER LED

LED Lifetime: 50.000 L90 B10 (Ta=25°C)

12W Power:

Light output tolerance +/- 10%



















CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU











Power Supply:

Gear:





220-240V 50/60Hz

Electronic

OCULT








PHOTOMETRIC DATA:


OD1RE612MF840NBW η = 100%

Imax = 4606 cd/klm

UTE:

CIE: 102 100 100 100 100





alpha = 24,9°	H (m)	D (m)	Emax	Emed
\wedge	1	0,44	4963	3571
	2	0,88	1241	893
	3	1,32	551	397
	4	1,76	310	223

Data according to regulations 2019/2020/EU and 2019/2015/EU

Product datasheet

OCULT



ACCESORIES:

Optical



Product code:

ODRF3C

Description:

OCULT ACC. REFLECTOR 3 CO.



Product code:

ODRF3M

Description:

OCULT ACC. REFLECTOR 3 MT.



Product code:

Description:

ODRF3W OCULT ACC. REFLECTOR 3 WH.