Product datasheet

OCULT



OD1RE612WF840DBB




OCULT REC 6 1200 NW WFL DALI BK/BK.

Description:

Fixed linear recessed downlight model OCULT REC 6 1200 NW WFL DALI BK/ BK., LAMP brand. Body made of anodized aluminium to optimised heat dissipation. External frame made of injected aluminium painted in textured black and reflector made of ABS painted in black matt. With spring loaded clamping system. Model with LED HI-POWER with a neutral white colour temperature and control DALI gear included. With Wide Flood optics. Glare rating UGR<16 (for 4h, 8h 70/50/20). IP43 protection rating. Insulation class II.

Finish: Texturised black RAL 9011

Weight: 614 g



Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output: 1.098 lm °K: 4000 Plum: 14W CRI: 80 Efficacy: 78,4 lm/w 3 MacAdam:

UGR: <16

HIGH POWER LED

LED Lifetime: 50.000 L90 B10 (Ta=25°C)

12W Power:

Light output tolerance +/- 10%



Type:















CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU











Power Supply:

Gear:





220-240V 50/60Hz

Adjustable DALI

OCULT




OD1RE612WF840DBB


OCULT REC 6 1200 NW WFL DALI BK/BK.

PHOTOMETRIC DATA:

OD1RE612WF840NBB η = 100% Imax = 1615 cd/klm UTE:

CIE: 99 100 100 100 100





alpha = 47,2°	H (m)	D (m)	Emax	Emed
	1	0,87	1771	1150
	2	1,75	443	287
	3	2,62	197	128
	4	3,50	111	72

Product datasheet

OCULT



ACCESORIES:

Optical



Product code:

ODRF3C

Description:

OCULT ACC. REFLECTOR 3 CO.



Product code:

ODRF3M

Description:

OCULT ACC. REFLECTOR 3 MT.



Product code:

Description:

ODRF3W OCULT ACC. REFLECTOR 3 WH.