



OD1RE612WF840NBB

**OCULT REC 6 1200 NW WFL BK/BK.****Description:**


Fixed linear recessed downlight model OCULT REC 6 1200 NW WFL BK/ BK., LAMP brand. Body made of anodized aluminium to optimised heat dissipation. External frame made of injected aluminium painted in textured black and reflector made of ABS painted in black matt. With spring loaded clamping system. Model with LED HI-POWER with a neutral white colour temperature and control gear included. With Wide Flood optics. Glare rating UGR<16 (for 4h, 8h 70/50/20). IP43 protection rating. Insulation class II.

Finish: Texturised black RAL 9011**Weight:** 614 g**Installation:** Recessed**TECHNICAL SPECIFICATIONS:**

| | | | |
|----------------------|--------------------------|----------------------|------------------|
| Light output: | 1.098 lm | °K : | 4000 |
| Plum: | 14W | CRI : | 80 |
| Efficacy: | 78,4 lm/w | MacAdam: | 3 |
| UGR: | <16 | Power Supply: | 220-240V 50/60Hz |
| Type: | HIGH POWER LED | Gear: | Electronic |
| LED Lifetime: | 50.000 L90 B10 (Ta=25°C) | | |
| Power: | 12W | | |

Light output tolerance +/- 10%**CUSTOM MADE OPTIONS:**

PHOTOMETRIC DATA :



ACCESORIES :

Optical



Product code:

ODRF3C

Description:

OCULT ACC. REFLECTOR 3 CO.




Product code:

ODRF3M

Description:

OCULT ACC. REFLECTOR 3 MT.



Product code:

ODRF3W

Description:

OCULT ACC. REFLECTOR 3 WH.