Product datasheet

OCULT

OD1RE612WF840NBW




OCULT REC 6 1200 NW WFL BK/WH.

Description:

Fixed linear recessed downlight model OCULT REC 6 1200 NW WFL BK/ WH., LAMP brand. Body made of anodized aluminium to optimised heat dissipation. External frame made of injected aluminium painted in textured white and reflector made of ABS painted in black matt. With spring loaded clamping system. Model with LED HI-POWER with a neutral white colour temperature and control gear included. With Wide Flood optics. Glare rating UGR<16 (for 4h, 8h 70/50/20). IP43 protection rating. Insulation class II.

Finish: Texturised white RAL 9010

Weight: 614 g



Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output:	1.098 lm	°K :	4000	
Plum:	14W	CRI :	80	
Efficacy:	78,4 lm/w	MacAdam:	3	
UGR:	<16	Power Supply:	220-240V 50/60Hz	
Туре:	HIGH POWER LED	Gear:	Electronic	
LED Lifetime:	50.000 L90 B10 (Ta=25°C)			
Power:	12W			

Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:



LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es Worktitude for light

Product datasheet

OCULT

OD1RE612WF840NBW

OCULT REC 6 1200 NW WFL BK/WH.



OD1RE612WF840NBW	180°	alpha = 47,2°	H (m)	D (m)	Emax	Emed
η = 100%			1	0,87	1771	1150
lmax = 1615 cd/klm						
UTE:	90° 90°		2	1,75	443	287
CIE: 99 100 100 100 100						
			3	2,62	197	128
	0,0		4	3,50	111	72

Worktitude for light

Product datasheet

OCULT



ACCESORIES :

Optical



Product code: ODRF3C

Description: OCULT ACC. REFLECTOR 3 CO.



Product code: ODRF3M

Description: OCULT ACC. REFLECTOR 3 MT.



Product code: ODRF3W Description: OCULT ACC. REFLECTOR 3 WH.