Product datasheet

OCULT



OD1RE918MF830NBW



OCULT REC 9 1800 WW MFL BK/WH.


Description:

Fixed linear recessed downlight model OCULT REC 9 1800 WW MFL BK/ WH., LAMP brand. Body made of anodized aluminium to optimised heat dissipation. External frame made of injected aluminium painted in textured white and reflector made of ABS painted in black matt. With spring loaded clamping system. Model with LED HI-POWER with a warm white colour temperature and control gear included. With Medium Flood optics. Glare rating UGR<10 (for 4h, 8h 70/50/20). IP43 protection rating. Insulation class II.

Finish: Texturised white RAL 9010

Weight: 858 g

Installation: Recessed



TECHNICAL SPECIFICATIONS:

Light output: 1.620 lm °K: 3000 Plum: 20W CRI: 80 Efficacy: 81 lm/w 3 MacAdam:

UGR: <10 Power Supply: 120-277V 50/60Hz

Type: HIGH POWER LED Gear: Electronic

LED Lifetime: 50.000 L90 B10 (Ta=25°C)

18W Power:

Light output tolerance +/- 10%























CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU















OCULT






OCULT REC 9 1800 WW MFL BK/WH.


PHOTOMETRIC DATA:

OD1RE918MF830NBW

OD1RE918MF830NBW η = 100% Imax = 4606 cd/klm UTE:

CIE: 102 100 100 100 100





alpha = 24,9°	H (m)	D (m)	Emax	Emed
\wedge	1	0,44	7445	5356
	2	0,88	1861	1339
	3	1,32	827	595
	4	1,76	465	335

Product datasheet

OCULT



ACCESORIES:

Optical



Product code:

ODRF3C

Description:

OCULT ACC. REFLECTOR 3 CO.



Product code:

ODRF3M

Description:

OCULT ACC. REFLECTOR 3 MT.



Product code:

Description:

ODRF3W OCULT ACC. REFLECTOR 3 WH.