Product datasheet

OCULT



OD1RE918MF840NBB



OCULT REC 9 1800 NW MFL BK/BK.

Description:

Fixed linear recessed downlight model OCULT REC 9 1800 NW MFL BK/ BK., LAMP brand. Body made of anodized aluminium to optimised heat dissipation. External frame made of injected aluminium painted in textured black and reflector made of ABS painted in black matt. With spring loaded clamping system. Model with LED HI-POWER with a neutral white colour temperature and control gear included. With Medium Flood optics. Glare rating UGR<10 (for 4h, 8h 70/50/20). IP43 protection rating. Insulation class II.

Finish: Texturised black RAL 9011

Weight: 858 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output: 1.620 lm °K: 4000 Plum: 20W CRI: 80 Efficacy: 81 lm/w 3 MacAdam:

UGR: <10

HIGH POWER LED Type: Gear:

LED Lifetime: 50.000 L90 B10 (Ta=25°C)

18W Power:

Light output tolerance +/- 10%





















CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU











Power Supply:





120-277V 50/60Hz

Electronic

OCULT




OCULT REC 9 1800 NW MFL BK/BK.




PHOTOMETRIC DATA:

OD1RE918MF840NBB η = 100% lmax = 4606 cd/klmUTE:

CIE: 102 100 100 100 100





alpha = 24,9°	H (m)	D (m)	Emax	Emed
\wedge	1	0,44	7445	5356
	2	0,88	1861	1339
	3	1,32	827	595
	4	1,76	465	335

Product datasheet

OCULT



ACCESORIES:

Optical



Product code:

ODRF3C

Description:

OCULT ACC. REFLECTOR 3 CO.



Product code:

ODRF3M

Description:

OCULT ACC. REFLECTOR 3 MT.



Product code:

Description:

ODRF3W OCULT ACC. REFLECTOR 3 WH.