Product datasheet

OCULT

OD1RE918WF830NBB



Fixed linear recessed downlight model OCULT REC 9 1800 WW WFL BK/ BK., LAMP brand. Body made of anodized aluminium to optimised heat dissipation. External frame made of injected aluminium painted in textured black and reflector made of ABS painted in black matt. With spring loaded clamping system. Model with LED HI-POWER with a warm white colour temperature and control gear included. With Wide Flood optics. Glare rating UGR<16 (for 4h, 8h 70/50/20). IP43 protection rating. Insulation class II.

Finish: Texturised black RAL 9011 Weight: 858 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output:	1.647 lm	°K :	3000
Plum:	20W	CRI :	80
Efficacy:	82,4 lm/w	MacAdam:	3
UGR:	<16	Power Supply:	120-277V 50/60Hz
Туре:	HIGH POWER LED	Gear:	Electronic
LED Lifetime:	50.000 L90 B10 (Ta=25°C)		
Power:	18W		

Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:



LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es Worktitude for light

Product datasheet

OCULT

OD1RE918WF830NBB

OCULT REC 9 1800 WW WFL BK/BK.



OD1RE918WF830NBB	180°	alpha = 47,2°	H (m)	D (m)	Emax	Emed
η = 100% Imax = 1615 cd/klm			1	0,87	2657	1724
UTE:	90° 90°		2	1,75	664	431
CIE: 99 100 100 100 100			3	2,62	295	192
	0°		4	3,50	166	108

Worktitude for light

Product datasheet

OCULT



ACCESORIES :

Optical



Product code: ODRF3C

Description: OCULT ACC. REFLECTOR 3 CO.



Product code: ODRF3M

Description: OCULT ACC. REFLECTOR 3 MT.



Product code: ODRF3W Description: OCULT ACC. REFLECTOR 3 WH.