### **Product datasheet**

## **OCULT**

## OD1RE918WF840NBB



## OCULT REC 9 1800 NW WFL BK/BK.

## Description:

Fixed linear recessed downlight model OCULT REC 9 1800 NW WFL BK/ BK., LAMP brand. Body made of anodized aluminium to optimised heat dissipation. External frame made of injected aluminium painted in textured black and reflector made of ABS painted in black matt. With spring loaded clamping system. Model with LED HI-POWER with a neutral white colour temperature and control gear included. With Wide Flood optics. Glare rating UGR<16 (for 4h, 8h 70/50/20). IP43 protection rating. Insulation class II.

Finish: Texturised black RAL 9011

Weight: 858 g

Installation: Recessed

## **TECHNICAL SPECIFICATIONS:**

Light output: 1.647 lm °K: 4000 Plum: 20W CRI: 80 Efficacy: 82,4 Im/w 3 MacAdam:

UGR: <16

Type: HIGH POWER LED Gear: Electronic

LED Lifetime: 50.000 L90 B10 (Ta=25°C)

18W Power:

## Light output tolerance +/- 10%















# **CUSTOM MADE OPTIONS:**









Data according to regulations 2019/2020/EU and 2019/2015/EU











Power Supply:





120-277V 50/60Hz

# **OCULT**









## PHOTOMETRIC DATA:

OD1RE918WF840NBB  $\eta$  = 100% Imax = 1615 cd/klm UTE:

CIE: 99 100 100 100 100





alpha = 47,2°	H (m)	D (m)	Emax	Emed
	1	0,87	2657	1724
	2	1,75	664	431
	3	2,62	295	192
	4	3,50	166	108

## **Product datasheet**

# **OCULT**



# ACCESORIES:

## Optical



Product code:

ODRF3C

Description:

OCULT ACC. REFLECTOR 3 CO.



Product code:

ODRF3M

Description:

OCULT ACC. REFLECTOR 3 MT.



Product code:

Description:

ODRF3W OCULT ACC. REFLECTOR 3 WH.