Product datasheet

OCULT



OD1TR1222MF830NB



OCULT TRIM 12 2400 WW MFL BK.

Description:

Fixed linear recessed downlight model OCULT TRIM 12 2400 WW MFL BK., LAMP brand. Body made of anodized aluminium to optimised heat dissipation and reflector made of ABS painted in black matt. With spring loaded clamping system. Model with LED HI-POWER with a warm white colour temperature and control gear included. With Medium Flood optics. Glare rating UGR<10 (for 4h, 8h 70/50/20). IP43 protection rating. Insulation class II.

Finish: Texturised black RAL 9011

Weight: 1.502 g

Installation: Recessed





TECHNICAL SPECIFICATIONS:

Light output: 2.160 lm °K: 3000 Plum: 26,7W CRI: 80 Efficacy: 80,9 lm/w 3 MacAdam:

UGR: <10

Type: HIGH POWER LED

LED Lifetime: 50.000 L90 B10 (Ta=25°C)

Power: 24W

Light output tolerance +/- 10%















CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU











Power Supply:

Gear:





120-240V 50/60Hz

Electronic

OCULT




OCULT TRIM 12 2400 WW MFL BK.




PHOTOMETRIC DATA:

OD1TR1222MF830NB η = 100% lmax = 4606 cd/klmUTE:

CIE: 102 100 100 100 100





alpha = 24,9°	H (m)	D (m)	Emax	Emed
\wedge	1	0,44	9926	7142
	2	0,88	2482	1785
	3	1,32	1103	794
	4	1,76	620	446

Product datasheet

OCULT



ACCESORIES:

Optical



Product code:

ODRF3C

Description:

OCULT ACC. REFLECTOR 3 CO.



Product code:

ODRF3M

Description:

OCULT ACC. REFLECTOR 3 MT.



Product code:

Description:

ODRF3W OCULT ACC. REFLECTOR 3 WH.