Product datasheet

OCULT

OD1TR1222MF840DB




OCULT TRIM 12 2400 NW MFL DALI BK.

Description:

Fixed linear recessed downlight model OCULT TRIM 12 2400 NW MFL DALI BK., LAMP brand. Body made of anodized aluminium to optimised heat dissipation and reflector made of ABS painted in black matt. With spring loaded clamping system. Model with LED HI-POWER with a neutral white colour temperature and control DALI gear included. With Medium Flood optics. Glare rating UGR<10 (for 4h, 8h 70/50/20). IP43 protection rating. Insulation class II.

Finish: Texturised black RAL 9011

Weight: 1.502 g



Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output:	2.160 lm	°K :	4000	
Plum:	26,7W	CRI :	80	
Efficacy:	82,2 lm/w	MacAdam:	3	
UGR:	<10	Power Supply:	120-240V 50/60Hz	
Туре:	HIGH POWER LED	Gear:	Adjustable DALI	
LED Lifetime:	50.000 L90 B10 (Ta=25⁰C)			
Power:	24W			

Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:



LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es Worktitude for light

Product datasheet

OCULT

OD1TR1222MF840DB

OCULT TRIM 12 2400 NW MFL DALI BK.



OD1TR1222MF840NB	180°	alpha = 24,9°	H (m)	D (m)	Emax	Emed
η = 100% Imax = 4606 cd/klm		\land	1	0,44	10091	7261
UTE:	90° 90°		2	0,88	2523	1815
CIE: 102 100 100 100 100			3	1,32	1121	807
	Q°		4	1,76	631	454

Worktitude for light

Product datasheet

OCULT



ACCESORIES :

Optical



Product code: ODRF3C

Description: OCULT ACC. REFLECTOR 3 CO.



Product code: ODRF3M

Description: OCULT ACC. REFLECTOR 3 MT.



Product code: ODRF3W Description: OCULT ACC. REFLECTOR 3 WH.