OCULT

Worktitude for light

OD1TR204MF840DB



OCULT TRIM 2 400 NW MFL DALI BK.

Description:

Fixed linear recessed downlight model OCULT TRIM 2 400 NW MFL DALI BK., LAMP brand. Body made of anodized aluminium to optimised heat dissipation and reflector made of ABS painted in black matt. With spring loaded clamping system. Model with LED HI-POWER with a neutral white colour temperature and control DALI gear included. With Medium Flood optics. Glare rating UGR<10 (for 4h, 8h 70/50/20). IP43 protection rating. Insulation class II.

34 00

73

Finish: Texturised black RAL 9011

Weight: 360 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:

 Light output:
 360 lm
 °K:
 4000

 Plum:
 5W
 CRI:
 80

 Efficacy:
 72 lm/w
 MacAdam:
 3

 UGR:
 <10</td>
 Power Supply:
 100-240V 50/60Hz

 Type:
 HIGH POWER LED
 Gear:
 Adjustable DALI

LED Lifetime: 50.000 L90 B10 (Ta=25°C)

Power: 4W

Light output tolerance +/- 10%















CUSTOM MADE OPTIONS:













LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal











OCULT






OCULT TRIM 2 400 NW MFL DALI BK.

PHOTOMETRIC DATA:

OD1TR204MF840NB $\eta = 100\%$ $Imax = 4449 \ cd/kIm$ UTE: CIE: 102 100 100 100 100



alpha = 25,5°	H (m)	D (m)	Emax	Emed
\wedge	1	0,45	1599	1155
	2	0,90	400	289
	3	1,36	178	128
	4	1,81	100	72

Data according to regulations 2019/2020/EU and 2019/2015/EU

Product datasheet

OCULT



ACCESORIES:

Optical



Product code:

Description: ODRF2C

OCULT ACC. REFLECTOR 2 CO.



Product code:

ODRF2M

Description:

OCULT ACC. REFLECTOR 2 MT.



Product code:

Description:

ODRF2W OCULT ACC. REFLECTOR 2 WH.