OCULT

OD1TR204WF830DB



OCULT TRIM 2 400 WW WFL DALI BK.

Description:

Fixed linear recessed downlight model OCULT TRIM 2 400 WW WFL DALI BK., LAMP brand. Body made of anodized aluminium to optimised heat dissipation and reflector made of ABS painted in black matt. With spring loaded clamping system. Model with LED HI-POWER with a warm white colour temperature and control DALI gear included. With Wide Flood optics. Glare rating UGR<16 (for 4h, 8h 70/50/20). IP43 protection rating. Insulation class II.

Finish: Texturised black RAL 9011

Weight: 360 g

Installation: Recessed





TECHNICAL SPECIFICATIONS:

Light output: 366 lm °K: 3000 Plum: 5W CRI: 80 Efficacy: 73,2 lm/w 3 MacAdam:

UGR: <16 Power Supply: 100-240V 50/60Hz Type: HIGH POWER LED Gear: Adjustable DALI

LED Lifetime: 50.000 L90 B10 (Ta=25°C)

Power: 4W

Light output tolerance +/- 10%





















CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU
















OCULT







OCULT TRIM 2 400 WW WFL DALI BK.

PHOTOMETRIC DATA:

OD1TR204WF830DB

OD1TR204WF830NB $_{\eta}$ = 100% Imax = 1657 cd/klm UTE:





alpha = 45,3°	H (m)	D (m)	Emax	Emed
	1	0,83	606	399
	2	1,67	152	100
	3	2,50	67	44
	4	3,34	38	25

Product datasheet

OCULT



ACCESORIES:

Optical



Product code:

ODRF2C

Description:

OCULT ACC. REFLECTOR 2 CO.



Product code:

ODRF2M

Description:

OCULT ACC. REFLECTOR 2 MT.



Product code:

Description:

ODRF2W OCULT ACC. REFLECTOR 2 WH.