

OS1DO306WF830NB




OCULT SYS. DOWN. 3 600 WW WFL BK.

Description:

Fixed linear Downlight module to adapt to structure, model OCULT SYS.DOWN. 3 600, LAMP brand. Body made of anodized aluminium to optimise heat dissipation and reflector made of ABS painted in black matt. With fast connection system. Model with LED HI-POWER with a 3000K colour temperature, CRI 80 and control gear included. With Wide Flood optics. Glare rating UGR<16 (for 4h, 8h 70/50/20). 33° shielding angle. Insulation class I. Lifetime: 50.000 L80 B10

Finish: Matte black RAL 9011

Weight: 566 g



Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output:	549 lm	°K :	3000
Plum:	7,4W	CRI :	80
Efficacy:	74,2 lm/w	MacAdam:	3
UGR:	<16	Power Supply:	100-277V 50/60Hz
Type:	HIGH POWER LED	Gear:	Electronic
LED Lifetime:	50.000 L80 B10 (Ta=25°C)		
Power:	6W		


Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:




PHOTOMETRIC DATA :



ACCESORIES :

Assembly



Product code:

OSCO1000B
OSCO200B
OSCO300B
OSCO400B
OSCO500B
OSCO600B
OSCO700B
OSCO800B
OSCO900B

Description:

OCULT SYSTEM ACC. COVER 1000 BK.
OCULT SYSTEM ACC. COVER 200 BK.
OCULT SYSTEM ACC. COVER 300 BK.
OCULT SYSTEM ACC. COVER 400 BK.
OCULT SYSTEM ACC. COVER 500 BK.
OCULT SYSTEM ACC. COVER 600 BK.
OCULT SYSTEM ACC. COVER 700 BK.
OCULT SYSTEM ACC. COVER 800 BK.
OCULT SYSTEM ACC. COVER 900 BK.



Product code:

OSCO1000W
OSCO200W
OSCO300W
OSCO400W
OSCO500W
OSCO600W
OSCO700W
OSCO800W
OSCO900W

Description:

OCULT SYSTEM ACC. COVER 1000 WH.
OCULT SYSTEM ACC. COVER 200 WH.
OCULT SYSTEM ACC. COVER 300 WH.
OCULT SYSTEM ACC. COVER 400 WH.
OCULT SYSTEM ACC. COVER 500 WH.
OCULT SYSTEM ACC. COVER 600 WH.
OCULT SYSTEM ACC. COVER 700 WH.
OCULT SYSTEM ACC. COVER 800 WH.
OCULT SYSTEM ACC. COVER 900 WH.




Product code:

OSJO

Description:

OCULT SYS. ACC. JOINT




Product code:

OSRECR100B
OSSUCR100B

Description:

OCULT SYS. ACC. REC CORNER 100 BK.
OCULT SYS. ACC. SUR CORNER 100 BK.



Product code:

OSRECR100W
OSSUCR100W

Description:

OCULT SYS. ACC. REC CORNER 100 WH.
OCULT SYS. ACC. SUR CORNER 100 WH.



Product code:

OSREECB

Description:

OCULT SYS. ACC. REC END COVER BK.




Product code:

OSREECW

Description:

OCULT SYS. ACC. REC END COVER WH.

OCULT SYSTEM



Product code:

- OSREPR1000B
- OSREPR1100B
- OSREPR1200B
- OSREPR1300B
- OSREPR1400B
- OSREPR1500B
- OSREPR1600B
- OSREPR1700B
- OSREPR1800B
- OSREPR1900B
- OSREPR2000B
- OSREPR500B
- OSREPR600B
- OSREPR700B
- OSREPR800B
- OSREPR900B

Description:

- OCULT SYS. ACC. REC PROFILE 1000 BK.
- OCULT SYS. ACC. REC PROFILE 1100 BK.
- OCULT SYS. ACC. REC PROFILE 1200 BK.
- OCULT SYS. ACC. REC PROFILE 1300 BK.
- OCULT SYS. ACC. REC PROFILE 1400 BK.
- OCULT SYS. ACC. REC PROFILE 1500 BK.
- OCULT SYS. ACC. REC PROFILE 1600 BK.
- OCULT SYS. ACC. REC PROFILE 1700 BK.
- OCULT SYS. ACC. REC PROFILE 1800 BK.
- OCULT SYS. ACC. REC PROFILE 1900 BK.
- OCULT SYS. ACC. REC PROFILE 2000 BK.
- OCULT SYS. ACC. REC PROFILE 500 BK.
- OCULT SYS. ACC. REC PROFILE 600 BK.
- OCULT SYS. ACC. REC PROFILE 700 BK.
- OCULT SYS. ACC. REC PROFILE 800 BK.
- OCULT SYS. ACC. REC PROFILE 900 BK.



Product code:

- OSREPR1000W
- OSREPR1100W
- OSREPR1200W
- OSREPR1300W
- OSREPR1400W
- OSREPR1500W
- OSREPR1600W
- OSREPR1700W
- OSREPR1800W
- OSREPR1900W
- OSREPR2000W
- OSREPR500W
- OSREPR600W
- OSREPR700W
- OSREPR800W
- OSREPR900W

Description:

- OCULT SYS. ACC. REC PROFILE 1000 WH.
- OCULT SYS. ACC. REC PROFILE 1100 WH.
- OCULT SYS. ACC. REC PROFILE 1200 WH.
- OCULT SYS. ACC. REC PROFILE 1300 WH.
- OCULT SYS. ACC. REC PROFILE 1400 WH.
- OCULT SYS. ACC. REC PROFILE 1500 WH.
- OCULT SYS. ACC. REC PROFILE 1600 WH.
- OCULT SYS. ACC. REC PROFILE 1700 WH.
- OCULT SYS. ACC. REC PROFILE 1800 WH.
- OCULT SYS. ACC. REC PROFILE 1900 WH.
- OCULT SYS. ACC. REC PROFILE 2000 WH.
- OCULT SYS. ACC. REC PROFILE 500 WH.
- OCULT SYS. ACC. REC PROFILE 600 WH.
- OCULT SYS. ACC. REC PROFILE 700 WH.
- OCULT SYS. ACC. REC PROFILE 800 WH.
- OCULT SYS. ACC. REC PROFILE 900 WH.



Product code:

OSSUECB

Description:

OCULT SYS. ACC. SUR END COVER BK.




Product code:

OSSUECW

Description:

OCULT SYS. ACC. SUR END COVER WH.




Product code:

OSSUPR1000B
 OSSUPR1100B
 OSSUPR1200B
 OSSUPR1300B
 OSSUPR1400B
 OSSUPR1500B
 OSSUPR1600B
 OSSUPR1700B
 OSSUPR1800B
 OSSUPR1900B
 OSSUPR2000B
 OSSUPR500B
 OSSUPR600B
 OSSUPR700B
 OSSUPR800B
 OSSUPR900B

Description:

OCULT SYS. ACC. SUR PROFILE 1000 BK.
 OCULT SYS. ACC. SUR PROFILE 1100 BK.
 OCULT SYS. ACC. SUR PROFILE 1200 BK.
 OCULT SYS. ACC. SUR PROFILE 1300 BK.
 OCULT SYS. ACC. SUR PROFILE 1400 BK.
 OCULT SYS. ACC. SUR PROFILE 1500 BK.
 OCULT SYS. ACC. SUR PROFILE 1600 BK.
 OCULT SYS. ACC. SUR PROFILE 1700 BK.
 OCULT SYS. ACC. SUR PROFILE 1800 BK.
 OCULT SYS. ACC. SUR PROFILE 1900 BK.
 OCULT SYS. ACC. SUR PROFILE 2000 BK.
 OCULT SYS. ACC. SUR PROFILE 500 BK.
 OCULT SYS. ACC. SUR PROFILE 600 BK.
 OCULT SYS. ACC. SUR PROFILE 700 BK.
 OCULT SYS. ACC. SUR PROFILE 800 BK.
 OCULT SYS. ACC. SUR PROFILE 900 BK.



Product code:

OSSUPR1000W
 OSSUPR1100W
 OSSUPR1200W
 OSSUPR1300W
 OSSUPR1400W
 OSSUPR1500W
 OSSUPR1600W
 OSSUPR1700W
 OSSUPR1800W
 OSSUPR1900W
 OSSUPR2000W
 OSSUPR500W
 OSSUPR600W
 OSSUPR700W
 OSSUPR800W
 OSSUPR900W

Description:

OCULT SYS. ACC. SUR PROFILE 1000 WH.
 OCULT SYS. ACC. SUR PROFILE 1100 WH.
 OCULT SYS. ACC. SUR PROFILE 1200 WH.
 OCULT SYS. ACC. SUR PROFILE 1300 WH.
 OCULT SYS. ACC. SUR PROFILE 1400 WH.
 OCULT SYS. ACC. SUR PROFILE 1500 WH.
 OCULT SYS. ACC. SUR PROFILE 1600 WH.
 OCULT SYS. ACC. SUR PROFILE 1700 WH.
 OCULT SYS. ACC. SUR PROFILE 1800 WH.
 OCULT SYS. ACC. SUR PROFILE 1900 WH.
 OCULT SYS. ACC. SUR PROFILE 2000 WH.
 OCULT SYS. ACC. SUR PROFILE 500 WH.
 OCULT SYS. ACC. SUR PROFILE 600 WH.
 OCULT SYS. ACC. SUR PROFILE 700 WH.
 OCULT SYS. ACC. SUR PROFILE 800 WH.
 OCULT SYS. ACC. SUR PROFILE 900 WH.

ACCESORIES :

Suspension



Product code:

SFRG41G

Description:

ACC. SUR FIXING NK.



Product code:

SUCA4000DW
 SUCA4000NW

Description:

ACC. ELEC 5P SUSP WH.
 ACC. ELEC 3P SUSP WH.



Product code:

SUWIDE1000G
 SUWIDE4000G

Description:

ACC. QUICK STEEL CABLE 1M NK.
 ACC. QUICK STEEL CABLE 4M NK.

ACCESORIES :

Optical

OCULT SYSTEM




Product code:
ODRF3C

Description:
OCULT ACC. REFLECTOR 3 CO.



Product code:
ODRF3M

Description:
OCULT ACC. REFLECTOR 3 MT.



Product code:
ODRF3W

Description:
OCULT ACC. REFLECTOR 3 WH.

ACCESORIES :

Adjustment and control



Product code:

- OSCTAI1000D
- OSCTAI100D
- OSCTAI1100D
- OSCTAI1200D
- OSCTAI1300D
- OSCTAI1400D
- OSCTAI1500D
- OSCTAI200D
- OSCTAI300D
- OSCTAI400D
- OSCTAI500D
- OSCTAI600D
- OSCTAI700D
- OSCTAI800D
- OSCTAI900D

Description:

- OCULT SYS. ACC. INTER. CONNECTOR DALI 1000
- OCULT SYS. ACC. INTER. CONNECTOR DALI 100
- OCULT SYS. ACC. INTER. CONNECTOR DALI 1100
- OCULT SYS. ACC. INTER. CONNECTOR DALI 1200
- OCULT SYS. ACC. INTER. CONNECTOR DALI 1300
- OCULT SYS. ACC. INTER. CONNECTOR DALI 1400
- OCULT SYS. ACC. INTER. CONNECTOR DALI 1500
- OCULT SYS. ACC. INTER. CONNECTOR DALI 200
- OCULT SYS. ACC. INTER. CONNECTOR DALI 300
- OCULT SYS. ACC. INTER. CONNECTOR DALI 400
- OCULT SYS. ACC. INTER. CONNECTOR DALI 500
- OCULT SYS. ACC. INTER. CONNECTOR DALI 600
- OCULT SYS. ACC. INTER. CONNECTOR DALI 700
- OCULT SYS. ACC. INTER. CONNECTOR DALI 800
- OCULT SYS. ACC. INTER. CONNECTOR DALI 900



Product code:

- OSCTAI1000N
- OSCTAI100N
- OSCTAI1100N
- OSCTAI1200N
- OSCTAI1300N
- OSCTAI1400N
- OSCTAI1500N
- OSCTAI200N
- OSCTAI300N
- OSCTAI400N
- OSCTAI500N
- OSCTAI600N
- OSCTAI700N
- OSCTAI800N
- OSCTAI900N

Description:

- OCULT SYS. ACC. INTER. CONNECTOR 1000
- OCULT SYS. ACC. INTER. CONNECTOR 100
- OCULT SYS. ACC. INTER. CONNECTOR 1100
- OCULT SYS. ACC. INTER. CONNECTOR 1200
- OCULT SYS. ACC. INTER. CONNECTOR 1300
- OCULT SYS. ACC. INTER. CONNECTOR 1400
- OCULT SYS. ACC. INTER. CONNECTOR 1500
- OCULT SYS. ACC. INTER. CONNECTOR 200
- OCULT SYS. ACC. INTER. CONNECTOR 300
- OCULT SYS. ACC. INTER. CONNECTOR 400
- OCULT SYS. ACC. INTER. CONNECTOR 500
- OCULT SYS. ACC. INTER. CONNECTOR 600
- OCULT SYS. ACC. INTER. CONNECTOR 700
- OCULT SYS. ACC. INTER. CONNECTOR 800
- OCULT SYS. ACC. INTER. CONNECTOR 900