

OS1DO612MF840DB




OCULT SYS. DOWN. 6 1200 NW MFL DALI BK.

Description:

Module type Downlight linéaire fixe pour adapter à structure, modèle OCULT SYS. DOWN. 6 1200, de la marque LAMP. Corps fabriqué en aluminium anodisé pour aider la dissipation thermique et réflecteur en ABS peint en noir mat. Avec système de connexion rapide. Modèle avec LED HI-POWER avec température de couleur 4000K, CRI 80 et équipement DALI électronique incorporé. Optiques Medium Flood. Facteur d'éblouissement UGR<10 (pour 4h, 8h 70/50/20). Angle de protection de 33°. Classe d'isolation I. Durée de vie: 50.000 L80 B10

Finition: Noir mat RAL 9011

Poids: 722 g



Installation: Encastré

SPÉCIFICATIONS TECHNIQUES:




| | | | |
|--------------------------|--------------------------|----------------------|------------------|
| Flux lumineux: | 1.080 lm | °K : | 4000 |
| Plum: | 13,1W | IRC : | 80 |
| Efficacité: | 82,4 lm/w | MacAdam: | 3 |
| UGR: | <10 | Alimentation: | 100-277V 50/60Hz |
| Type: | HIGH POWER LED | Équipement: | Réglable DALI |
| Durée de vie LED: | 50.000 L80 B10 (Ta=25°C) | | |
| Puissance: | 12W | | |

Tolérance de flux lumineux +/- 10%

**OPTIONS PERSONNALISABLES:**

DONNÉES PHOTOMÉTRIQUES :

OS1DO612MF840NB
 $\eta = 100\%$
 $I_{max} = 4449 \text{ cd/klm}$
 UTE:
 CIE: 102 100 100 100 100

| H (m) | D (m) | E _{max} | E _{med} |
|-------|-------|------------------|------------------|
| 1 | 0,45 | 4796 | 3463 |
| 2 | 0,90 | 1199 | 866 |
| 3 | 1,36 | 533 | 385 |
| 4 | 1,81 | 300 | 216 |

ACCESSOIRES :

Montage



Code produit:

OSCO1000B
OSCO200B
OSCO300B
OSCO400B
OSCO500B
OSCO600B
OSCO700B
OSCO800B
OSCO900B

Description:

OCULT SYSTEM ACC. COVER 1000 BK.
OCULT SYSTEM ACC. COVER 200 BK.
OCULT SYSTEM ACC. COVER 300 BK.
OCULT SYSTEM ACC. COVER 400 BK.
OCULT SYSTEM ACC. COVER 500 BK.
OCULT SYSTEM ACC. COVER 600 BK.
OCULT SYSTEM ACC. COVER 700 BK.
OCULT SYSTEM ACC. COVER 800 BK.
OCULT SYSTEM ACC. COVER 900 BK.



Code produit:

OSCO1000W
OSCO200W
OSCO300W
OSCO400W
OSCO500W
OSCO600W
OSCO700W
OSCO800W
OSCO900W

Description:

OCULT SYSTEM ACC. COVER 1000 WH.
OCULT SYSTEM ACC. COVER 200 WH.
OCULT SYSTEM ACC. COVER 300 WH.
OCULT SYSTEM ACC. COVER 400 WH.
OCULT SYSTEM ACC. COVER 500 WH.
OCULT SYSTEM ACC. COVER 600 WH.
OCULT SYSTEM ACC. COVER 700 WH.
OCULT SYSTEM ACC. COVER 800 WH.
OCULT SYSTEM ACC. COVER 900 WH.




Code produit:

OSJO

Description:

OCULT SYS. ACC. JOINT




Code produit:

OSRECR100B
OSSUCR100B

Description:

OCULT SYS. ACC. REC CORNER 100 BK.
OCULT SYS. ACC. SUR CORNER 100 BK.



Code produit:

OSRECR100W
OSSUCR100W

Description:

OCULT SYS. ACC. REC CORNER 100 WH.
OCULT SYS. ACC. SUR CORNER 100 WH.



Code produit:

OSREECB

Description:

OCULT SYS. ACC. REC END COVER BK.




Code produit:

OSREECW

Description:

OCULT SYS. ACC. REC END COVER WH.

OCULT SYSTEM



Code produit:

OSREPR1000B
OSREPR1100B
OSREPR1200B
OSREPR1300B
OSREPR1400B
OSREPR1500B
OSREPR1600B
OSREPR1700B
OSREPR1800B
OSREPR1900B
OSREPR2000B
OSREPR500B
OSREPR600B
OSREPR700B
OSREPR800B
OSREPR900B

Description:

OCULT SYS. ACC. REC PROFILE 1000 BK.
OCULT SYS. ACC. REC PROFILE 1100 BK.
OCULT SYS. ACC. REC PROFILE 1200 BK.
OCULT SYS. ACC. REC PROFILE 1300 BK.
OCULT SYS. ACC. REC PROFILE 1400 BK.
OCULT SYS. ACC. REC PROFILE 1500 BK.
OCULT SYS. ACC. REC PROFILE 1600 BK.
OCULT SYS. ACC. REC PROFILE 1700 BK.
OCULT SYS. ACC. REC PROFILE 1800 BK.
OCULT SYS. ACC. REC PROFILE 1900 BK.
OCULT SYS. ACC. REC PROFILE 2000 BK.
OCULT SYS. ACC. REC PROFILE 500 BK.
OCULT SYS. ACC. REC PROFILE 600 BK.
OCULT SYS. ACC. REC PROFILE 700 BK.
OCULT SYS. ACC. REC PROFILE 800 BK.
OCULT SYS. ACC. REC PROFILE 900 BK.



Code produit:

OSREPR1000W
OSREPR1100W
OSREPR1200W
OSREPR1300W
OSREPR1400W
OSREPR1500W
OSREPR1600W
OSREPR1700W
OSREPR1800W
OSREPR1900W
OSREPR2000W
OSREPR500W
OSREPR600W
OSREPR700W
OSREPR800W
OSREPR900W

Description:

OCULT SYS. ACC. REC PROFILE 1000 WH.
OCULT SYS. ACC. REC PROFILE 1100 WH.
OCULT SYS. ACC. REC PROFILE 1200 WH.
OCULT SYS. ACC. REC PROFILE 1300 WH.
OCULT SYS. ACC. REC PROFILE 1400 WH.
OCULT SYS. ACC. REC PROFILE 1500 WH.
OCULT SYS. ACC. REC PROFILE 1600 WH.
OCULT SYS. ACC. REC PROFILE 1700 WH.
OCULT SYS. ACC. REC PROFILE 1800 WH.
OCULT SYS. ACC. REC PROFILE 1900 WH.
OCULT SYS. ACC. REC PROFILE 2000 WH.
OCULT SYS. ACC. REC PROFILE 500 WH.
OCULT SYS. ACC. REC PROFILE 600 WH.
OCULT SYS. ACC. REC PROFILE 700 WH.
OCULT SYS. ACC. REC PROFILE 800 WH.
OCULT SYS. ACC. REC PROFILE 900 WH.



Code produit:

OSSUECB

Description:

OCULT SYS. ACC. SUR END COVER BK.




Code produit:

OSSUECW

Description:

OCULT SYS. ACC. SUR END COVER WH.

OCULT SYSTEM




Code produit:

OSSUPR1000B
 OSSUPR1100B
 OSSUPR1200B
 OSSUPR1300B
 OSSUPR1400B
 OSSUPR1500B
 OSSUPR1600B
 OSSUPR1700B
 OSSUPR1800B
 OSSUPR1900B
 OSSUPR2000B
 OSSUPR500B
 OSSUPR600B
 OSSUPR700B
 OSSUPR800B
 OSSUPR900B

Description:

OCULT SYS. ACC. SUR PROFILE 1000 BK.
 OCULT SYS. ACC. SUR PROFILE 1100 BK.
 OCULT SYS. ACC. SUR PROFILE 1200 BK.
 OCULT SYS. ACC. SUR PROFILE 1300 BK.
 OCULT SYS. ACC. SUR PROFILE 1400 BK.
 OCULT SYS. ACC. SUR PROFILE 1500 BK.
 OCULT SYS. ACC. SUR PROFILE 1600 BK.
 OCULT SYS. ACC. SUR PROFILE 1700 BK.
 OCULT SYS. ACC. SUR PROFILE 1800 BK.
 OCULT SYS. ACC. SUR PROFILE 1900 BK.
 OCULT SYS. ACC. SUR PROFILE 2000 BK.
 OCULT SYS. ACC. SUR PROFILE 500 BK.
 OCULT SYS. ACC. SUR PROFILE 600 BK.
 OCULT SYS. ACC. SUR PROFILE 700 BK.
 OCULT SYS. ACC. SUR PROFILE 800 BK.
 OCULT SYS. ACC. SUR PROFILE 900 BK.



Code produit:

OSSUPR1000W
 OSSUPR1100W
 OSSUPR1200W
 OSSUPR1300W
 OSSUPR1400W
 OSSUPR1500W
 OSSUPR1600W
 OSSUPR1700W
 OSSUPR1800W
 OSSUPR1900W
 OSSUPR2000W
 OSSUPR500W
 OSSUPR600W
 OSSUPR700W
 OSSUPR800W
 OSSUPR900W

Description:

OCULT SYS. ACC. SUR PROFILE 1000 WH.
 OCULT SYS. ACC. SUR PROFILE 1100 WH.
 OCULT SYS. ACC. SUR PROFILE 1200 WH.
 OCULT SYS. ACC. SUR PROFILE 1300 WH.
 OCULT SYS. ACC. SUR PROFILE 1400 WH.
 OCULT SYS. ACC. SUR PROFILE 1500 WH.
 OCULT SYS. ACC. SUR PROFILE 1600 WH.
 OCULT SYS. ACC. SUR PROFILE 1700 WH.
 OCULT SYS. ACC. SUR PROFILE 1800 WH.
 OCULT SYS. ACC. SUR PROFILE 1900 WH.
 OCULT SYS. ACC. SUR PROFILE 2000 WH.
 OCULT SYS. ACC. SUR PROFILE 500 WH.
 OCULT SYS. ACC. SUR PROFILE 600 WH.
 OCULT SYS. ACC. SUR PROFILE 700 WH.
 OCULT SYS. ACC. SUR PROFILE 800 WH.
 OCULT SYS. ACC. SUR PROFILE 900 WH.

ACCESSOIRES :

Suspension



Code produit:

SFRG41G

Description:

ACC. SUR FIXING NK.



Code produit:

SUCA4000DW
 SUCA4000NW

Description:

ACC. ELEC 5P SUSP WH.
 ACC. ELEC 3P SUSP WH.



Code produit:

SUWIDE4000G

Description:

ACC. QUICK STEEL CABLE 4M NK.

ACCESSOIRES :

Optique

OCULT SYSTEM




Code produit:
ODRF3C

Description:
OCULT ACC. REFLECTOR 3 CO.



Code produit:
ODRF3M

Description:
OCULT ACC. REFLECTOR 3 MT.



Code produit:
ODRF3W

Description:
OCULT ACC. REFLECTOR 3 WH.

ACCESSOIRES :

Contrôle et réglage



Code produit:
OSCTAI1000D
OSCTAI100D
OSCTAI1100D
OSCTAI1200D
OSCTAI1300D
OSCTAI1400D
OSCTAI1500D
OSCTAI200D
OSCTAI300D
OSCTAI400D
OSCTAI500D
OSCTAI600D
OSCTAI700D
OSCTAI800D
OSCTAI900D

Description:
OCULT SYS. ACC.INTER.CONNECTOR DALI 1000
OCULT SYS. ACC.INTER.CONNECTOR DALI 100
OCULT SYS. ACC.INTER.CONNECTOR DALI 1100
OCULT SYS. ACC.INTER.CONNECTOR DALI 1200
OCULT SYS. ACC.INTER.CONNECTOR DALI 1300
OCULT SYS. ACC.INTER.CONNECTOR DALI 1400
OCULT SYS. ACC.INTER.CONNECTOR DALI 1500
OCULT SYS. ACC.INTER.CONNECTOR DALI 200
OCULT SYS. ACC.INTER.CONNECTOR DALI 300
OCULT SYS. ACC.INTER.CONNECTOR DALI 400
OCULT SYS. ACC.INTER.CONNECTOR DALI 500
OCULT SYS. ACC.INTER.CONNECTOR DALI 600
OCULT SYS. ACC.INTER.CONNECTOR DALI 700
OCULT SYS. ACC.INTER.CONNECTOR DALI 800
OCULT SYS. ACC.INTER.CONNECTOR DALI 900



Code produit:
OSCTAI1000N
OSCTAI100N
OSCTAI1100N
OSCTAI1200N
OSCTAI1300N
OSCTAI1400N
OSCTAI1500N
OSCTAI200N
OSCTAI300N
OSCTAI400N
OSCTAI500N
OSCTAI600N
OSCTAI700N
OSCTAI800N
OSCTAI900N

Description:
OCULT SYS. ACC. INTER. CONNECTOR 1000
OCULT SYS. ACC. INTER. CONNECTOR 100
OCULT SYS. ACC. INTER. CONNECTOR 1100
OCULT SYS. ACC. INTER. CONNECTOR 1200
OCULT SYS. ACC. INTER. CONNECTOR 1300
OCULT SYS. ACC. INTER. CONNECTOR 1400
OCULT SYS. ACC. INTER. CONNECTOR 1500
OCULT SYS. ACC. INTER. CONNECTOR 200
OCULT SYS. ACC. INTER. CONNECTOR 300
OCULT SYS. ACC. INTER. CONNECTOR 400
OCULT SYS. ACC. INTER. CONNECTOR 500
OCULT SYS. ACC. INTER. CONNECTOR 600
OCULT SYS. ACC. INTER. CONNECTOR 700
OCULT SYS. ACC. INTER. CONNECTOR 800
OCULT SYS. ACC. INTER. CONNECTOR 900