

## OS1DO612WF830DB



## OCULT SYS. DOWN. 6 1200 WW WFL DALI BK.

## Description:

Module type Downlight linéaire fixe pour adapter à structure, modèle OCULT SYS. DOWN. 6 1200, de la marque LAMP. Corps fabriqué en aluminium anodisé pour aider la dissipation thermique et réflecteur en ABS peint en noir mat. Avec système de connexion rapide. Modèle avec LED HI-POWER avec température de couleur 3000K, CRI 80 et équipement DALI électronique incorporé. Optiques Wide Flood. Facteur d'éblouissement UGR<16 (pour 4h, 8h 70/50/20). Angle de protection de 33°. Classe d'isolation I. Durée de vie: 50.000 L80 B10

**Finition:** Noir mat RAL 9011

**Poids:** 722 g

**Installation:** Encastré

## SPÉCIFICATIONS TECHNIQUES:

|                          |                          |                      |                  |
|--------------------------|--------------------------|----------------------|------------------|
| <b>Flux lumineux:</b>    | 1.098 lm                 | <b>°K :</b>          | 3000             |
| <b>Plum:</b>             | 13,1W                    | <b>IRC :</b>         | 80               |
| <b>Efficacité:</b>       | 83,8 lm/w                | <b>MacAdam:</b>      | 3                |
| <b>UGR:</b>              | <16                      | <b>Alimentation:</b> | 100-277V 50/60Hz |
| <b>Type:</b>             | HIGH POWER LED           | <b>Équipement:</b>   | Réglable DALI    |
| <b>Durée de vie LED:</b> | 50.000 L80 B10 (Ta=25°C) |                      |                  |
| <b>Puissance:</b>        | 12W                      |                      |                  |

*Tolérance de flux lumineux +/- 10%*



## OPTIONS PERSONNALISABLES:



OS1DO612WF830DB

OCULT SYS. DOWN. 6 1200 WW WFL DALI BK.

**DONNÉES PHOTOMÉTRIQUES :**



## ACCESSOIRES :

## Montage

**Code produit:**

OSCO1000B  
 OSCO200B  
 OSCO300B  
 OSCO400B  
 OSCO500B  
 OSCO600B  
 OSCO700B  
 OSCO800B  
 OSCO900B

**Description:**

OCULT SYSTEM ACC. COVER 1000 BK.  
 OCULT SYSTEM ACC. COVER 200 BK.  
 OCULT SYSTEM ACC. COVER 300 BK.  
 OCULT SYSTEM ACC. COVER 400 BK.  
 OCULT SYSTEM ACC. COVER 500 BK.  
 OCULT SYSTEM ACC. COVER 600 BK.  
 OCULT SYSTEM ACC. COVER 700 BK.  
 OCULT SYSTEM ACC. COVER 800 BK.  
 OCULT SYSTEM ACC. COVER 900 BK.

**Code produit:**

OSCO1000W  
 OSCO200W  
 OSCO300W  
 OSCO400W  
 OSCO500W  
 OSCO600W  
 OSCO700W  
 OSCO800W  
 OSCO900W

**Description:**

OCULT SYSTEM ACC. COVER 1000 WH.  
 OCULT SYSTEM ACC. COVER 200 WH.  
 OCULT SYSTEM ACC. COVER 300 WH.  
 OCULT SYSTEM ACC. COVER 400 WH.  
 OCULT SYSTEM ACC. COVER 500 WH.  
 OCULT SYSTEM ACC. COVER 600 WH.  
 OCULT SYSTEM ACC. COVER 700 WH.  
 OCULT SYSTEM ACC. COVER 800 WH.  
 OCULT SYSTEM ACC. COVER 900 WH.

**Code produit:**

OSJO

**Description:**

OCULT SYS. ACC. JOINT

**Code produit:**

OSRECR100B  
 OSSUCR100B

**Description:**

OCULT SYS. ACC. REC CORNER 100 BK.  
 OCULT SYS. ACC. SUR CORNER 100 BK.

**Code produit:**

OSRECR100W  
 OSSUCR100W

**Description:**

OCULT SYS. ACC. REC CORNER 100 WH.  
 OCULT SYS. ACC. SUR CORNER 100 WH.

**Code produit:**

OSREECB

**Description:**

OCULT SYS. ACC. REC END COVER BK.

**Code produit:**

OSREECW

**Description:**

OCULT SYS. ACC. REC END COVER WH.

## OCULT SYSTEM

**Code produit:**

OSREPR1000B  
 OSREPR1100B  
 OSREPR1200B  
 OSREPR1300B  
 OSREPR1400B  
 OSREPR1500B  
 OSREPR1600B  
 OSREPR1700B  
 OSREPR1800B  
 OSREPR1900B  
 OSREPR2000B  
 OSREPR500B  
 OSREPR600B  
 OSREPR700B  
 OSREPR800B  
 OSREPR900B

**Description:**

OCULT SYS. ACC. REC PROFILE 1000 BK.  
 OCULT SYS. ACC. REC PROFILE 1100 BK.  
 OCULT SYS. ACC. REC PROFILE 1200 BK.  
 OCULT SYS. ACC. REC PROFILE 1300 BK.  
 OCULT SYS. ACC. REC PROFILE 1400 BK.  
 OCULT SYS. ACC. REC PROFILE 1500 BK.  
 OCULT SYS. ACC. REC PROFILE 1600 BK.  
 OCULT SYS. ACC. REC PROFILE 1700 BK.  
 OCULT SYS. ACC. REC PROFILE 1800 BK.  
 OCULT SYS. ACC. REC PROFILE 1900 BK.  
 OCULT SYS. ACC. REC PROFILE 2000 BK.  
 OCULT SYS. ACC. REC PROFILE 500 BK.  
 OCULT SYS. ACC. REC PROFILE 600 BK.  
 OCULT SYS. ACC. REC PROFILE 700 BK.  
 OCULT SYS. ACC. REC PROFILE 800 BK.  
 OCULT SYS. ACC. REC PROFILE 900 BK.

**Code produit:**

OSREPR1000W  
 OSREPR1100W  
 OSREPR1200W  
 OSREPR1300W  
 OSREPR1400W  
 OSREPR1500W  
 OSREPR1600W  
 OSREPR1700W  
 OSREPR1800W  
 OSREPR1900W  
 OSREPR2000W  
 OSREPR500W  
 OSREPR600W  
 OSREPR700W  
 OSREPR800W  
 OSREPR900W

**Description:**

OCULT SYS. ACC. REC PROFILE 1000 WH.  
 OCULT SYS. ACC. REC PROFILE 1100 WH.  
 OCULT SYS. ACC. REC PROFILE 1200 WH.  
 OCULT SYS. ACC. REC PROFILE 1300 WH.  
 OCULT SYS. ACC. REC PROFILE 1400 WH.  
 OCULT SYS. ACC. REC PROFILE 1500 WH.  
 OCULT SYS. ACC. REC PROFILE 1600 WH.  
 OCULT SYS. ACC. REC PROFILE 1700 WH.  
 OCULT SYS. ACC. REC PROFILE 1800 WH.  
 OCULT SYS. ACC. REC PROFILE 1900 WH.  
 OCULT SYS. ACC. REC PROFILE 2000 WH.  
 OCULT SYS. ACC. REC PROFILE 500 WH.  
 OCULT SYS. ACC. REC PROFILE 600 WH.  
 OCULT SYS. ACC. REC PROFILE 700 WH.  
 OCULT SYS. ACC. REC PROFILE 800 WH.  
 OCULT SYS. ACC. REC PROFILE 900 WH.

**Code produit:**

OSSUECB

**Description:**

OCULT SYS. ACC. SUR END COVER BK.

**Code produit:**

OSSUECW

**Description:**

OCULT SYS. ACC. SUR END COVER WH.

## OCULT SYSTEM

**Code produit:**

OSSUPR1000B  
 OSSUPR1100B  
 OSSUPR1200B  
 OSSUPR1300B  
 OSSUPR1400B  
 OSSUPR1500B  
 OSSUPR1600B  
 OSSUPR1700B  
 OSSUPR1800B  
 OSSUPR1900B  
 OSSUPR2000B  
 OSSUPR500B  
 OSSUPR600B  
 OSSUPR700B  
 OSSUPR800B  
 OSSUPR900B

**Description:**

OCULT SYS. ACC. SUR PROFILE 1000 BK.  
 OCULT SYS. ACC. SUR PROFILE 1100 BK.  
 OCULT SYS. ACC. SUR PROFILE 1200 BK.  
 OCULT SYS. ACC. SUR PROFILE 1300 BK.  
 OCULT SYS. ACC. SUR PROFILE 1400 BK.  
 OCULT SYS. ACC. SUR PROFILE 1500 BK.  
 OCULT SYS. ACC. SUR PROFILE 1600 BK.  
 OCULT SYS. ACC. SUR PROFILE 1700 BK.  
 OCULT SYS. ACC. SUR PROFILE 1800 BK.  
 OCULT SYS. ACC. SUR PROFILE 1900 BK.  
 OCULT SYS. ACC. SUR PROFILE 2000 BK.  
 OCULT SYS. ACC. SUR PROFILE 500 BK.  
 OCULT SYS. ACC. SUR PROFILE 600 BK.  
 OCULT SYS. ACC. SUR PROFILE 700 BK.  
 OCULT SYS. ACC. SUR PROFILE 800 BK.  
 OCULT SYS. ACC. SUR PROFILE 900 BK.

**Code produit:**

OSSUPR1000W  
 OSSUPR1100W  
 OSSUPR1200W  
 OSSUPR1300W  
 OSSUPR1400W  
 OSSUPR1500W  
 OSSUPR1600W  
 OSSUPR1700W  
 OSSUPR1800W  
 OSSUPR1900W  
 OSSUPR2000W  
 OSSUPR500W  
 OSSUPR600W  
 OSSUPR700W  
 OSSUPR800W  
 OSSUPR900W

**Description:**

OCULT SYS. ACC. SUR PROFILE 1000 WH.  
 OCULT SYS. ACC. SUR PROFILE 1100 WH.  
 OCULT SYS. ACC. SUR PROFILE 1200 WH.  
 OCULT SYS. ACC. SUR PROFILE 1300 WH.  
 OCULT SYS. ACC. SUR PROFILE 1400 WH.  
 OCULT SYS. ACC. SUR PROFILE 1500 WH.  
 OCULT SYS. ACC. SUR PROFILE 1600 WH.  
 OCULT SYS. ACC. SUR PROFILE 1700 WH.  
 OCULT SYS. ACC. SUR PROFILE 1800 WH.  
 OCULT SYS. ACC. SUR PROFILE 1900 WH.  
 OCULT SYS. ACC. SUR PROFILE 2000 WH.  
 OCULT SYS. ACC. SUR PROFILE 500 WH.  
 OCULT SYS. ACC. SUR PROFILE 600 WH.  
 OCULT SYS. ACC. SUR PROFILE 700 WH.  
 OCULT SYS. ACC. SUR PROFILE 800 WH.  
 OCULT SYS. ACC. SUR PROFILE 900 WH.

**ACCESSOIRES :****Suspension****Code produit:**

SFRG41G

**Description:**

ACC. SUR FIXING NK.

**Code produit:**

SUCA4000DW  
 SUCA4000NW

**Description:**

ACC. ELEC 5P SUSP WH.  
 ACC. ELEC 3P SUSP WH.

**Code produit:**

SUWIDE1000G  
 SUWIDE4000G

**Description:**

ACC. QUICK STEEL CABLE 1M NK.  
 ACC. QUICK STEEL CABLE 4M NK.

**ACCESSOIRES :****Optique**

OCULT SYSTEM



Code produit:  
ODRF3C

Description:  
OCULT ACC. REFLECTOR 3 CO.



Code produit:  
ODRF3M

Description:  
OCULT ACC. REFLECTOR 3 MT.



Code produit:  
ODRF3W

Description:  
OCULT ACC. REFLECTOR 3 WH.

ACCESSOIRES :  
Contrôle et réglage



| Code produit: | Description:                             |
|---------------|------------------------------------------|
| OSCTAI1000D   | OCULT SYS. ACC.INTER.CONNECTOR DALI 1000 |
| OSCTAI100D    | OCULT SYS. ACC.INTER.CONNECTOR DALI 100  |
| OSCTAI1100D   | OCULT SYS. ACC.INTER.CONNECTOR DALI 1100 |
| OSCTAI1200D   | OCULT SYS. ACC.INTER.CONNECTOR DALI 1200 |
| OSCTAI1300D   | OCULT SYS. ACC.INTER.CONNECTOR DALI 1300 |
| OSCTAI1400D   | OCULT SYS. ACC.INTER.CONNECTOR DALI 1400 |
| OSCTAI1500D   | OCULT SYS. ACC.INTER.CONNECTOR DALI 1500 |
| OSCTAI200D    | OCULT SYS. ACC.INTER.CONNECTOR DALI 200  |
| OSCTAI300D    | OCULT SYS. ACC.INTER.CONNECTOR DALI 300  |
| OSCTAI400D    | OCULT SYS. ACC.INTER.CONNECTOR DALI 400  |
| OSCTAI500D    | OCULT SYS. ACC.INTER.CONNECTOR DALI 500  |
| OSCTAI600D    | OCULT SYS. ACC.INTER.CONNECTOR DALI 600  |
| OSCTAI700D    | OCULT SYS. ACC.INTER.CONNECTOR DALI 700  |
| OSCTAI800D    | OCULT SYS. ACC.INTER.CONNECTOR DALI 800  |
| OSCTAI900D    | OCULT SYS. ACC.INTER.CONNECTOR DALI 900  |



| Code produit: | Description:                          |
|---------------|---------------------------------------|
| OSCTAI1000N   | OCULT SYS. ACC. INTER. CONNECTOR 1000 |
| OSCTAI100N    | OCULT SYS. ACC. INTER. CONNECTOR 100  |
| OSCTAI1100N   | OCULT SYS. ACC. INTER. CONNECTOR 1100 |
| OSCTAI1200N   | OCULT SYS. ACC. INTER. CONNECTOR 1200 |
| OSCTAI1300N   | OCULT SYS. ACC. INTER. CONNECTOR 1300 |
| OSCTAI1400N   | OCULT SYS. ACC. INTER. CONNECTOR 1400 |
| OSCTAI1500N   | OCULT SYS. ACC. INTER. CONNECTOR 1500 |
| OSCTAI200N    | OCULT SYS. ACC. INTER. CONNECTOR 200  |
| OSCTAI300N    | OCULT SYS. ACC. INTER. CONNECTOR 300  |
| OSCTAI400N    | OCULT SYS. ACC. INTER. CONNECTOR 400  |
| OSCTAI500N    | OCULT SYS. ACC. INTER. CONNECTOR 500  |
| OSCTAI600N    | OCULT SYS. ACC. INTER. CONNECTOR 600  |
| OSCTAI700N    | OCULT SYS. ACC. INTER. CONNECTOR 700  |
| OSCTAI800N    | OCULT SYS. ACC. INTER. CONNECTOR 800  |
| OSCTAI900N    | OCULT SYS. ACC. INTER. CONNECTOR 900  |