


OS1PV05SP830NBB



OCULT SYS. PEND.VERT. 500 WW SP BK/BK.

Description:

Luminaire pour adapter à structure OCULT SYS. Modèle OCULT SYS. PEND.VERT. 500 WW SP BK/BK., de la marque LAMP. Corps fabriqué en aluminium laqué en noir et un cercle frontal en finition couleur noir. Dissipation passive pour une gestion thermique appropriée. Avec système de connexion rapide. Modèle pour LED HI-POWER. Température de couleur blanc chaud et équipement électronique incorporé. Avec optique Spot. Classe d'isolation I.

Finition: Noir texturé RAL 9011

Poids: 826 g

Installation: Surface

SPÉCIFICATIONS TECHNIQUES:




Flux lumineux:	414 lm	°K :	3000
Plum:	6W	IRC :	80
Efficacité:	69 lm/w	MacAdam:	3
Type:	HIGH POWER LED	Alimentation:	220-240V 50/60Hz
Durée de vie LED:	50.000 L90 (Ta=25°C)	Équipement:	Électronique
Puissance:	4W		

Tolérance de flux lumineux +/- 10%

**OPTIONS PERSONNALISABLES:**

DONNÉES PHOTOMÉTRIQUES :


OS1PV05SP830NBB
 $\eta = 100\%$
 $I_{max} = 7277 \text{ cd/klm}$
 UTE:
 CIE: 100 100 100 100 100

H (m)	D (m)	E _{max}	E _{med}
1	0,30	2997	2095
2	0,60	749	524
3	0,90	333	233
4	1,20	187	131

ACCESSOIRES :

Montage



Code produit:

OSCO1000B
OSCO200B
OSCO300B
OSCO400B
OSCO500B
OSCO600B
OSCO700B
OSCO800B
OSCO900B

Description:

OCULT SYSTEM ACC. COVER 1000 BK.
OCULT SYSTEM ACC. COVER 200 BK.
OCULT SYSTEM ACC. COVER 300 BK.
OCULT SYSTEM ACC. COVER 400 BK.
OCULT SYSTEM ACC. COVER 500 BK.
OCULT SYSTEM ACC. COVER 600 BK.
OCULT SYSTEM ACC. COVER 700 BK.
OCULT SYSTEM ACC. COVER 800 BK.
OCULT SYSTEM ACC. COVER 900 BK.



Code produit:

OSCO1000W
OSCO200W
OSCO300W
OSCO400W
OSCO500W
OSCO600W
OSCO700W
OSCO800W
OSCO900W

Description:

OCULT SYSTEM ACC. COVER 1000 WH.
OCULT SYSTEM ACC. COVER 200 WH.
OCULT SYSTEM ACC. COVER 300 WH.
OCULT SYSTEM ACC. COVER 400 WH.
OCULT SYSTEM ACC. COVER 500 WH.
OCULT SYSTEM ACC. COVER 600 WH.
OCULT SYSTEM ACC. COVER 700 WH.
OCULT SYSTEM ACC. COVER 800 WH.
OCULT SYSTEM ACC. COVER 900 WH.




Code produit:

OSJO

Description:

OCULT SYS. ACC. JOINT




Code produit:

OSRECR100B
OSSUCR100B

Description:

OCULT SYS. ACC. REC CORNER 100 BK.
OCULT SYS. ACC. SUR CORNER 100 BK.



Code produit:

OSRECR100W
OSSUCR100W

Description:

OCULT SYS. ACC. REC CORNER 100 WH.
OCULT SYS. ACC. SUR CORNER 100 WH.



Code produit:

OSREECB

Description:

OCULT SYS. ACC. REC END COVER BK.




Code produit:

OSREECW

Description:

OCULT SYS. ACC. REC END COVER WH.

OCULT SYSTEM



Code produit:

OSREPR1000B
OSREPR1100B
OSREPR1200B
OSREPR1300B
OSREPR1400B
OSREPR1500B
OSREPR1600B
OSREPR1700B
OSREPR1800B
OSREPR1900B
OSREPR2000B
OSREPR500B
OSREPR600B
OSREPR700B
OSREPR800B
OSREPR900B

Description:

OCULT SYS. ACC. REC PROFILE 1000 BK.
OCULT SYS. ACC. REC PROFILE 1100 BK.
OCULT SYS. ACC. REC PROFILE 1200 BK.
OCULT SYS. ACC. REC PROFILE 1300 BK.
OCULT SYS. ACC. REC PROFILE 1400 BK.
OCULT SYS. ACC. REC PROFILE 1500 BK.
OCULT SYS. ACC. REC PROFILE 1600 BK.
OCULT SYS. ACC. REC PROFILE 1700 BK.
OCULT SYS. ACC. REC PROFILE 1800 BK.
OCULT SYS. ACC. REC PROFILE 1900 BK.
OCULT SYS. ACC. REC PROFILE 2000 BK.
OCULT SYS. ACC. REC PROFILE 500 BK.
OCULT SYS. ACC. REC PROFILE 600 BK.
OCULT SYS. ACC. REC PROFILE 700 BK.
OCULT SYS. ACC. REC PROFILE 800 BK.
OCULT SYS. ACC. REC PROFILE 900 BK.



Code produit:

OSREPR1000W
OSREPR1100W
OSREPR1200W
OSREPR1300W
OSREPR1400W
OSREPR1500W
OSREPR1600W
OSREPR1700W
OSREPR1800W
OSREPR1900W
OSREPR2000W
OSREPR500W
OSREPR600W
OSREPR700W
OSREPR800W
OSREPR900W

Description:

OCULT SYS. ACC. REC PROFILE 1000 WH.
OCULT SYS. ACC. REC PROFILE 1100 WH.
OCULT SYS. ACC. REC PROFILE 1200 WH.
OCULT SYS. ACC. REC PROFILE 1300 WH.
OCULT SYS. ACC. REC PROFILE 1400 WH.
OCULT SYS. ACC. REC PROFILE 1500 WH.
OCULT SYS. ACC. REC PROFILE 1600 WH.
OCULT SYS. ACC. REC PROFILE 1700 WH.
OCULT SYS. ACC. REC PROFILE 1800 WH.
OCULT SYS. ACC. REC PROFILE 1900 WH.
OCULT SYS. ACC. REC PROFILE 2000 WH.
OCULT SYS. ACC. REC PROFILE 500 WH.
OCULT SYS. ACC. REC PROFILE 600 WH.
OCULT SYS. ACC. REC PROFILE 700 WH.
OCULT SYS. ACC. REC PROFILE 800 WH.
OCULT SYS. ACC. REC PROFILE 900 WH.



Code produit:

OSSUECB

Description:

OCULT SYS. ACC. SUR END COVER BK.




Code produit:

OSSUECW

Description:

OCULT SYS. ACC. SUR END COVER WH.

OCULT SYSTEM




Code produit:

OSSUPR1000B
OSSUPR1100B
OSSUPR1200B
OSSUPR1300B
OSSUPR1400B
OSSUPR1500B
OSSUPR1600B
OSSUPR1700B
OSSUPR1800B
OSSUPR1900B
OSSUPR2000B
OSSUPR500B
OSSUPR600B
OSSUPR700B
OSSUPR800B
OSSUPR900B

Description:

OCULT SYS. ACC. SUR PROFILE 1000 BK.
OCULT SYS. ACC. SUR PROFILE 1100 BK.
OCULT SYS. ACC. SUR PROFILE 1200 BK.
OCULT SYS. ACC. SUR PROFILE 1300 BK.
OCULT SYS. ACC. SUR PROFILE 1400 BK.
OCULT SYS. ACC. SUR PROFILE 1500 BK.
OCULT SYS. ACC. SUR PROFILE 1600 BK.
OCULT SYS. ACC. SUR PROFILE 1700 BK.
OCULT SYS. ACC. SUR PROFILE 1800 BK.
OCULT SYS. ACC. SUR PROFILE 1900 BK.
OCULT SYS. ACC. SUR PROFILE 2000 BK.
OCULT SYS. ACC. SUR PROFILE 500 BK.
OCULT SYS. ACC. SUR PROFILE 600 BK.
OCULT SYS. ACC. SUR PROFILE 700 BK.
OCULT SYS. ACC. SUR PROFILE 800 BK.
OCULT SYS. ACC. SUR PROFILE 900 BK.



Code produit:

OSSUPR1000W
OSSUPR1100W
OSSUPR1200W
OSSUPR1300W
OSSUPR1400W
OSSUPR1500W
OSSUPR1600W
OSSUPR1700W
OSSUPR1800W
OSSUPR1900W
OSSUPR2000W
OSSUPR500W
OSSUPR600W
OSSUPR700W
OSSUPR800W
OSSUPR900W

Description:

OCULT SYS. ACC. SUR PROFILE 1000 WH.
OCULT SYS. ACC. SUR PROFILE 1100 WH.
OCULT SYS. ACC. SUR PROFILE 1200 WH.
OCULT SYS. ACC. SUR PROFILE 1300 WH.
OCULT SYS. ACC. SUR PROFILE 1400 WH.
OCULT SYS. ACC. SUR PROFILE 1500 WH.
OCULT SYS. ACC. SUR PROFILE 1600 WH.
OCULT SYS. ACC. SUR PROFILE 1700 WH.
OCULT SYS. ACC. SUR PROFILE 1800 WH.
OCULT SYS. ACC. SUR PROFILE 1900 WH.
OCULT SYS. ACC. SUR PROFILE 2000 WH.
OCULT SYS. ACC. SUR PROFILE 500 WH.
OCULT SYS. ACC. SUR PROFILE 600 WH.
OCULT SYS. ACC. SUR PROFILE 700 WH.
OCULT SYS. ACC. SUR PROFILE 800 WH.
OCULT SYS. ACC. SUR PROFILE 900 WH.

ACCESSOIRES :

Suspension



Code produit:

SFRG41G

Description:

ACC. SUR FIXING NK.



Code produit:

SUCA4000DW
SUCA4000NW

Description:

ACC. ELEC 5P SUSP WH.
ACC. ELEC 3P SUSP WH.



Code produit:

SUWIDE1000G
SUWIDE4000G

Description:

ACC. QUICK STEEL CABLE 1M NK.
ACC. QUICK STEEL CABLE 4M NK.

ACCESSOIRES :

Contrôle et réglage

OCULT SYSTEM



Code produit:

OSCTAI1000D
OSCTAI100D
OSCTAI1100D
OSCTAI1200D
OSCTAI1300D
OSCTAI1400D
OSCTAI1500D
OSCTAI200D
OSCTAI300D
OSCTAI400D
OSCTAI500D
OSCTAI600D
OSCTAI700D
OSCTAI800D
OSCTAI900D

Description:

OCULT SYS. ACC.INTER.CONNECTOR DALI 1000
OCULT SYS. ACC.INTER.CONNECTOR DALI 100
OCULT SYS. ACC.INTER.CONNECTOR DALI 1100
OCULT SYS. ACC.INTER.CONNECTOR DALI 1200
OCULT SYS. ACC.INTER.CONNECTOR DALI 1300
OCULT SYS. ACC.INTER.CONNECTOR DALI 1400
OCULT SYS. ACC.INTER.CONNECTOR DALI 1500
OCULT SYS. ACC.INTER.CONNECTOR DALI 200
OCULT SYS. ACC.INTER.CONNECTOR DALI 300
OCULT SYS. ACC.INTER.CONNECTOR DALI 400
OCULT SYS. ACC.INTER.CONNECTOR DALI 500
OCULT SYS. ACC.INTER.CONNECTOR DALI 600
OCULT SYS. ACC.INTER.CONNECTOR DALI 700
OCULT SYS. ACC.INTER.CONNECTOR DALI 800
OCULT SYS. ACC.INTER.CONNECTOR DALI 900



Code produit:

OSCTAI1000N
OSCTAI100N
OSCTAI1100N
OSCTAI1200N
OSCTAI1300N
OSCTAI1400N
OSCTAI1500N
OSCTAI200N
OSCTAI300N
OSCTAI400N
OSCTAI500N
OSCTAI600N
OSCTAI700N
OSCTAI800N
OSCTAI900N

Description:

OCULT SYS. ACC. INTER. CONNECTOR 1000
OCULT SYS. ACC. INTER. CONNECTOR 100
OCULT SYS. ACC. INTER. CONNECTOR 1100
OCULT SYS. ACC. INTER. CONNECTOR 1200
OCULT SYS. ACC. INTER. CONNECTOR 1300
OCULT SYS. ACC. INTER. CONNECTOR 1400
OCULT SYS. ACC. INTER. CONNECTOR 1500
OCULT SYS. ACC. INTER. CONNECTOR 200
OCULT SYS. ACC. INTER. CONNECTOR 300
OCULT SYS. ACC. INTER. CONNECTOR 400
OCULT SYS. ACC. INTER. CONNECTOR 500
OCULT SYS. ACC. INTER. CONNECTOR 600
OCULT SYS. ACC. INTER. CONNECTOR 700
OCULT SYS. ACC. INTER. CONNECTOR 800
OCULT SYS. ACC. INTER. CONNECTOR 900