


OS1PV05SP840DBW



OCULT SYS. PEND. VERT. 500 NW SP DA BK/WH

Descripción:

Acabado: Blanco mate texturizado RAL 9016

Peso: 826 g

Instalación: Superficie

CARACTERÍSTICAS TÉCNICAS:



Flujo de salida:	443 lm	K:	4000
Plum:	6W	IRC:	80
Eficacia:	73,9 lm/w	MacAdam:	3
Fuente de Luz:	HIGH POWER LED	Alimentación:	220-240V 50/60Hz
Horas de vida led:	50.000 L90 (Ta=25°C)	Equipo:	Regulable DALI
Pled:	4W		

Tolerancia del flujo de salida +/- 10%


Opciones Personalizables:



DATOS FOTOMÉTRICOS :

OS1PV05SP840NBW η = 100% I_{max} = 7277 cd/klm UTE: CIE: 100 100 100 100 100 		alpha = 17,1° 	H (m)	D (m)	E _{max}	E _{med}
			1	0,30	3209	2244
			2	0,60	802	561
			3	0,90	357	249
			4	1,20	201	140

ACCESORIOS :

Montaje

**Cód. producto:**

OSCO1000B
OSCO200B
OSCO300B
OSCO400B
OSCO500B
OSCO600B
OSCO700B
OSCO800B
OSCO900B

Descripción:

OCULT SYSTEM ACC. COVER 1000 BK.
OCULT SYSTEM ACC. COVER 200 BK.
OCULT SYSTEM ACC. COVER 300 BK.
OCULT SYSTEM ACC. COVER 400 BK.
OCULT SYSTEM ACC. COVER 500 BK.
OCULT SYSTEM ACC. COVER 600 BK.
OCULT SYSTEM ACC. COVER 700 BK.
OCULT SYSTEM ACC. COVER 800 BK.
OCULT SYSTEM ACC. COVER 900 BK.

**Cód. producto:**

OSCO1000W
OSCO200W
OSCO300W
OSCO400W
OSCO500W
OSCO600W
OSCO700W
OSCO800W
OSCO900W

Descripción:


OCULT SYSTEM ACC. COVER 1000 WH.
OCULT SYSTEM ACC. COVER 200 WH.
OCULT SYSTEM ACC. COVER 300 WH.
OCULT SYSTEM ACC. COVER 400 WH.
OCULT SYSTEM ACC. COVER 500 WH.
OCULT SYSTEM ACC. COVER 600 WH.
OCULT SYSTEM ACC. COVER 700 WH.
OCULT SYSTEM ACC. COVER 800 WH.
OCULT SYSTEM ACC. COVER 900 WH.

**Cód. producto:**

OSJO

Descripción:


OCULT SYS. ACC. JOINT

**Cód. producto:**

OSRECR100B
OSSUCR100B

Descripción:

OCULT SYS. ACC. REC CORNER 100 BK.
OCULT SYS. ACC. SUR CORNER 100 BK.

**Cód. producto:**

OSRECR100W
OSSUCR100W

Descripción:

OCULT SYS. ACC. REC CORNER 100 WH.
OCULT SYS. ACC. SUR CORNER 100 WH.

**Cód. producto:**

OSREECB

Descripción:


OCULT SYS. ACC. REC END COVER BK.

**Cód. producto:**

OSREECW

Descripción:

OCULT SYS. ACC. REC END COVER WH.

**Cód. producto:**

OSREPR1000B
 OSREPR1100B
 OSREPR1200B
 OSREPR1300B
 OSREPR1400B
 OSREPR1500B
 OSREPR1600B
 OSREPR1700B
 OSREPR1800B
 OSREPR1900B
 OSREPR2000B
 OSREPR500B
 OSREPR600B
 OSREPR700B
 OSREPR800B
 OSREPR900B

Descripción:

OCULT SYS. ACC. REC PROFILE 1000 BK.
 OCULT SYS. ACC. REC PROFILE 1100 BK.
 OCULT SYS. ACC. REC PROFILE 1200 BK.
 OCULT SYS. ACC. REC PROFILE 1300 BK.
 OCULT SYS. ACC. REC PROFILE 1400 BK.
 OCULT SYS. ACC. REC PROFILE 1500 BK.
 OCULT SYS. ACC. REC PROFILE 1600 BK.
 OCULT SYS. ACC. REC PROFILE 1700 BK.
 OCULT SYS. ACC. REC PROFILE 1800 BK.
 OCULT SYS. ACC. REC PROFILE 1900 BK.
 OCULT SYS. ACC. REC PROFILE 2000 BK.
 OCULT SYS. ACC. REC PROFILE 500 BK.
 OCULT SYS. ACC. REC PROFILE 600 BK.
 OCULT SYS. ACC. REC PROFILE 700 BK.
 OCULT SYS. ACC. REC PROFILE 800 BK.
 OCULT SYS. ACC. REC PROFILE 900 BK.

**Cód. producto:**

OSREPR1000W
 OSREPR1100W
 OSREPR1200W
 OSREPR1300W
 OSREPR1400W
 OSREPR1500W
 OSREPR1600W
 OSREPR1700W
 OSREPR1800W
 OSREPR1900W
 OSREPR2000W
 OSREPR500W
 OSREPR600W
 OSREPR700W
 OSREPR800W
 OSREPR900W

Descripción:

OCULT SYS. ACC. REC PROFILE 1000 WH.
 OCULT SYS. ACC. REC PROFILE 1100 WH.
 OCULT SYS. ACC. REC PROFILE 1200 WH.
 OCULT SYS. ACC. REC PROFILE 1300 WH.
 OCULT SYS. ACC. REC PROFILE 1400 WH.
 OCULT SYS. ACC. REC PROFILE 1500 WH.
 OCULT SYS. ACC. REC PROFILE 1600 WH.
 OCULT SYS. ACC. REC PROFILE 1700 WH.
 OCULT SYS. ACC. REC PROFILE 1800 WH.
 OCULT SYS. ACC. REC PROFILE 1900 WH.
 OCULT SYS. ACC. REC PROFILE 2000 WH.
 OCULT SYS. ACC. REC PROFILE 500 WH.
 OCULT SYS. ACC. REC PROFILE 600 WH.
 OCULT SYS. ACC. REC PROFILE 700 WH.
 OCULT SYS. ACC. REC PROFILE 800 WH.
 OCULT SYS. ACC. REC PROFILE 900 WH.

**Cód. producto:**

OSSUECB

Descripción:


OCULT SYS. ACC. SUR END COVER BK.

**Cód. producto:**

OSSUECW

Descripción:


OCULT SYS. ACC. SUR END COVER WH.

**Cód. producto:**

OSSUPR1000B
 OSSUPR1100B
 OSSUPR1200B
 OSSUPR1300B
 OSSUPR1400B
 OSSUPR1500B
 OSSUPR1600B
 OSSUPR1700B
 OSSUPR1800B
 OSSUPR1900B
 OSSUPR2000B
 OSSUPR500B
 OSSUPR600B
 OSSUPR700B
 OSSUPR800B
 OSSUPR900B

Descripción:

OCULT SYS. ACC. SUR PROFILE 1000 BK.
 OCULT SYS. ACC. SUR PROFILE 1100 BK.
 OCULT SYS. ACC. SUR PROFILE 1200 BK.
 OCULT SYS. ACC. SUR PROFILE 1300 BK.
 OCULT SYS. ACC. SUR PROFILE 1400 BK.
 OCULT SYS. ACC. SUR PROFILE 1500 BK.
 OCULT SYS. ACC. SUR PROFILE 1600 BK.
 OCULT SYS. ACC. SUR PROFILE 1700 BK.
 OCULT SYS. ACC. SUR PROFILE 1800 BK.
 OCULT SYS. ACC. SUR PROFILE 1900 BK.
 OCULT SYS. ACC. SUR PROFILE 2000 BK.
 OCULT SYS. ACC. SUR PROFILE 500 BK.
 OCULT SYS. ACC. SUR PROFILE 600 BK.
 OCULT SYS. ACC. SUR PROFILE 700 BK.
 OCULT SYS. ACC. SUR PROFILE 800 BK.
 OCULT SYS. ACC. SUR PROFILE 900 BK.

**Cód. producto:**

OSSUPR1000W
 OSSUPR1100W
 OSSUPR1200W
 OSSUPR1300W
 OSSUPR1400W
 OSSUPR1500W
 OSSUPR1600W
 OSSUPR1700W
 OSSUPR1800W
 OSSUPR1900W
 OSSUPR2000W
 OSSUPR500W
 OSSUPR600W
 OSSUPR700W
 OSSUPR800W
 OSSUPR900W

Descripción:

OCULT SYS. ACC. SUR PROFILE 1000 WH.
 OCULT SYS. ACC. SUR PROFILE 1100 WH.
 OCULT SYS. ACC. SUR PROFILE 1200 WH.
 OCULT SYS. ACC. SUR PROFILE 1300 WH.
 OCULT SYS. ACC. SUR PROFILE 1400 WH.
 OCULT SYS. ACC. SUR PROFILE 1500 WH.
 OCULT SYS. ACC. SUR PROFILE 1600 WH.
 OCULT SYS. ACC. SUR PROFILE 1700 WH.
 OCULT SYS. ACC. SUR PROFILE 1800 WH.
 OCULT SYS. ACC. SUR PROFILE 1900 WH.
 OCULT SYS. ACC. SUR PROFILE 2000 WH.
 OCULT SYS. ACC. SUR PROFILE 500 WH.
 OCULT SYS. ACC. SUR PROFILE 600 WH.
 OCULT SYS. ACC. SUR PROFILE 700 WH.
 OCULT SYS. ACC. SUR PROFILE 800 WH.
 OCULT SYS. ACC. SUR PROFILE 900 WH.

ACCESORIOS :**Suspensión****Cód. producto:**

SFRG41G

Descripción:

ACC. SUR FIXING NK.

**Cód. producto:**

SUCA4000DW
 SUCA4000NW

Descripción:

ACC. ELEC 5P SUSP WH.
 ACC. ELEC 3P SUSP WH.


**Cód. producto:**

SUWIDE1000G
 SUWIDE4000G

Descripción:

ACC. QUICK STEEL CABLE 1M NK.
 ACC. QUICK STEEL CABLE 4M NK.

ACCESORIOS :**Control y regulación**



Cód. producto:

- OSCTAI1000D
- OSCTAI100D
- OSCTAI1100D
- OSCTAI1200D
- OSCTAI1300D
- OSCTAI1400D
- OSCTAI1500D
- OSCTAI200D
- OSCTAI300D
- OSCTAI400D
- OSCTAI500D
- OSCTAI600D
- OSCTAI700D
- OSCTAI800D
- OSCTAI900D

Descripción:

- OCULT SYS. ACC.INTER.CONNECTOR DALI 1000
- OCULT SYS. ACC.INTER.CONNECTOR DALI 100
- OCULT SYS. ACC.INTER.CONNECTOR DALI 1100
- OCULT SYS. ACC.INTER.CONNECTOR DALI 200
- OCULT SYS. ACC.INTER.CONNECTOR DALI 1300
- OCULT SYS. ACC.INTER.CONNECTOR DALI 1400
- OCULT SYS. ACC.INTER.CONNECTOR DALI 1500
- OCULT SYS. ACC.INTER.CONNECTOR DALI 200
- OCULT SYS. ACC.INTER.CONNECTOR DALI 300
- OCULT SYS. ACC.INTER.CONNECTOR DALI 400
- OCULT SYS. ACC.INTER.CONNECTOR DALI 500
- OCULT SYS. ACC.INTER.CONNECTOR DALI 600
- OCULT SYS. ACC.INTER.CONNECTOR DALI 700
- OCULT SYS. ACC.INTER.CONNECTOR DALI 800
- OCULT SYS. ACC.INTER.CONNECTOR DALI 900

Cód. producto:

- OSCTAI1000N
- OSCTAI100N
- OSCTAI1100N
- OSCTAI1200N
- OSCTAI1300N
- OSCTAI1400N
- OSCTAI1500N
- OSCTAI200N
- OSCTAI300N
- OSCTAI400N
- OSCTAI500N
- OSCTAI600N
- OSCTAI700N
- OSCTAI800N
- OSCTAI900N

Descripción:

- OCULT SYS. ACC. INTER. CONNECTOR 1000
- OCULT SYS. ACC. INTER. CONNECTOR 100
- OCULT SYS. ACC. INTER. CONNECTOR 1100
- OCULT SYS. ACC. INTER. CONNECTOR 1200
- OCULT SYS. ACC. INTER. CONNECTOR 1300
- OCULT SYS. ACC. INTER. CONNECTOR 1400
- OCULT SYS. ACC. INTER. CONNECTOR 1500
- OCULT SYS. ACC. INTER. CONNECTOR 200
- OCULT SYS. ACC. INTER. CONNECTOR 300
- OCULT SYS. ACC. INTER. CONNECTOR 400
- OCULT SYS. ACC. INTER. CONNECTOR 500
- OCULT SYS. ACC. INTER. CONNECTOR 600
- OCULT SYS. ACC. INTER. CONNECTOR 700
- OCULT SYS. ACC. INTER. CONNECTOR 800
- ACC. INTER. CONNECTOR 900