Product datasheet

OCULT SYSTEM

OS1SP05FL840NBB

OCULT SYS. SPOT 500 NW FL BK/BK.

Description:

Spotlight to adapt to the structure OCULT SYS. model OCULT SYS. SPOT 500 NW FL BK/BK., LAMP brand. Body made of injected aluminum and extruded aluminum cover painted in black. Passive dissipation for a correct thermal management. With quick connection system. Model for HI-POWER LED. With neutral white color temperature and built-in electronic equipment. With Flood optics. Spot high purity aluminum reflector. Class of insulation I.



Finish: Texturised black RAL 9011

Weight: 330 g

Installation: Surface

TECHNICAL SPECIFICATIONS:

Light output:	349 lm	**ºK :**	4000
Plum:	6W	**CRI :**	80
Efficacy:	58,2 lm/w	**MacAdam:**	3
Type:	HIGH POWER CREE	**Power Supply:**	100-240V 50/60Hz
LED Lifetime:	50.000 L90 (Ta=25ºC)	**Gear:**	Electronic
Power:	4W		

CUSTOM MADE OPTIONS:

OCULT SYSTEM

OS1SP05FL840NBB **OCULT SYS. SPOT 500 NW FL BK/BK.**

PHOTOMETRIC DATA :

OS1SP05FL840NBB
η = 100%
Imax = 3758 cd/klm
UTE:
CIE: 99 100 100 100 100







H (m)	D (m)	Emax	Emed
1	0,47	1307	892
2	0,94	327	223
3	1,42	145	99
4	1,89	82	56

ACCESORIES :

Assembly

Product code:	Description:
OSCO1000B	OCULT SYSTEM ACC. COVER 1000 BK.
OSCO200B	OCULT SYSTEM ACC. COVER 200 BK.
OSCO300B	OCULT SYSTEM ACC. COVER 300 BK.
OSCO400B	OCULT SYSTEM ACC. COVER 400 BK.
OSCO500B	OCULT SYSTEM ACC. COVER 500 BK.
OSCO600B	OCULT SYSTEM ACC. COVER 600 BK.
OSCO700B	OCULT SYSTEM ACC. COVER 700 BK.
OSCO800B	OCULT SYSTEM ACC. COVER 800 BK.
OSCO900B	OCULT SYSTEM ACC. COVER 900 BK.

Product code:	Description:
OSCO1000W	OCULT SYSTEM ACC. COVER 1000 WH.
OSCO200W	OCULT SYSTEM ACC. COVER 200 WH.
OSCO300W	OCULT SYSTEM ACC. COVER 300 WH.
OSCO400W	OCULT SYSTEM ACC. COVER 400 WH.
OSCO500W	OCULT SYSTEM ACC. COVER 500 WH.
OSCO600W	OCULT SYSTEM ACC. COVER 600 WH.
OSCO700W	OCULT SYSTEM ACC. COVER 700 WH.
OSCO800W	OCULT SYSTEM ACC. COVER 800 WH.
OSCO900W	OCULT SYSTEM ACC. COVER 900 WH.

Product code:	Description:
OSJO	OCULT SYS. ACC. JOINT



Product code:	Description:
OSRECR100B	OCULT SYS. ACC. REC CORNER 100 BK.
OSSUCR100B	OCULT SYS. ACC. SUR CORNER 100 BK.



Product code:	Description:
OSRECR100W	OCULT SYS. ACC. REC CORNER 100 WH.
OSSUCR100W	OCULT SYS. ACC. SUR CORNER 100 WH.

Product code:	Description:
OSREECB	OCULT SYS. ACC. REC END COVER BK.

Product code:	Description:
OSREECW	OCULT SYS. ACC. REC END COVER WH.

LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es

Data according to regulations 2019/2020/EU and 2019/2015/EU

OCULT SYSTEM

Product code:	Description:
OSREPR1000B	OCULT SYS. ACC. REC PROFILE 1000 BK.
OSREPR1100B	OCULT SYS. ACC. REC PROFILE 1100 BK.
OSREPR1200B	OCULT SYS. ACC. REC PROFILE 1200 BK.
OSREPR1300B	OCULT SYS. ACC. REC PROFILE 1300 BK.
OSREPR1400B	OCULT SYS. ACC. REC PROFILE 1400 BK.
OSREPR1500B	OCULT SYS. ACC. REC PROFILE 1500 BK.
OSREPR1600B	OCULT SYS. ACC. REC PROFILE 1600 BK.
OSREPR1700B	OCULT SYS. ACC. REC PROFILE 1700 BK.
OSREPR1800B	OCULT SYS. ACC. REC PROFILE 1800 BK.
OSREPR1900B	OCULT SYS. ACC. REC PROFILE 1900 BK.
OSREPR2000B	OCULT SYS. ACC. REC PROFILE 2000 BK.
OSREPR500B	OCULT SYS. ACC. REC PROFILE 500 BK.
OSREPR600B	OCULT SYS. ACC. REC PROFILE 600 BK.
OSREPR700B	OCULT SYS. ACC. REC PROFILE 700 BK.
OSREPR800B	OCULT SYS. ACC. REC PROFILE 800 BK.
OSREPR900B	OCULT SYS. ACC. REC PROFILE 900 BK.

Product code:	Description:
OSREPR1000W	OCULT SYS. ACC. REC PROFILE 1000 WH.
OSREPR1100W	OCULT SYS. ACC. REC PROFILE 1100 WH.
OSREPR1200W	OCULT SYS. ACC. REC PROFILE 1200 WH.
OSREPR1300W	OCULT SYS. ACC. REC PROFILE 1300 WH.
OSREPR1400W	OCULT SYS. ACC. REC PROFILE 1400 WH.
OSREPR1500W	OCULT SYS. ACC. REC PROFILE 1500 WH.
OSREPR1600W	OCULT SYS. ACC. REC PROFILE 1600 WH.
OSREPR1700W	OCULT SYS. ACC. REC PROFILE 1700 WH.
OSREPR1800W	OCULT SYS. ACC. REC PROFILE 1800 WH.
OSREPR1900W	OCULT SYS. ACC. REC PROFILE 1900 WH.
OSREPR2000W	OCULT SYS. ACC. REC PROFILE 2000 WH.
OSREPR500W	OCULT SYS. ACC. REC PROFILE 500 WH.
OSREPR600W	OCULT SYS. ACC. REC PROFILE 600 WH.
OSREPR700W	OCULT SYS. ACC. REC PROFILE 700 WH.
OSREPR800W	OCULT SYS. ACC. REC PROFILE 800 WH.
OSREPR900W	OCULT SYS. ACC. REC PROFILE 900 WH.

Product code:	Description:
OSSUECB	OCULT SYS. ACC. SUR END COVER BK.

Product code:	Description:
OSSUECW	OCULT SYS. ACC. SUR END COVER WH.

OCULT SYSTEM



Product code:	Description:
OSSUPR1000B	OCULT SYS. ACC. SUR PROFILE 1000 BK.
OSSUPR1100B	OCULT SYS. ACC. SUR PROFILE 1100 BK.
OSSUPR1200B	OCULT SYS. ACC. SUR PROFILE 1200 BK.
OSSUPR1300B	OCULT SYS. ACC. SUR PROFILE 1300 BK.
OSSUPR1400B	OCULT SYS. ACC. SUR PROFILE 1400 BK.
OSSUPR1500B	OCULT SYS. ACC. SUR PROFILE 1500 BK.
OSSUPR1600B	OCULT SYS. ACC. SUR PROFILE 1600 BK.
OSSUPR1700B	OCULT SYS. ACC. SUR PROFILE 1700 BK.
OSSUPR1800B	OCULT SYS. ACC. SUR PROFILE 1800 BK.
OSSUPR1900B	OCULT SYS. ACC. SUR PROFILE 1900 BK.
OSSUPR2000B	OCULT SYS. ACC. SUR PROFILE 2000 BK.
OSSUPR500B	OCULT SYS. ACC. SUR PROFILE 500 BK.
OSSUPR600B	OCULT SYS. ACC. SUR PROFILE 600 BK.
OSSUPR700B	OCULT SYS. ACC. SUR PROFILE 700 BK.
OSSUPR800B	OCULT SYS. ACC. SUR PROFILE 800 BK.
OSSUPR900B	OCULT SYS. ACC. SUR PROFILE 900 BK.

Product code:	Description:
OSSUPR1000W	OCULT SYS. ACC. SUR PROFILE 1000 WH.
OSSUPR1100W	OCULT SYS. ACC. SUR PROFILE 1100 WH.
OSSUPR1200W	OCULT SYS. ACC. SUR PROFILE 1200 WH.
OSSUPR1300W	OCULT SYS. ACC. SUR PROFILE 1300 WH.
OSSUPR1400W	OCULT SYS. ACC. SUR PROFILE 1400 WH.
OSSUPR1500W	OCULT SYS. ACC. SUR PROFILE 1500 WH.
OSSUPR1600W	OCULT SYS. ACC. SUR PROFILE 1600 WH.
OSSUPR1700W	OCULT SYS. ACC. SUR PROFILE 1700 WH.
OSSUPR1800W	OCULT SYS. ACC. SUR PROFILE 1800 WH.
OSSUPR1900W	OCULT SYS. ACC. SUR PROFILE 1900 WH.
OSSUPR2000W	OCULT SYS. ACC. SUR PROFILE 2000 WH.
OSSUPR500W	OCULT SYS. ACC. SUR PROFILE 500 WH.
OSSUPR600W	OCULT SYS. ACC. SUR PROFILE 600 WH.
OSSUPR700W	OCULT SYS. ACC. SUR PROFILE 700 WH.
OSSUPR800W	OCULT SYS. ACC. SUR PROFILE 800 WH.
OSSUPR900W	OCULT SYS. ACC. SUR PROFILE 900 WH.

ACCESORIES :

Suspension

Product code:	Description:
9601313	ACC. QUICK STEEL CABLE 1M NK.
9601343	ACC. QUICK STEEL CABLE 4M NK.

Product code:	Description:
9607613	ACC. SUR FIXING NK.

Product code:	Description:
9608640	ACC. ELEC 3P SUSP WH.
9658640	ACC. ELEC 5P SUSP WH.

ACCESORIES :

Optical

OCULT SYSTEM

Product code:	Description:
HSCU25	HANCE 500 ACC. CUTTING BEAM

Product code:	Description:
HSEL25	HANCE 500 ACC. ELIPTICAL LENS

Product code:	Description:
HSHO25	HANCE 500 ACC. HONEYCOMB GRILLE

Product code:	Description:
HSRI40C	HANCE 500 ACC. RING DECO CO.

Product code:	Description:
HSRI40M	HANCE 500 ACC. RING DECO MET.

Product code:	Description:
HSRI40W	HANCE 500 ACC. RING DECO WH.

Product code:	Description:
HSSL25	HANCE 500 ACC. SOFT LENS



Product code:	Description:
HSTR25	HANCE 500 ACC. DIF TRANS

ACCESORIES :

Adjustment and control

LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es

Data according to regulations 2019/2020/EU and 2019/2015/EU

OCULT SYSTEM

Product code:	Description:	Product code:	Description:
OSCTAI1000D	OCULT SYS. ACC.INTER.CONNECTOR DALI 1000	OSCTAI1000N	OCULT SYS. ACC. INTER. CONNECTOR 1000
OSCTAI100D	OCULT SYS. ACC.INTER.CONNECTOR DALI 100	OSCTAI100N	OCULT SYS. ACC. INTER. CONNECTOR 100
OSCTAI1100D	OCULT SYS. ACC.INTER.CONNECTOR DALI 1100	OSCTAI1100N	OCULT SYS. ACC. INTER. CONNECTOR 1100
OSCTAI1200D	OCULT SYS. ACC.INTER.CONNECTOR DALI 1200	OSCTAI1200N	OCULT SYS. ACC. INTER. CONNECTOR 1200
OSCTAI1300D	OCULT SYS. ACC.INTER.CONNECTOR DALI 1300	OSCTAI1300N	OCULT SYS. ACC. INTER. CONNECTOR 1300
OSCTAI1400D	OCULT SYS. ACC.INTER.CONNECTOR DALI 1400	OSCTAI1400N	OCULT SYS. ACC. INTER. CONNECTOR 1400
OSCTAI1500D	OCULT SYS. ACC.INTER.CONNECTOR DALI 1500	OSCTAI1500N	OCULT SYS. ACC. INTER. CONNECTOR 1500
OSCTAI200D	OCULT SYS. ACC.INTER.CONNECTOR DALI 200	OSCTAI200N	OCULT SYS. ACC. INTER. CONNECTOR 200
OSCTAI300D	OCULT SYS. ACC.INTER.CONNECTOR DALI 300	OSCTAI300N	OCULT SYS. ACC. INTER. CONNECTOR 300
OSCTAI400D	OCULT SYS. ACC.INTER.CONNECTOR DALI 400	OSCTAI400N	OCULT SYS. ACC. INTER. CONNECTOR 400
OSCTAI500D	OCULT SYS. ACC.INTER.CONNECTOR DALI 500	OSCTAI500N	OCULT SYS. ACC. INTER. CONNECTOR 500
OSCTAI600D	OCULT SYS. ACC.INTER.CONNECTOR DALI 600	OSCTAI600N	OCULT SYS. ACC. INTER. CONNECTOR 600
OSCTAI700D	OCULT SYS. ACC.INTER.CONNECTOR DALI 700	OSCTAI700N	OCULT SYS. ACC. INTER. CONNECTOR 700
OSCTAI800D	OCULT SYS. ACC.INTER.CONNECTOR DALI 800	OSCTAI800N	OCULT SYS. ACC. INTER. CONNECTOR 800
OSCTAI900D	OCULT SYS. ACC.INTER.CONNECTOR DALI 900	OSCTAI900N	OCULT SYS. ACC. INTER. CONNECTOR 900

LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es

Data according to regulations 2019/2020/EU and 2019/2015/EU