

## OS1SP10SP840DBB



## OCULT SYS. SPOT 1000 NW SP DALI BK/BK.

## Description:

Finition: Noir texturé RAL 9011

Poids: 800 g

Installation: Surface

## SPÉCIFICATIONS TECHNIQUES:

|                   |                          |               |                  |
|-------------------|--------------------------|---------------|------------------|
| Flux lumineux:    | 819 lm                   | °K :          | 4000             |
| Plum:             | 7,7W                     | IRC :         | 80               |
| Efficacité:       | 106,3 lm/w               | MacAdam:      | 3                |
| Type:             | COB                      | Alimentation: | 220-240V 50/60Hz |
| Durée de vie LED: | 50.000 L90 B10 (Ta=25°C) | Équipement:   | Réglable DALI    |
| Puissance:        | 7W                       |               |                  |

Tolérance de flux lumineux +/- 10%




## OPTIONS PERSONNALISABLES:



OS1SP10SP840DBB

OCULT SYS. SPOT 1000 NW SP DALI BK/BK.

**DONNÉES PHOTOMÉTRIQUES :**



## ACCESSOIRES :

## Montage

**Code produit:**

OSCO1000B  
 OSCO200B  
 OSCO300B  
 OSCO400B  
 OSCO500B  
 OSCO600B  
 OSCO700B  
 OSCO800B  
 OSCO900B

**Description:**

OCULT SYSTEM ACC. COVER 1000 BK.  
 OCULT SYSTEM ACC. COVER 200 BK.  
 OCULT SYSTEM ACC. COVER 300 BK.  
 OCULT SYSTEM ACC. COVER 400 BK.  
 OCULT SYSTEM ACC. COVER 500 BK.  
 OCULT SYSTEM ACC. COVER 600 BK.  
 OCULT SYSTEM ACC. COVER 700 BK.  
 OCULT SYSTEM ACC. COVER 800 BK.  
 OCULT SYSTEM ACC. COVER 900 BK.

**Code produit:**

OSCO1000W  
 OSCO200W  
 OSCO300W  
 OSCO400W  
 OSCO500W  
 OSCO600W  
 OSCO700W  
 OSCO800W  
 OSCO900W

**Description:**

OCULT SYSTEM ACC. COVER 1000 WH.  
 OCULT SYSTEM ACC. COVER 200 WH.  
 OCULT SYSTEM ACC. COVER 300 WH.  
 OCULT SYSTEM ACC. COVER 400 WH.  
 OCULT SYSTEM ACC. COVER 500 WH.  
 OCULT SYSTEM ACC. COVER 600 WH.  
 OCULT SYSTEM ACC. COVER 700 WH.  
 OCULT SYSTEM ACC. COVER 800 WH.  
 OCULT SYSTEM ACC. COVER 900 WH.

**Code produit:**

OSJO

**Description:**

OCULT SYS. ACC. JOINT

**Code produit:**

OSRECR100B  
 OSSUCR100B

**Description:**

OCULT SYS. ACC. REC CORNER 100 BK.  
 OCULT SYS. ACC. SUR CORNER 100 BK.

**Code produit:**

OSRECR100W  
 OSSUCR100W

**Description:**

OCULT SYS. ACC. REC CORNER 100 WH.  
 OCULT SYS. ACC. SUR CORNER 100 WH.

**Code produit:**

OSREECB

**Description:**

OCULT SYS. ACC. REC END COVER BK.

**Code produit:**

OSREECW

**Description:**

OCULT SYS. ACC. REC END COVER WH.

## OCULT SYSTEM

**Code produit:**

OSREPR1000B  
 OSREPR1100B  
 OSREPR1200B  
 OSREPR1300B  
 OSREPR1400B  
 OSREPR1500B  
 OSREPR1600B  
 OSREPR1700B  
 OSREPR1800B  
 OSREPR1900B  
 OSREPR2000B  
 OSREPR500B  
 OSREPR600B  
 OSREPR700B  
 OSREPR800B  
 OSREPR900B

**Description:**

OCULT SYS. ACC. REC PROFILE 1000 BK.  
 OCULT SYS. ACC. REC PROFILE 1100 BK.  
 OCULT SYS. ACC. REC PROFILE 1200 BK.  
 OCULT SYS. ACC. REC PROFILE 1300 BK.  
 OCULT SYS. ACC. REC PROFILE 1400 BK.  
 OCULT SYS. ACC. REC PROFILE 1500 BK.  
 OCULT SYS. ACC. REC PROFILE 1600 BK.  
 OCULT SYS. ACC. REC PROFILE 1700 BK.  
 OCULT SYS. ACC. REC PROFILE 1800 BK.  
 OCULT SYS. ACC. REC PROFILE 1900 BK.  
 OCULT SYS. ACC. REC PROFILE 2000 BK.  
 OCULT SYS. ACC. REC PROFILE 500 BK.  
 OCULT SYS. ACC. REC PROFILE 600 BK.  
 OCULT SYS. ACC. REC PROFILE 700 BK.  
 OCULT SYS. ACC. REC PROFILE 800 BK.  
 OCULT SYS. ACC. REC PROFILE 900 BK.

**Code produit:**

OSREPR1000W  
 OSREPR1100W  
 OSREPR1200W  
 OSREPR1300W  
 OSREPR1400W  
 OSREPR1500W  
 OSREPR1600W  
 OSREPR1700W  
 OSREPR1800W  
 OSREPR1900W  
 OSREPR2000W  
 OSREPR500W  
 OSREPR600W  
 OSREPR700W  
 OSREPR800W  
 OSREPR900W

**Description:**

OCULT SYS. ACC. REC PROFILE 1000 WH.  
 OCULT SYS. ACC. REC PROFILE 1100 WH.  
 OCULT SYS. ACC. REC PROFILE 1200 WH.  
 OCULT SYS. ACC. REC PROFILE 1300 WH.  
 OCULT SYS. ACC. REC PROFILE 1400 WH.  
 OCULT SYS. ACC. REC PROFILE 1500 WH.  
 OCULT SYS. ACC. REC PROFILE 1600 WH.  
 OCULT SYS. ACC. REC PROFILE 1700 WH.  
 OCULT SYS. ACC. REC PROFILE 1800 WH.  
 OCULT SYS. ACC. REC PROFILE 1900 WH.  
 OCULT SYS. ACC. REC PROFILE 2000 WH.  
 OCULT SYS. ACC. REC PROFILE 500 WH.  
 OCULT SYS. ACC. REC PROFILE 600 WH.  
 OCULT SYS. ACC. REC PROFILE 700 WH.  
 OCULT SYS. ACC. REC PROFILE 800 WH.  
 OCULT SYS. ACC. REC PROFILE 900 WH.

**Code produit:**

OSSUECB

**Description:**

OCULT SYS. ACC. SUR END COVER BK.

**Code produit:**

OSSUECW

**Description:**

OCULT SYS. ACC. SUR END COVER WH.

## OCULT SYSTEM

**Code produit:**

OSSUPR1000B  
 OSSUPR1100B  
 OSSUPR1200B  
 OSSUPR1300B  
 OSSUPR1400B  
 OSSUPR1500B  
 OSSUPR1600B  
 OSSUPR1700B  
 OSSUPR1800B  
 OSSUPR1900B  
 OSSUPR2000B  
 OSSUPR500B  
 OSSUPR600B  
 OSSUPR700B  
 OSSUPR800B  
 OSSUPR900B

**Description:**

OCULT SYS. ACC. SUR PROFILE 1000 BK.  
 OCULT SYS. ACC. SUR PROFILE 1100 BK.  
 OCULT SYS. ACC. SUR PROFILE 1200 BK.  
 OCULT SYS. ACC. SUR PROFILE 1300 BK.  
 OCULT SYS. ACC. SUR PROFILE 1400 BK.  
 OCULT SYS. ACC. SUR PROFILE 1500 BK.  
 OCULT SYS. ACC. SUR PROFILE 1600 BK.  
 OCULT SYS. ACC. SUR PROFILE 1700 BK.  
 OCULT SYS. ACC. SUR PROFILE 1800 BK.  
 OCULT SYS. ACC. SUR PROFILE 1900 BK.  
 OCULT SYS. ACC. SUR PROFILE 2000 BK.  
 OCULT SYS. ACC. SUR PROFILE 500 BK.  
 OCULT SYS. ACC. SUR PROFILE 600 BK.  
 OCULT SYS. ACC. SUR PROFILE 700 BK.  
 OCULT SYS. ACC. SUR PROFILE 800 BK.  
 OCULT SYS. ACC. SUR PROFILE 900 BK.

**Code produit:**

OSSUPR1000W  
 OSSUPR1100W  
 OSSUPR1200W  
 OSSUPR1300W  
 OSSUPR1400W  
 OSSUPR1500W  
 OSSUPR1600W  
 OSSUPR1700W  
 OSSUPR1800W  
 OSSUPR1900W  
 OSSUPR2000W  
 OSSUPR500W  
 OSSUPR600W  
 OSSUPR700W  
 OSSUPR800W  
 OSSUPR900W

**Description:**

OCULT SYS. ACC. SUR PROFILE 1000 WH.  
 OCULT SYS. ACC. SUR PROFILE 1100 WH.  
 OCULT SYS. ACC. SUR PROFILE 1200 WH.  
 OCULT SYS. ACC. SUR PROFILE 1300 WH.  
 OCULT SYS. ACC. SUR PROFILE 1400 WH.  
 OCULT SYS. ACC. SUR PROFILE 1500 WH.  
 OCULT SYS. ACC. SUR PROFILE 1600 WH.  
 OCULT SYS. ACC. SUR PROFILE 1700 WH.  
 OCULT SYS. ACC. SUR PROFILE 1800 WH.  
 OCULT SYS. ACC. SUR PROFILE 1900 WH.  
 OCULT SYS. ACC. SUR PROFILE 2000 WH.  
 OCULT SYS. ACC. SUR PROFILE 500 WH.  
 OCULT SYS. ACC. SUR PROFILE 600 WH.  
 OCULT SYS. ACC. SUR PROFILE 700 WH.  
 OCULT SYS. ACC. SUR PROFILE 800 WH.  
 OCULT SYS. ACC. SUR PROFILE 900 WH.

**ACCESSOIRES :****Suspension****Code produit:**

SFRG41G

**Description:**

ACC. SUR FIXING NK.

**Code produit:**

SUCA4000DW  
 SUCA4000NW

**Description:**

ACC. ELEC 5P SUSP WH.  
 ACC. ELEC 3P SUSP WH.

**Code produit:**

SUWIDE1000G  
 SUWIDE4000G

**Description:**

ACC. QUICK STEEL CABLE 1M NK.  
 ACC. QUICK STEEL CABLE 4M NK.

**ACCESSOIRES :****Optique**



**Code produit:**

HSCU50

**Description:**

HANCE 1000/2000 ACC. CUTTING BEAM



**Code produit:**

HSEL50

**Description:**

HANCE 1000/2000 ACC. ELIPTICAL LENS



**Code produit:**

HSHO50

**Description:**

HANCE 1000/2000 ACC. HONEYCOMB GRILLE



**Code produit:**

HSR165C

**Description:**

HANCE 1000/2000 ACC. RING DECO CO.



**Code produit:**

HSR165M

**Description:**

HANCE 1000/2000 ACC. RING DECO MET.



**Code produit:**

HSR165W

**Description:**

HANCE 1000/2000 ACC. RING DECO WH.



**Code produit:**

HSSL50

**Description:**

HANCE 1000/2000 ACC. SOFT LENS



**Code produit:**

HSTR50

**Description:**

HANCE 1000/2000 ACC. DIF TRANS

---

#### ACCESSOIRES :

##### Contrôle et réglage



Code produit:

OSCTAI1000D  
OSCTAI100D  
OSCTAI1100D  
OSCTAI1200D  
OSCTAI1300D  
OSCTAI1400D  
OSCTAI1500D  
OSCTAI200D  
OSCTAI300D  
OSCTAI400D  
OSCTAI500D  
OSCTAI600D  
OSCTAI700D  
OSCTAI800D  
OSCTAI900D

Description:

OCULT SYS. ACC.INTER.CONNECTOR DALI 1000  
OCULT SYS. ACC.INTER.CONNECTOR DALI 100  
OCULT SYS. ACC.INTER.CONNECTOR DALI 1100  
OCULT SYS. ACC.INTER.CONNECTOR DALI 1200  
OCULT SYS. ACC.INTER.CONNECTOR DALI 1300  
OCULT SYS. ACC.INTER.CONNECTOR DALI 1400  
OCULT SYS. ACC.INTER.CONNECTOR DALI 1500  
OCULT SYS. ACC.INTER.CONNECTOR DALI 200  
OCULT SYS. ACC.INTER.CONNECTOR DALI 300  
OCULT SYS. ACC.INTER.CONNECTOR DALI 400  
OCULT SYS. ACC.INTER.CONNECTOR DALI 500  
OCULT SYS. ACC.INTER.CONNECTOR DALI 600  
OCULT SYS. ACC.INTER.CONNECTOR DALI 700  
OCULT SYS. ACC.INTER.CONNECTOR DALI 800  
OCULT SYS. ACC.INTER.CONNECTOR DALI 900



Code produit:

OSCTAI1000N  
OSCTAI100N  
OSCTAI1100N  
OSCTAI1200N  
OSCTAI1300N  
OSCTAI1400N  
OSCTAI1500N  
OSCTAI200N  
OSCTAI300N  
OSCTAI400N  
OSCTAI500N  
OSCTAI600N  
OSCTAI700N  
OSCTAI800N  
OSCTAI900N

Description:

OCULT SYS. ACC. INTER. CONNECTOR 1000  
OCULT SYS. ACC. INTER. CONNECTOR 100  
OCULT SYS. ACC. INTER. CONNECTOR 1100  
OCULT SYS. ACC. INTER. CONNECTOR 1200  
OCULT SYS. ACC. INTER. CONNECTOR 1300  
OCULT SYS. ACC. INTER. CONNECTOR 1400  
OCULT SYS. ACC. INTER. CONNECTOR 1500  
OCULT SYS. ACC. INTER. CONNECTOR 200  
OCULT SYS. ACC. INTER. CONNECTOR 300  
OCULT SYS. ACC. INTER. CONNECTOR 400  
OCULT SYS. ACC. INTER. CONNECTOR 500  
OCULT SYS. ACC. INTER. CONNECTOR 600  
OCULT SYS. ACC. INTER. CONNECTOR 700  
OCULT SYS. ACC. INTER. CONNECTOR 800  
OCULT SYS. ACC. INTER. CONNECTOR 900