

OS1SP10SS830NBB




OCULT SYS. SPOT 1000 WW SSP BK/BK.

Description:

Spotlight to adapt to the structure OCULT SYS. model OCULT SYS. SPOT 1000 WW SSP BK/BK., LAMP brand. Body made of injected aluminum and extruded aluminum cover painted in black. Passive dissipation for a correct thermal management. With quick connection system. Model for HI-POWER LED. With warm white color temperature and built-in electronic equipment. With SuperSpot optics. Spot high purity aluminum reflector. Class of insulation I.

Finish: Texturised black RAL 9011

Weight: 850 g

Installation: Surface
TECHNICAL SPECIFICATIONS:




Light output:	498 lm	°K :	3000
Plum:	7,6W	CRI :	80
Efficacy:	65,5 lm/w	MacAdam:	3
Type:	HIGH POWER LED	Power Supply:	100-240V 50/60Hz
LED Lifetime:	50.000 L90 (Ta=25°C)	Gear:	Electronic
Power:	7W		

Light output tolerance +/- 10%
**CUSTOM MADE OPTIONS:**

OS1SP10SS830NBB

OCULT SYS. SPOT 1000 WW SSP BK/BK.

PHOTOMETRIC DATA :

OS1SP10SS830NBB η = 99% I_{max} = 17452 cd/klm UTE: CIE: 104 100 100 100 99 		alpha = 10,5° 	<table><tr><th>H (m)</th><th>D (m)</th><th>E_{max}</th><th>E_{med}</th></tr><tr><td>1</td><td>0,18</td><td>8630</td><td>5750</td></tr><tr><td>2</td><td>0,37</td><td>2158</td><td>1437</td></tr><tr><td>3</td><td>0,55</td><td>959</td><td>639</td></tr><tr><td>4</td><td>0,73</td><td>539</td><td>359</td></tr></table>	H (m)	D (m)	E _{max}	E _{med}	1	0,18	8630	5750	2	0,37	2158	1437	3	0,55	959	639	4	0,73	539	359
H (m)	D (m)	E _{max}	E _{med}																				
1	0,18	8630	5750																				
2	0,37	2158	1437																				
3	0,55	959	639																				
4	0,73	539	359																				

ACCESORIES :

Assembly

**Product code:**

OSCO1000B
 OSCO200B
 OSCO300B
 OSCO400B
 OSCO500B
 OSCO600B
 OSCO700B
 OSCO800B
 OSCO900B

Description:

OCULT SYSTEM ACC. COVER 1000 BK.
 OCULT SYSTEM ACC. COVER 200 BK.
 OCULT SYSTEM ACC. COVER 300 BK.
 OCULT SYSTEM ACC. COVER 400 BK.
 OCULT SYSTEM ACC. COVER 500 BK.
 OCULT SYSTEM ACC. COVER 600 BK.
 OCULT SYSTEM ACC. COVER 700 BK.
 OCULT SYSTEM ACC. COVER 800 BK.
 OCULT SYSTEM ACC. COVER 900 BK.

**Product code:**

OSCO1000W
 OSCO200W
 OSCO300W
 OSCO400W
 OSCO500W
 OSCO600W
 OSCO700W
 OSCO800W
 OSCO900W

Description:


OCULT SYSTEM ACC. COVER 1000 WH.
 OCULT SYSTEM ACC. COVER 200 WH.
 OCULT SYSTEM ACC. COVER 300 WH.
 OCULT SYSTEM ACC. COVER 400 WH.
 OCULT SYSTEM ACC. COVER 500 WH.
 OCULT SYSTEM ACC. COVER 600 WH.
 OCULT SYSTEM ACC. COVER 700 WH.
 OCULT SYSTEM ACC. COVER 800 WH.
 OCULT SYSTEM ACC. COVER 900 WH.

**Product code:**

OSJO

Description:


OCULT SYS. ACC. JOINT

**Product code:**

OSRECR100B
 OSSUCR100B

Description:

OCULT SYS. ACC. REC CORNER 100 BK.
 OCULT SYS. ACC. SUR CORNER 100 BK.

**Product code:**

OSRECR100W
 OSSUCR100W

Description:

OCULT SYS. ACC. REC CORNER 100 WH.
 OCULT SYS. ACC. SUR CORNER 100 WH.

**Product code:**

OSREECB

Description:

OCULT SYS. ACC. REC END COVER BK.


**Product code:**

OSREECW

Description:

OCULT SYS. ACC. REC END COVER WH.

OCULT SYSTEM

**Product code:**

OSREPR1000B
 OSREPR1100B
 OSREPR1200B
 OSREPR1300B
 OSREPR1400B
 OSREPR1500B
 OSREPR1600B
 OSREPR1700B
 OSREPR1800B
 OSREPR1900B
 OSREPR2000B
 OSREPR500B
 OSREPR600B
 OSREPR700B
 OSREPR800B
 OSREPR900B

Description:

OCULT SYS. ACC. REC PROFILE 1000 BK.
 OCULT SYS. ACC. REC PROFILE 1100 BK.
 OCULT SYS. ACC. REC PROFILE 1200 BK.
 OCULT SYS. ACC. REC PROFILE 1300 BK.
 OCULT SYS. ACC. REC PROFILE 1400 BK.
 OCULT SYS. ACC. REC PROFILE 1500 BK.
 OCULT SYS. ACC. REC PROFILE 1600 BK.
 OCULT SYS. ACC. REC PROFILE 1700 BK.
 OCULT SYS. ACC. REC PROFILE 1800 BK.
 OCULT SYS. ACC. REC PROFILE 1900 BK.
 OCULT SYS. ACC. REC PROFILE 2000 BK.
 OCULT SYS. ACC. REC PROFILE 500 BK.
 OCULT SYS. ACC. REC PROFILE 600 BK.
 OCULT SYS. ACC. REC PROFILE 700 BK.
 OCULT SYS. ACC. REC PROFILE 800 BK.
 OCULT SYS. ACC. REC PROFILE 900 BK.

**Product code:**

OSREPR1000W
 OSREPR1100W
 OSREPR1200W
 OSREPR1300W
 OSREPR1400W
 OSREPR1500W
 OSREPR1600W
 OSREPR1700W
 OSREPR1800W
 OSREPR1900W
 OSREPR2000W
 OSREPR500W
 OSREPR600W
 OSREPR700W
 OSREPR800W
 OSREPR900W

Description:

OCULT SYS. ACC. REC PROFILE 1000 WH.
 OCULT SYS. ACC. REC PROFILE 1100 WH.
 OCULT SYS. ACC. REC PROFILE 1200 WH.
 OCULT SYS. ACC. REC PROFILE 1300 WH.
 OCULT SYS. ACC. REC PROFILE 1400 WH.
 OCULT SYS. ACC. REC PROFILE 1500 WH.
 OCULT SYS. ACC. REC PROFILE 1600 WH.
 OCULT SYS. ACC. REC PROFILE 1700 WH.
 OCULT SYS. ACC. REC PROFILE 1800 WH.
 OCULT SYS. ACC. REC PROFILE 1900 WH.
 OCULT SYS. ACC. REC PROFILE 2000 WH.
 OCULT SYS. ACC. REC PROFILE 500 WH.
 OCULT SYS. ACC. REC PROFILE 600 WH.
 OCULT SYS. ACC. REC PROFILE 700 WH.
 OCULT SYS. ACC. REC PROFILE 800 WH.
 OCULT SYS. ACC. REC PROFILE 900 WH.

**Product code:**

OSSUECB

Description:


OCULT SYS. ACC. SUR END COVER BK.

**Product code:**

OSSUECW

Description:


OCULT SYS. ACC. SUR END COVER WH.

**Product code:**

OSSUPR1000B
 OSSUPR1100B
 OSSUPR1200B
 OSSUPR1300B
 OSSUPR1400B
 OSSUPR1500B
 OSSUPR1600B
 OSSUPR1700B
 OSSUPR1800B
 OSSUPR1900B
 OSSUPR2000B
 OSSUPR500B
 OSSUPR600B
 OSSUPR700B
 OSSUPR800B
 OSSUPR900B

Description:

OCULT SYS. ACC. SUR PROFILE 1000 BK.
 OCULT SYS. ACC. SUR PROFILE 1100 BK.
 OCULT SYS. ACC. SUR PROFILE 1200 BK.
 OCULT SYS. ACC. SUR PROFILE 1300 BK.
 OCULT SYS. ACC. SUR PROFILE 1400 BK.
 OCULT SYS. ACC. SUR PROFILE 1500 BK.
 OCULT SYS. ACC. SUR PROFILE 1600 BK.
 OCULT SYS. ACC. SUR PROFILE 1700 BK.
 OCULT SYS. ACC. SUR PROFILE 1800 BK.
 OCULT SYS. ACC. SUR PROFILE 1900 BK.
 OCULT SYS. ACC. SUR PROFILE 2000 BK.
 OCULT SYS. ACC. SUR PROFILE 500 BK.
 OCULT SYS. ACC. SUR PROFILE 600 BK.
 OCULT SYS. ACC. SUR PROFILE 700 BK.
 OCULT SYS. ACC. SUR PROFILE 800 BK.
 OCULT SYS. ACC. SUR PROFILE 900 BK.

**Product code:**

OSSUPR1000W
 OSSUPR1100W
 OSSUPR1200W
 OSSUPR1300W
 OSSUPR1400W
 OSSUPR1500W
 OSSUPR1600W
 OSSUPR1700W
 OSSUPR1800W
 OSSUPR1900W
 OSSUPR2000W
 OSSUPR500W
 OSSUPR600W
 OSSUPR700W
 OSSUPR800W
 OSSUPR900W

Description:

OCULT SYS. ACC. SUR PROFILE 1000 WH.
 OCULT SYS. ACC. SUR PROFILE 1100 WH.
 OCULT SYS. ACC. SUR PROFILE 1200 WH.
 OCULT SYS. ACC. SUR PROFILE 1300 WH.
 OCULT SYS. ACC. SUR PROFILE 1400 WH.
 OCULT SYS. ACC. SUR PROFILE 1500 WH.
 OCULT SYS. ACC. SUR PROFILE 1600 WH.
 OCULT SYS. ACC. SUR PROFILE 1700 WH.
 OCULT SYS. ACC. SUR PROFILE 1800 WH.
 OCULT SYS. ACC. SUR PROFILE 1900 WH.
 OCULT SYS. ACC. SUR PROFILE 2000 WH.
 OCULT SYS. ACC. SUR PROFILE 500 WH.
 OCULT SYS. ACC. SUR PROFILE 600 WH.
 OCULT SYS. ACC. SUR PROFILE 700 WH.
 OCULT SYS. ACC. SUR PROFILE 800 WH.
 OCULT SYS. ACC. SUR PROFILE 900 WH.

ACCESORIES :**Suspension****Product code:**

SFRG41G

Description:

ACC. SUR FIXING NK.

**Product code:**

SUCA4000DW
 SUCA4000NW

Description:

ACC. ELEC 5P SUSP WH.
 ACC. ELEC 3P SUSP WH.

**Product code:**

SUWIDE1000G
 SUWIDE4000G

Description:

ACC. QUICK STEEL CABLE 1M NK.
 ACC. QUICK STEEL CABLE 4M NK.

ACCESORIES :**Optical**



Product code:

HSCU50

Description:

HANCE 1000/2000 ACC. CUTTING BEAM



Product code:

HSEL50

Description:

HANCE 1000/2000 ACC. ELIPTICAL LENS



Product code:

HSO50

Description:

HANCE 1000/2000 ACC. HONEYCOMB GRILLE



Product code:

HSRI65C

Description:

HANCE 1000/2000 ACC. RING DECO CO.



Product code:

HSRI65M

Description:

HANCE 1000/2000 ACC. RING DECO MET.



Product code:

HSRI65W

Description:

HANCE 1000/2000 ACC. RING DECO WH.



Product code:

HSSL50

Description:

HANCE 1000/2000 ACC. SOFT LENS



Product code:


HSTR50

Description:

HANCE 1000/2000 ACC. DIF TRANS

ACCESORIES :

Adjustment and control




Product code:

OSCTAI1000D
OSCTAI100D
OSCTAI1100D
OSCTAI1200D
OSCTAI1300D
OSCTAI1400D
OSCTAI1500D
OSCTAI200D
OSCTAI300D
OSCTAI400D
OSCTAI500D
OSCTAI600D
OSCTAI700D
OSCTAI800D
OSCTAI900D

Description:

OCULT SYS. ACC.INTER.CONNECTOR DALI 1000
OCULT SYS. ACC.INTER.CONNECTOR DALI 100
OCULT SYS. ACC.INTER.CONNECTOR DALI 1100
OCULT SYS. ACC.INTER.CONNECTOR DALI 1200
OCULT SYS. ACC.INTER.CONNECTOR DALI 1300
OCULT SYS. ACC.INTER.CONNECTOR DALI 1400
OCULT SYS. ACC.INTER.CONNECTOR DALI 1500
OCULT SYS. ACC.INTER.CONNECTOR DALI 200
OCULT SYS. ACC.INTER.CONNECTOR DALI 300
OCULT SYS. ACC.INTER.CONNECTOR DALI 400
OCULT SYS. ACC.INTER.CONNECTOR DALI 500
OCULT SYS. ACC.INTER.CONNECTOR DALI 600
OCULT SYS. ACC.INTER.CONNECTOR DALI 700
OCULT SYS. ACC.INTER.CONNECTOR DALI 800
OCULT SYS. ACC.INTER.CONNECTOR DALI 900



Product code:

OSCTAI1000N
OSCTAI100N
OSCTAI1100N
OSCTAI1200N
OSCTAI1300N
OSCTAI1400N
OSCTAI1500N
OSCTAI200N
OSCTAI300N
OSCTAI400N
OSCTAI500N
OSCTAI600N
OSCTAI700N
OSCTAI800N
OSCTAI900N

Description:

OCULT SYS. ACC. INTER. CONNECTOR 1000
OCULT SYS. ACC. INTER. CONNECTOR 100
OCULT SYS. ACC. INTER. CONNECTOR 1100
OCULT SYS. ACC. INTER. CONNECTOR 1200
OCULT SYS. ACC. INTER. CONNECTOR 1300
OCULT SYS. ACC. INTER. CONNECTOR 1400
OCULT SYS. ACC. INTER. CONNECTOR 1500
OCULT SYS. ACC. INTER. CONNECTOR 200
OCULT SYS. ACC. INTER. CONNECTOR 300
OCULT SYS. ACC. INTER. CONNECTOR 400
OCULT SYS. ACC. INTER. CONNECTOR 500
OCULT SYS. ACC. INTER. CONNECTOR 600
OCULT SYS. ACC. INTER. CONNECTOR 700
OCULT SYS. ACC. INTER. CONNECTOR 800
OCULT SYS. ACC. INTER. CONNECTOR 900