

PL306035OP408TWDW



PLAT G3 600X600 3500 8TW OPAL IP40 DA WH

Description:


Recessed or suspended luminaire model , PLAT G3, LAMP brand. Made of matt white steel with opal polycarbonate diffuser. Model with MID-POWER LED, TW colour temperature and CRI 80. Control gear included. With a protection rating of IP40 (non-recessed part) and IP20 (recessed part), IK06. Insulation class II. Photobiological safety group 0. Lifetime: 70.000h L80 B10

Finish: Matte Traffic white RAL 9016

Dimensions: 596 x 596 x 14 mm

Weight: 4.300 g

Installation: Recessed



TECHNICAL SPECIFICATIONS:

| | | | |
|----------------------|--------------------------|----------------------|---------------------|
| Light output: | 4.495 lm | °K : | 2700-6500 |
| Plum: | 36W | CRI : | 80 |
| Efficacy: | 124,9 lm/w | MacAdam: | 3 |
| Type: | MID POWER LED | Power Supply: | 220-240V 50/60Hz |
| LED Lifetime: | 50.000 L80 B50 (Ta=25°C) | Gear: | Adjustable DALI DT8 |
| Power: | 31W | | |


Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:



PHOTOMETRIC DATA :



ACCESORIES :

Assembly



Product code:

PLREFR060

Description:

PLAT ACC. FRAME REC 600X600MM WH.



Product code:

PLSFFR060

Description:

PLAT ACC. FRAME SUR 600X600MM WH.

ACCESORIES :

Suspension



Product code:

PLSUWI1500

Description:

PLAT G3 ACC. SUSP KIT