Product datasheet

PLAT


PL306035OP65830DW



PLAT G3 600X600 3400 830 OPAL IP65 DA WH

Description:

Recessed or suspended luminaire model PLAT G3, LAMP brand. Made of matt white steel with opal polycarbonate diffuser. Model with MID-POWER LED, 3000K colour temperature and CRI 80. Control DALI gear included. With a protection rating of IP65 (non-recessed part) and IP20 (recessed part), IK06. Insulation class II. Photobiological safety group 0. Lifetime: 70.000h L80 B10.



Finish:Matte Traffic white RAL 9016Dimensions:596 x 596 x 14 mm


Weight: 3.900 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output:	3.607 lm	⁰К:	3000
Plum:	31W	CRI :	80
Efficacy:	116,4 lm/w	MacAdam:	3
Туре:	MID POWER LED	Power Supply:	220-240V 50/60Hz
LED Lifetime:	70.000 L80 B10 (Ta=25°C)	Gear:	Adjustable DALI
Power:	28W		

Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:



LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es Worktitude for light


Product datasheet

PLAT

PL306035OP65830DW

PLAT G3 600X600 3400 830 OPAL IP65 DA WH





Worktitude for light

Product datasheet

PLAT



ACCESORIES :

Assembly



Product code: PLREFR060 Description: PLAT ACC. FRAME REC 600X600MM WH.



Product code: PLSFFR060 Description: PLAT ACC. FRAME SUR 600X600MM WH.

ACCESORIES : Suspension



Product code: PLSUWI1500 Description: PLAT G3 ACC. SUSP KIT