


PL306035PR40840NW



**PLAT G3 600X600 3400 840 PRIS IP40 WH**

**Description:**

Recessed or suspended luminaire model PLAT G3, LAMP brand. Made of matt white steel with prismatic polycarbonate diffuser. Model with MID-POWER LED, 4000K colour temperature and CRI 80. Control gear included. Glare rating <19 (for 4h, 8h 70/50/20). With a protection rating of IP40 (non-recessed part) and IP20 (recessed part), IK06. Insulation class II. Photobiological safety group 0. Lifetime: 70.000h L80 B10



**Finish:** Matte Traffic white RAL 9016

**Dimensions:** 596 x 596 x 14 mm

**Weight:** 3.900 g

**Installation:** Recessed

**TECHNICAL SPECIFICATIONS:**

<b>Light output:</b>	3.607 lm	<b>°K :</b>	4000
<b>Plum:</b>	31W	<b>CRI :</b>	80
<b>Efficacy:</b>	116,4 lm/w	<b>MacAdam:</b>	3
<b>UGR:</b>	<19	<b>Power Supply:</b>	220-240V 50/60Hz
<b>Type:</b>	MID POWER LED	<b>Gear:</b>	Electronic
<b>LED Lifetime:</b>	70.000 L80 B10 (Ta=25°C)		
<b>Power:</b>	28W		

*Light output tolerance +/- 10%*







**CUSTOM MADE OPTIONS:**



PHOTOMETRIC DATA :

PL306035PR40840NW  
 $\eta = 101\%$   
 $I_{max} = 394 \text{ cd/klm}$   
UTE: 1,00D + 0,01T  
CIE: 58 87 97 99 101



---

**ACCESORIES :**

**Assembly**



**Product code:**

PLREFR060

**Description:**

PLAT ACC. FRAME REC 600X600MM WH.



**Product code:**

PLSFFR060

**Description:**

PLAT ACC. FRAME SUR 600X600MM WH.

---

**ACCESORIES :**

**Suspension**



**Product code:**

PLSUWI1500

**Description:**

PLAT G3 ACC. SUSP KIT