


PL306035PR40930DW



PLAT G3 600X600 3500 930 PRIS IP40 DA WH

Description:

Recessed or suspended luminaire model PLAT G3, LAMP brand. Made of matt white steel with prismatic polycarbonate diffuser. Model with MID-POWER LED, 3000K colour temperature and CRI 90. Control DALI gear included. Glare rating <19 (for 4h, 8h 70/50/20). With a protection rating of IP40 (non-recessed part) and IP20 (recessed part), IK06. Insulation class II. Photobiological safety group 0. Lifetime: 70.000h L80 B10



Finish: Matte Traffic white RAL 9016

Dimensions: 596 x 596 x 14 mm

Weight: 3.900 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output:	2.900 lm	°K :	3000
Plum:	30W	CRI :	90
Efficacy:	96,7 lm/w	R9 :	53
UGR:	<19	MacAdam:	3
Type:	MID POWER LED	Power Supply:	220-240V 50/60Hz
LED Lifetime:	70.000 L80 B10 (Ta=25°C)	Gear:	Adjustable DALI
Power:	28W		

Light output tolerance +/- 10%










CUSTOM MADE OPTIONS:



PHOTOMETRIC DATA :

PL306035PR40930DW
 $\eta = 101\%$
 $I_{max} = 394 \text{ cd/klm}$
 UTE: 1,00D + 0,01T
 CIE: 58 87 97 99 101



ACCESORIES :

Assembly



Product code:

PLREFR060

Description:

PLAT ACC. FRAME REC 600X600MM WH.



Product code:

PLSFFR060

Description:

PLAT ACC. FRAME SUR 600X600MM WH.

ACCESORIES :

Suspension



Product code:

PLSUWI1500

Description:

PLAT G3 ACC. SUSP KIT