


PL312035OP4040NW



PLAT G3 1200X300 3600 NW OPAL IP40 WH

Description:

Recessed or suspended luminaire model PLAT G3 1200X300 3600 NW OPAL IP40 WH, LAMP brand. Made of matt white steel with opal polycarbonate diffuser. Model with MID-POWER LED, neutral white colour temperature and control gear included. With a protection rating of IP40 (non-recessed part) and IP20 (recessed part), IK06. Insulation class II. Photobiological safety group 0.

Finish: Matte Traffic white RAL 9016

Dimensions: 1.196 x 296 x 14 mm

Weight: 3.900 g

Installation: Recessed
TECHNICAL SPECIFICATIONS:
Light output: 3.819 lm

°K : 4000

Plum: 32W

CRI : 80

Efficacy: 123,2 lm/w

MacAdam: 3


Type: MID POWER LED

Power Supply: 220-240V 50/60Hz


LED Lifetime: 70.000 L80 B10

Gear: Electronic

Power: 30W

Light output tolerance +/- 10%


PHOTOMETRIC DATA :



ACCESORIES :

Assembly



Product code:

PLREFR120

Description:

PLAT ACC. FRAME REC 1200X300MM WH.



Product code:

PLSFFR120

Description:

PLAT ACC. FRAME SUR 1200X300MM WH.

ACCESORIES :

Suspension



Product code:

PLSUWI1500

Description:

PLAT G3 ACC. SUSP KIT

