


PL312035OP40830NW



PLAT G3 1200X300 3400 830 OPAL IP40 WH

Description:

Recessed or suspended luminaire model PLAT G3, LAMP brand. Made of matt white steel with opal polycarbonate diffuser. Model with MID-POWER LED, 3000K colour temperature and CRI 80. Control gear included. With a protection rating of IP40 (non-recessed part) and IP20 (recessed part), IK06. Insulation class II. Photobiological safety group 0. Lifetime: 60.000h L80 B10.

Finish: Matte Traffic white RAL 9016

Dimensions: 1.196 x 296 x 14 mm

Weight: 3.900 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output:	3.607 lm	°K :	3000
Plum:	32W	CRI :	80
Efficacy:	116,4 lm/w	MacAdam:	3
Type:	MID POWER LED	Power Supply:	220-240V 50/60Hz
LED Lifetime:	70.000 L80 B10 (Ta=25°C)	Gear:	Electronic
Power:	30W		

Light output tolerance +/- 10%







CUSTOM MADE OPTIONS:



PHOTOMETRIC DATA :

PL312035OP40830NW
 $\eta = 100\%$
 $I_{max} = 346 \text{ cd/klm}$
UTE: 1,00E + 0,01T
CIE: 47 78 95 99 100



ACCESORIES :

Assembly



Product code:

PLREFR120

Description:

PLAT ACC. FRAME REC 1200X300MM WH.



Product code:

PLSFFR120

Description:

PLAT ACC. FRAME SUR 1200X300MM WH.

ACCESORIES :

Suspension



Product code:

PLSUWI1500

Description:

PLAT G3 ACC. SUSP KIT