Product datasheet

PLAT

PL312035OP40840NW



PLAT G3 1200X300 3600 840 OPAL IP40 WH

Description:

Recessed or suspended luminaire model PLAT G3 1200X300 3600 NW OPAL IP40 WH, LAMP brand. Made of matt white steel with opal polycarbonate diffuser. Model with MID-POWER LED, neutral white colour temperature and control gear included. With a protection rating of IP40 (non-recessed part) and IP20 (recessed part), IK06. Insulation class II. Photobiological safety group 0.



Finish:Matte Traffic white RAL 9016Dimensions:1.196 x 296 x 14 mm

Weight: 3.900 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output:	3.819 lm	⁰K :	4000
Plum:	33,6W	CRI :	80
Efficacy:	123,2 lm/w	MacAdam:	3
Туре:	MID POWER LED	Power Supply:	220-240V 50/60Hz
LED Lifetime:	70.000 L80 B10 (Ta=25°C)	Gear:	Electronic
Power:	30W		

Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:



LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es Worktitude for light


Product datasheet

PLAT

PL312035OP40840NW

PLAT G3 1200X300 3600 840 OPAL IP40 WH





Worktitude for light

Product datasheet

PLAT



ACCESORIES :

Assembly



Product code: PLREFR120 Description: PLAT ACC. FRAME REC 1200X300MM WH.



Product code:I.PLSFFR120

Description: PLAT ACC. FRAME SUR 1200X300MM WH.

ACCESORIES : Suspension



Product code: PLSUWI1500 Description: PLAT G3 ACC. SUSP KIT