#### **Product datasheet**

#### **PLAT**


#### PL312035PR4040NW



#### PLAT G3 1200X300 3400 NW PRIS IP40 WH

#### Description:

Recessed or suspended luminaire model PLAT G3, LAMP brand. Made of matt white steel with prismatic polycarbonate diffuser. Model with MID-POWER LED, 4000K colour temperature and CRI 80. Control gear included.Glare rating <19 (for 4h, 8h 70/50/20). With a protection rating of IP40 (non-recessed part) and IP20 (recessed part), IK06. Insulation class II. Photobiological safety group 0. Lifetime: 70.000h L80 B10.



Finish: Matte Traffic white RAL 9016

1.196 x 296 x 14 mm Dimensions: Weight: 3.900 g

Installation: Recessed

#### **TECHNICAL SPECIFICATIONS:**

Light output: 3.607 Im °K: 4000 Plum: 32W CRI: 80 Efficacy: 116,4 lm/w 3 MacAdam:

UGR: 19

Type: MID POWER LED

LED Lifetime: 70.000 L80 B10 (Ta=25°C)

Power: 30W

Light output tolerance +/- 10%





























Power Supply:

Gear:

220-240V 50/60Hz

Electronic

Data according to regulations 2019/2020/EU and 2019/2015/EU

## **PLAT**







## PLAT G3 1200X300 3400 NW PRIS IP40 WH

## PHOTOMETRIC DATA:

PL312035PR4040NW  $\eta$  = 100% Imax = 417 cd/klm UTE: 1,00D

CIE: 59 88 97 100 100





alpha = 95,1°

H (m)	D (m)	Emax	Emed
1	2,19	1485	694
2	4,37	371	174
3	6,56	165	77
4	8,75	93	43

## **Product datasheet**

## **PLAT**



## ACCESORIES:

## **Assembly**



Product code: Description:

PLREFR120 PLAT ACC. FRAME REC 1200X300MM WH.



Product code:

Description: PLSFFR120

PLAT ACC. FRAME SUR 1200X300MM WH.

## **ACCESORIES:**

## Suspension



Product code:

Description:

PLSUWI1500 PLAT G3 ACC. SUSP KIT

# **PLAT**





