


PL312040PR40940NW



PLAT G3 1200X300 3800 9NW PRIS IP40 WH

Description:

Recessed or suspended luminaire model PLAT G3, LAMP brand. Made of matt white steel with prismatic polycarbonate diffuser. Model with MID-POWER LED, 4000K colour temperature and CRI 90. Control gear included. Glare rating <19 (for 4h, 8h 70/50/20). With a protection rating of IP40 (non-recessed part) and IP20 (recessed part), IK06. Insulation class II. Photobiological safety group 0. Lifetime: 70.000h L80 B10

Finish: Matte Traffic white RAL 9016

Dimensions: 1.196 x 296 x 14 mm


Weight: 3.900 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:




Light output:	3.000 lm	°K :	4000
Plum:	30W	CRI :	90
Efficacy:	100 lm/w	R9 :	61
UGR:	19	MacAdam:	3
Type:	MID POWER SAMSUNG	Power Supply:	220-240V 50/60Hz
LED Lifetime:	70.000 L80 B10 (Ta=25°C)	Gear:	Electronic
Power:	28W		

Light output tolerance +/- 10%



PHOTOMETRIC DATA :

PL312040PR40940NW
 $\eta = 101\%$
 $I_{max} = 434 \text{ cd/klm}$
UTE: 1,00D + 0,01T
CIE: 60 87 97 99 101



ACCESORIES :

Assembly



Product code:

PLREFR120

Description:

PLAT ACC. FRAME REC 1200X300MM WH.



Product code:

PLSFFR120

Description:

PLAT ACC. FRAME SUR 1200X300MM WH.



Product code:

PLXSFCL

Description:

PLAT X2 ACC 4/6 STEEL MOUNTING CLIPS SUR

ACCESORIES :

Suspension



Product code:

PLSUW11500

Description:

PLAT X2 ACC. SUSP KIT