Product datasheet

SHOT 290

LAMP Worktitude for light

SH22965ST830NG



SHOT 290 G2 6500 8WW STREET GR.

Description:

Outdoor spotlight model SHOT 290 G2 6500, LAMP brand. Manufactured with texturized grey lacquered die cast aluminium and tempered glass, stainless steel screws and silicone gasket. Passive dissipation for thermal management. Model for LED HI-POWER, 3000K colour temperature, CRI 80 and control gear included. With street optics. IP65, IK08 protection rating. Insulation class I. Lifetime: 60.000 L80 B10. Available finishes: anthracite and textured grey



Finish: Texturised grey

Weight: 8.608 g

Maximum surface exposed to wind: 0.13 M2

Installation: Surface

TECHNICAL SPECIFICATIONS:

 Light output:
 4.179 lm
 °K:
 3000

 Plum:
 48W
 CRI:
 80

 Efficacy:
 87,1 lm/w
 MacAdam:
 4

Type: HIGH POWER LED Power Supply: 220-240V 50/60Hz

LED Lifetime: 60.000 L80 B10 (Ta=25°C) Gear: Electronic

Power: 44W

Light output tolerance +/- 10%

























CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU




















(WB)

SHOT 290










PHOTOMETRIC DATA:

SH22965ST830NG η = 100% lmax = 729 cd/klm UTE: 1,00F CIE: 46 88 100 100 100







SHOT 290



ACCESORIES:

Support



Product code: COARDB120A

COARIN120A

Description:

ACC. CO ARM DB 120-130 ANT. ACC. CO ARM IND 120-130 ANT.



Product code:

COARDB120G COARIN120G

Description:

ACC. CO ARM DB 120-130 GR. ACC. CO ARM IND 120-130 GR.



Product code:

COARIN060A

Description:

ACC. CO ARM IND 60-135 ANT.



Product code:

COARIN060G

Description:

ACC. CO ARM IND 60-135 GR.



Product code:

COARLODB60A COARLODB76A

Description:

ACC. CO ARM LONG DB Ø60 ANT. ACC. CO ARM LONG DB Ø76 ANT.



Product code:

COARLODB60G COARLODB76G

Description:

ACC. CO ARM LONG DB Ø60 GR. ACC. CO ARM LONG DB Ø76 GR.



COARLOIN60A COARLOIN76A

Description:

ACC. CO ARM LONG IND Ø60 ANT. ACC. CO ARM LONG IND Ø76 ANT.



Product code:

COARLOIN60G

Description:

ACC. CO ARM LONG IND Ø60 GR. ACC. CO ARM LONG IND Ø76 GR. COARLOIN76G



Product code:

COARLOINT080A

Description:

ACC. CO ARM LONG INT ANT.



Product code:

Description:

COARLOINT080G

ACC. CO ARM LONG INT GR.

Data according to regulations 2019/2020/EU and 2019/2015/EU

Product datasheet

SHOT 290





COARSHDB60A COARSHDB76A

Description:

ACC. CO ARM SHORT DB Ø60 ANT. ACC. CO ARM SHORT DB Ø76 ANT.



Product code:

COARSHDB60G COARSHDB76G



ACC. CO ARM SHORT DB Ø60 GR. ACC. CO ARM SHORT DB Ø76 GR.



Product code:

COARSHIN60A COARSHIN76A

Description:

ACC. CO ARM SHORT IND Ø60 ANT. ACC. CO ARM SHORT IND Ø76 ANT.



Product code:

COARSHIN60G COARSHIN76G

Description:

ACC. CO ARM SHORT IND Ø60 GR. ACC. CO ARM SHORT IND Ø76 GR.



Product code:

COARSHINT080A

Description:

ACC. CO ARM SHORT INT ANT.



Product code: COARSHINT080G

Description:

ACC. CO ARM SHORT INT GR.



Product code:

Description:

FXARWAA ACC. FX ARM WALL ANT.



Product code:

Description:

FXARWAG ACC. FX ARM WALL GR.