Product datasheet

SHOT 290

LMP Worktitude for light

SH32906MF830NA



Description:

LAMP outdoor Medium Floodlight with bracket to install on surface, on pole or column, model SHOT 290 G3 5500. Body made of die-cast lacquered aluminium, with tempered glass, stainless steel screws and silicone gasket. Passive dissipation for a suitable thermal management. MID-POWER LED, 3000K colour temperature, CRI80. Medium Flood optic. Adjustable 270°. ON/OFF electronic gear. IP65 and IK08 rated. Insulation class 1. Lifetime: 100.000 L90 B10 (Ta=25°C). BUG Rate: B3 U0 G0, ULOR: 0%. Easy installation, supplied with hose and connector. Available finishes: anthracite and textured grey.



Finish: Textured anthracite

SHOT 290 G3 5500 830 MFL ANT

Weight: 8.608 g

Maximum surface exposed to wind: 0 M2

Installation: Surface

TECHNICAL SPECIFICATIONS:

 Light output:
 4.757 lm
 °K:
 3000

 Plum:
 34,8W
 CRI:
 80

 Efficacy:
 136,7 lm/w
 MacAdam:
 3

UGR: <19 Power Supply:

Type: MID POWER Gear: Electronic

LED Lifetime: 100.000 L90 B10 (Ta=25°C)

Power: 31,6W

Light output tolerance +/- 10%























CUSTOM MADE OPTIONS:























220-240V 50/60Hz








SHOT 290










PHOTOMETRIC DATA:


SH32906MF830NA η = 100% lmax = 2650 cd/klmUTE: 1,00A

CIE: 90 98 100 100 100









SHOT 290



ACCESORIES:

Support



Product code:

COARDB120A COARIN120A



ACC. CO ARM DB 120-130 ANT.
ACC. CO ARM IND 120-130 ANT.



Product code:

COARDB120G COARIN120G



ACC. CO ARM DB 120-130 GR. ACC. CO ARM IND 120-130 GR.



Product code:

COARIN060A

Description:

ACC. CO ARM IND 60-135 ANT.



Product code:

COARIN060G

Description:

ACC. CO ARM IND 60-135 GR.



Product code:

COARLODB60A COARLODB76A Description:

ACC. CO ARM LONG DB Ø60 ANT. ACC. CO ARM LONG DB Ø76 ANT.



Product code:

COARLODB60G COARLODB76G Description:

ACC. CO ARM LONG DB Ø60 GR. ACC. CO ARM LONG DB Ø76 GR.



Product code:

COARLOIN60A COARLOIN76A Description:

ACC. CO ARM LONG IND Ø60 ANT. ACC. CO ARM LONG IND Ø76 ANT.



Product code:

Description:

COARLOIN60G ACC. CO ARM LONG IND Ø60 GR.
COARLOIN76G ACC. CO ARM LONG IND Ø76 GR.



Product code: COARLOINT080A

: Description:

ACC. CO ARM LONG INT ANT.



Product code:

Description:

COARLOINT080G

ACC. CO ARM LONG INT GR.

Data according to regulations 2019/2020/EU and 2019/2015/EU

Product datasheet

SHOT 290





COARSHDB60A COARSHDB76A

Description:

ACC. CO ARM SHORT DB Ø60 ANT. ACC. CO ARM SHORT DB Ø76 ANT.



Product code:

COARSHDB60G COARSHDB76G

Description:

ACC. CO ARM SHORT DB Ø60 GR. ACC. CO ARM SHORT DB Ø76 GR.



Product code:

COARSHIN60A COARSHIN76A

Description:

ACC. CO ARM SHORT IND Ø60 ANT. ACC. CO ARM SHORT IND Ø76 ANT.



Product code:

COARSHIN60G COARSHIN76G

Description:

ACC. CO ARM SHORT IND Ø60 GR. ACC. CO ARM SHORT IND Ø76 GR.



Product code:

COARSHINT080A

Description:

ACC. CO ARM SHORT INT ANT.



Product code: COARSHINT080G

Description:

ACC. CO ARM SHORT INT GR.



Product code:

Description:

FXARWAA ACC. FX ARM WALL ANT.



Product code:

FXARWAG

Description:

ACC. FX ARM WALL GR.

ACCESORIES:

Optical



Product code: SH29SC297B

Description:

SHOT 290 ACC. ANTIGLARE SCREEN