#### **Product datasheet**

#### **SHOT 290**

# LAMP Worktitude for light

### SH32906MF840NA



# Percentation

# SHOT 290 G3 5500 840 MFL ANT

### Description:

LAMP outdoor Medium Floodlight with bracket to install on surface, on pole or column, model SHOT 290 G3 5500. Body made of die-cast lacquered aluminium, with tempered glass, stainless steel screws and silicone gasket. Passive dissipation for a suitable thermal management. MID-POWER LED, 4000K colour temperature, CRI80. Medium Flood optic. Adjustable 270°. ON/OFF electronic gear. IP65 and IK08 rated. Insulation class 1. Lifetime: 100.000 L90 B10 (Ta=25°C). BUG Rate: B3 U0 G0, ULOR: 0%. Easy installation, supplied with hose and connector. Available finishes: anthracite and textured grey.



Finish: Textured anthracite

Weight: 8.608 g

Maximum surface exposed to wind: 0 M2

Installation: Surface

### **TECHNICAL SPECIFICATIONS:**

 Light output:
 5.063 lm
 °K:
 4000

 Plum:
 34,8W
 CRI:
 80

 Efficacy:
 145,5 lm/w
 MacAdam:
 3

**UGR:** <19 **Power Supply:** 220-240V 50/60Hz

Type: MID POWER Gear: Electronic

**LED Lifetime:** 100.000 L90 B10 (Ta=25°C)

**Power:** 31,6W

### Light output tolerance +/- 10%























## **CUSTOM MADE OPTIONS:**









Data according to regulations 2019/2020/EU and 2019/2015/EU





















## **SHOT 290**





## SHOT 290 G3 5500 840 MFL ANT





## PHOTOMETRIC DATA:

SH32906MF840NA  $_{\eta}$  = 100%  $_{lmax}$  = 2650 cd/klm UTE: 1,00A









Data according to regulations 2019/2020/EU and 2019/2015/EU

#### **SHOT 290**



# **ACCESORIES:**

### Support



Product code:

COARDB120A COARIN120A



ACC. CO ARM DB 120-130 ANT.
ACC. CO ARM IND 120-130 ANT.



Product code:

COARDB120G COARIN120G



ACC. CO ARM DB 120-130 GR. ACC. CO ARM IND 120-130 GR.



Product code:

COARIN060A

Description:

ACC. CO ARM IND 60-135 ANT.



Product code:

COARIN060G

Description:

ACC. CO ARM IND 60-135 GR.



Product code:

COARLODB60A COARLODB76A Description:

ACC. CO ARM LONG DB Ø60 ANT. ACC. CO ARM LONG DB Ø76 ANT.



Product code:

COARLODB60G COARLODB76G Description:

ACC. CO ARM LONG DB Ø60 GR. ACC. CO ARM LONG DB Ø76 GR.



Product code:

COARLOIN60A COARLOIN76A Description:

ACC. CO ARM LONG IND Ø60 ANT. ACC. CO ARM LONG IND Ø76 ANT.



Product code:

Description:

COARLOIN60G ACC. CO ARM LONG IND Ø60 GR.
COARLOIN76G ACC. CO ARM LONG IND Ø76 GR.



Product code: COARLOINT080A

: Description:

ACC. CO ARM LONG INT ANT.



Product code:

Description:

COARLOINT080G

ACC. CO ARM LONG INT GR.

Data according to regulations 2019/2020/EU and 2019/2015/EU

### **Product datasheet**

### **SHOT 290**





COARSHDB60A COARSHDB76A

#### Description:

ACC. CO ARM SHORT DB Ø60 ANT. ACC. CO ARM SHORT DB Ø76 ANT.



Product code:

COARSHDB60G COARSHDB76G

#### Description:

ACC. CO ARM SHORT DB Ø60 GR. ACC. CO ARM SHORT DB Ø76 GR.



Product code:

COARSHIN60A COARSHIN76A

#### Description:

ACC. CO ARM SHORT IND Ø60 ANT. ACC. CO ARM SHORT IND Ø76 ANT.



Product code:

COARSHIN60G COARSHIN76G

#### Description:

ACC. CO ARM SHORT IND Ø60 GR. ACC. CO ARM SHORT IND Ø76 GR.



Product code:

COARSHINT080A

# Description:

ACC. CO ARM SHORT INT ANT.



Product code: COARSHINT080G

# Description:

ACC. CO ARM SHORT INT GR.



Product code:

Description:

**FXARWAA** ACC. FX ARM WALL ANT.



Product code:

**FXARWAG** 

Description:

ACC. FX ARM WALL GR.

# ACCESORIES:

Optical



Product code: SH29SC297B

Description:

SHOT 290 ACC. ANTIGLARE SCREEN