Product datasheet

SHOT 290

SH32906SP840NA



SHOT 290 G3 5500 840 SP ANT

Description:

LAMP outdoor Streetlight with bracket to install on surface, on pole or column, model SHOT 290 G3 5500. Body made of die-cast lacquered aluminium, with tempered glass, stainless steel screws and silicone gasket. Passive dissipation for a suitable thermal management. HIGH POWER LED, 3000K colour temperature, CRI80. Spot optic. Adjustable 270°. ON/OFF electronic gear. IP65 and IK08 rated. Insulation class 1. Lifetime: 100.000 L90 B10 (Ta=25°C). BUG Rate: B3 U0 G0, ULOR: 0%. Easy installation, supplied with hose and connector. Available finishes: anthracite and textured grey.



Finish: Textured anthracite

Weight: 8.608 g

Maximum surface exposed to wind:

Installation: Surface

TECHNICAL SPECIFICATIONS:

Light output: 4.541 lm °K: 4000 Plum: 34,8W CRI: 80 Efficacy: 130,5 lm/w 4 MacAdam:

UGR: Power Supply: 220-240V 50/60Hz

Type: HIGH POWER Gear: Electronic

LED Lifetime: 100.000 L90 B10 (Ta=25°C)

31,6W Power:

Light output tolerance +/- 10%























CUSTOM MADE OPTIONS:





























SHOT 290




SH32906SP840NA


SHOT 290 G3 5500 840 SP ANT


PHOTOMETRIC DATA:


SH32906SP840NA $\eta = 99\%$ Imax = 10819 cd/klm UTE: 0,99A

CIE: 87 100 100 100 99









SHOT 290



ACCESORIES:

Support



Product code:

COARDB120A COARIN120A



ACC. CO ARM DB 120-130 ANT.
ACC. CO ARM IND 120-130 ANT.



Product code:

COARDB120G COARIN120G



ACC. CO ARM DB 120-130 GR. ACC. CO ARM IND 120-130 GR.



Product code:

COARIN060A

Description:

ACC. CO ARM IND 60-135 ANT.



Product code:

COARIN060G

Description:

ACC. CO ARM IND 60-135 GR.



Product code:

COARLODB60A COARLODB76A Description:

ACC. CO ARM LONG DB Ø60 ANT. ACC. CO ARM LONG DB Ø76 ANT.



Product code:

COARLODB60G COARLODB76G Description:

ACC. CO ARM LONG DB Ø60 GR. ACC. CO ARM LONG DB Ø76 GR.



Product code:

COARLOIN60A COARLOIN76A Description:

ACC. CO ARM LONG IND Ø60 ANT. ACC. CO ARM LONG IND Ø76 ANT.



Product code:

Description:

COARLOIN60G ACC. CO ARM LONG IND Ø60 GR.
COARLOIN76G ACC. CO ARM LONG IND Ø76 GR.



Product code: COARLOINT080A

: Description:

ACC. CO ARM LONG INT ANT.



Product code:

Description:

COARLOINT080G

ACC. CO ARM LONG INT GR.

Data according to regulations 2019/2020/EU and 2019/2015/EU

Product datasheet

SHOT 290





COARSHDB60A COARSHDB76A

Description:

ACC. CO ARM SHORT DB Ø60 ANT. ACC. CO ARM SHORT DB Ø76 ANT.



Product code:

COARSHDB60G COARSHDB76G

Description:

ACC. CO ARM SHORT DB Ø60 GR. ACC. CO ARM SHORT DB Ø76 GR.



Product code:

COARSHIN60A COARSHIN76A

Description:

ACC. CO ARM SHORT IND Ø60 ANT. ACC. CO ARM SHORT IND Ø76 ANT.



Product code:

COARSHIN60G COARSHIN76G

Description:

ACC. CO ARM SHORT IND Ø60 GR. ACC. CO ARM SHORT IND Ø76 GR.



Product code:

COARSHINT080A

Description:

ACC. CO ARM SHORT INT ANT.



Product code: COARSHINT080G

Description:

ACC. CO ARM SHORT INT GR.



Product code:

Description:

FXARWAA ACC. FX ARM WALL ANT.



Product code:

FXARWAG

Description:

ACC. FX ARM WALL GR.

ACCESORIES:

Optical



Product code: SH29SC297B

Description:

SHOT 290 ACC. ANTIGLARE SCREEN