


SH32906ST840NG



**SHOT 290 G3 5500 840 STREET GR**

**Description:**

LAMP outdoor Streetlight with bracket to install on surface, on pole or column, model SHOT 290 G3 5500. Body made of die-cast lacquered aluminium, with tempered glass, stainless steel screws and silicone gasket. Passive dissipation for a suitable thermal management. MID-POWER LED, 4000K colour temperature, CR180. Street optic. Adjustable 270°. ON/OFF electronic gear. IP65 and IK08 rated. Insulation class 1. Lifetime: 100.000 L90 B10 (Ta=25°C). BUG Rate: B1 U1 G1, ULOR: 0%. Easy installation, supplied with hose and connector. Available finishes: anthracite and textured grey.

**Finish:** Texturised grey

**Weight:** 8.608 g


**Maximum surface exposed to wind:** 0 M2

**Installation:** Surface

### TECHNICAL SPECIFICATIONS:

<b>Light output:</b>	4.629 lm	<b>°K :</b>	4000
<b>Plum:</b>	34,8W	<b>CRI :</b>	80
<b>Efficacy:</b>	133 lm/w	<b>MacAdam:</b>	3
<b>Type:</b>	MID POWER	<b>Power Supply:</b>	220-240V 50/60Hz
<b>LED Lifetime:</b>	100.000 L90 B10 (Ta=25°C)	<b>Gear:</b>	Electronic
<b>Power:</b>	31.6W		

**Light output tolerance +/- 10%**



**CUSTOM MADE OPTIONS:**




SHOT 290

SH32906ST840NG

SHOT 290 G3 5500 840 STREET GR

PHOTOMETRIC DATA :



ACCESORIES :

Support



**Product code:**  
COARDB120A  
COARIN120A

**Description:**  
ACC. CO ARM DB 120-130 ANT.  
ACC. CO ARM IND 120-130 ANT.



**Product code:**  
COARDB120G  
COARIN120G

**Description:**  
ACC. CO ARM DB 120-130 GR.  
ACC. CO ARM IND 120-130 GR.



**Product code:**  
COARIN060A

**Description:**  
ACC. CO ARM IND 60-135 ANT.



**Product code:**  
COARIN060G

**Description:**  
ACC. CO ARM IND 60-135 GR.



**Product code:**  
COARLODB60A  
COARLODB76A

**Description:**  
ACC. CO ARM LONG DB Ø60 ANT.  
ACC. CO ARM LONG DB Ø76 ANT.



**Product code:**  
COARLODB60G  
COARLODB76G

**Description:**  
ACC. CO ARM LONG DB Ø60 GR.  
ACC. CO ARM LONG DB Ø76 GR.



**Product code:**  
COARLOIN60A  
COARLOIN76A

**Description:**  
ACC. CO ARM LONG IND Ø60 ANT.  
ACC. CO ARM LONG IND Ø76 ANT.



**Product code:**  
COARLOIN60G  
COARLOIN76G

**Description:**  
ACC. CO ARM LONG IND Ø60 GR.  
ACC. CO ARM LONG IND Ø76 GR.



**Product code:**  
COARLOINT080A

**Description:**  
ACC. CO ARM LONG INT ANT.



**Product code:**  
COARLOINT080G

**Description:**  
ACC. CO ARM LONG INT GR.

SHOT 290



**Product code:**  
COARSHDB60A  
COARSHDB76A

**Description:**  
ACC. CO ARM SHORT DB Ø60 ANT.  
ACC. CO ARM SHORT DB Ø76 ANT.



**Product code:**  
COARSHDB60G  
COARSHDB76G

**Description:**  
ACC. CO ARM SHORT DB Ø60 GR.  
ACC. CO ARM SHORT DB Ø76 GR.



**Product code:**  
COARSHIN60A  
COARSHIN76A

**Description:**  
ACC. CO ARM SHORT IND Ø60 ANT.  
ACC. CO ARM SHORT IND Ø76 ANT.



**Product code:**  
COARSHIN60G  
COARSHIN76G

**Description:**  
ACC. CO ARM SHORT IND Ø60 GR.  
ACC. CO ARM SHORT IND Ø76 GR.



**Product code:**  
COARSHINT080A

**Description:**  
ACC. CO ARM SHORT INT ANT.



**Product code:**  
COARSHINT080G

**Description:**  
ACC. CO ARM SHORT INT GR.



**Product code:**  
FXARWAA

**Description:**  
ACC. FX ARM WALL ANT.



**Product code:**  
FXARWAG

**Description:**  
ACC. FX ARM WALL GR.