#### **Product datasheet**

#### **SHOT 380**

# LAMP Worktitude for light

## SH33807ST830NA



## **SHOT 380 G3 7000 830 STREET ANT**

## Description:

LAMP outdoor Medium Floodlight with bracket to install on surface, on pole or column, model SHOT 380 G3 7000. Body made of die-cast lacquered aluminium, with tempered glass, stainless steel screws and silicone gasket. Passive dissipation for a suitable thermal management. MID-POWER LED, 3000K colour temperature, CRI80. Street optic. Adjustable 270°. ON/OFF electronic gear. IP65 and IK08 rated. Insulation class 1. Lifetime: 100.000 L90 B10 (Ta=25°C). BUG Rate: B1 U1 G1, ULOR: 0%. Easy installation, supplied with hose and connector. Available finishes: anthracite and textured grey.



Finish: Textured anthracite

Weight: 12.204 g

Maximum surface exposed to wind: 0 M2

Installation: Surface

## **TECHNICAL SPECIFICATIONS:**

 Light output:
 5.214 lm
 °K:
 3000

 Plum:
 40,7W
 CRI:
 80

 Efficacy:
 128,1 lm/w
 MacAdam:
 3

Type: MID POWER Power Supply: 220-240V 50/60Hz

LED Lifetime: 100.000 L90 B10 (Ta=25°C) Gear: Electronic

Power: 35W

#### Light output tolerance +/- 10%























# **CUSTOM MADE OPTIONS:**









Data according to regulations 2019/2020/EU and 2019/2015/EU




















## **SHOT 380**








## **SHOT 380 G3 7000 830 STREET ANT**

## **PHOTOMETRIC DATA:**









Data according to regulations 2019/2020/EU and 2019/2015/EU

## **SHOT 380**



**ACCESORIES:** 

## Support



Product code:

COARDB120A COARIN120A

## Description:

ACC. CO ARM DB 120-130 ANT.
ACC. CO ARM IND 120-130 ANT.



Product code:

COARDB120G COARIN120G



ACC. CO ARM DB 120-130 GR.
ACC. CO ARM IND 120-130 GR.



Product code:

COARIN060A

Description:

ACC. CO ARM IND 60-135 ANT.



Product code:

COARIN060G

Description:

ACC. CO ARM IND 60-135 GR.



Product code:

COARLODB60A COARLODB76A

#### Description:

ACC. CO ARM LONG DB Ø60 ANT. ACC. CO ARM LONG DB Ø76 ANT.



Product code:

COARLODB60G COARLODB76G

# Description:

ACC. CO ARM LONG DB Ø60 GR.
ACC. CO ARM LONG DB Ø76 GR.



Product code:

COARLOIN60A COARLOIN76A

# Description:

ACC. CO ARM LONG IND Ø60 ANT. ACC. CO ARM LONG IND Ø76 ANT.



Product code:

ode: Description:

COARLOIN60G ACC. CO ARM LONG IND Ø60 GR.
COARLOIN76G ACC. CO ARM LONG IND Ø76 GR.



Product code:

COARLOINT080A

#### Description:

ACC. CO ARM LONG INT ANT.



Product code:

Description:

COARLOINT080G

ACC. CO ARM LONG INT GR.

Data according to regulations 2019/2020/EU and 2019/2015/EU

## **Product datasheet**

## **SHOT 380**





COARSHDB60A COARSHDB76A

#### Description:

ACC. CO ARM SHORT DB Ø60 ANT. ACC. CO ARM SHORT DB Ø76 ANT.



Product code:

COARSHDB60G COARSHDB76G



ACC. CO ARM SHORT DB Ø60 GR. ACC. CO ARM SHORT DB Ø76 GR.



Product code:

COARSHIN60A COARSHIN76A

#### Description:

ACC. CO ARM SHORT IND Ø60 ANT. ACC. CO ARM SHORT IND Ø76 ANT.



Product code:

COARSHIN60G COARSHIN76G

#### Description:

ACC. CO ARM SHORT IND Ø60 GR. ACC. CO ARM SHORT IND Ø76 GR.



Product code:

COARSHINT080A

## Description:

ACC. CO ARM SHORT INT ANT.



Product code: COARSHINT080G

Description:

ACC. CO ARM SHORT INT GR.



Product code:

Description:

**FXARWAA** ACC. FX ARM WALL ANT.



Product code:

Description:

**FXARWAG** ACC. FX ARM WALL GR.