Product datasheet

SHOT 380

SH33810VW840NG



SHOT 380 G3 10000 840 VWFL GR

Description:

LAMP outdoor Medium Floodlight with bracket to install on surface, on pole or column, model SHOT 380 G3 10000. Body made of die-cast lacquered aluminium, with tempered glass, stainless steel screws and silicone gasket. Passive dissipation for a suitable thermal management. HIGH POWER LED, 4000K colour temperature, CRI80. Very wide flood optic. Adjustable 270°. ON/OFF electronic gear. IP65 and IK08 rated. Insulation class 1. Lifetime: 100.000 L90 B10 (Ta=25°C). BUG Rate: B3 U0 G0, ULOR: 0%. Easy installation, supplied with hose and connector. Available finishes: anthracite and textured grey.



Finish: Texturised grey

Weight: 12.204 g

Maximum surface exposed to wind:

Installation: Surface

TECHNICAL SPECIFICATIONS:

Light output: 8.947 Im °K: 4000 Plum: 59,5W CRI: 80 Efficacy: 150,4 lm/w 3 MacAdam:

Type: MID POWER Power Supply: 220-240V 50/60Hz

LED Lifetime: 100.000 L90 B10 (Ta=25°C) Gear: Electronic

Power: 53,5W

Light output tolerance +/- 10%























CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU



















SHOT 380










PHOTOMETRIC DATA:

SH33810VW840NG η = 100% Imax = 517 cd/kIm UTE: 1,00C Imax CIE: 67 93 100 100 100







SHOT 380



ACCESORIES:

Support



Product code:

COARDB120A COARIN120A

Description:

ACC. CO ARM DB 120-130 ANT.
ACC. CO ARM IND 120-130 ANT.



Product code:

COARDB120G COARIN120G



ACC. CO ARM DB 120-130 GR. ACC. CO ARM IND 120-130 GR.



Product code:

COARIN060A

Description:

ACC. CO ARM IND 60-135 ANT.



Product code:

COARIN060G

Description:

ACC. CO ARM IND 60-135 GR.



Product code:

COARLODB60A COARLODB76A

Description:

ACC. CO ARM LONG DB Ø60 ANT. ACC. CO ARM LONG DB Ø76 ANT.



Product code:

COARLODB60G COARLODB76G

Description:

ACC. CO ARM LONG DB Ø60 GR.
ACC. CO ARM LONG DB Ø76 GR.



Product code:

COARLOIN60A COARLOIN76A

Description:

ACC. CO ARM LONG IND Ø60 ANT. ACC. CO ARM LONG IND Ø76 ANT.



Product code:

ode: Description:

COARLOIN60G ACC. CO ARM LONG IND Ø60 GR.
COARLOIN76G ACC. CO ARM LONG IND Ø76 GR.



Product code:

COARLOINT080A

Description:

ACC. CO ARM LONG INT ANT.



Product code:

Description:

COARLOINT080G

ACC. CO ARM LONG INT GR.

Data according to regulations 2019/2020/EU and 2019/2015/EU

Product datasheet

SHOT 380





Product code:

COARSHDB60A COARSHDB76A

Description:

ACC. CO ARM SHORT DB Ø60 ANT. ACC. CO ARM SHORT DB Ø76 ANT.



Product code:

COARSHDB60G COARSHDB76G



ACC. CO ARM SHORT DB Ø60 GR.
ACC. CO ARM SHORT DB Ø76 GR.



Product code:

COARSHIN60A COARSHIN76A

Description:

ACC. CO ARM SHORT IND Ø60 ANT. ACC. CO ARM SHORT IND Ø76 ANT.



Product code:

COARSHIN60G COARSHIN76G

Description:

ACC. CO ARM SHORT IND Ø60 GR.
ACC. CO ARM SHORT IND Ø76 GR.



Product code:

COARSHINT080A

Description:

ACC. CO ARM SHORT INT ANT.



Product code:

COARSHINT080G

Description:

ACC. CO ARM SHORT INT GR.



Product code:

Description:

FXARWAA ACC. FX ARM WALL ANT.



Product code:

FXARWAG

Description:

ACC. FX ARM WALL GR.

ACCESORIES :

Optical



Product code: SH38SC381B

Description:

SHOT 380 ACC. ANTIGLARE SCREEN

Data according to regulations 2019/2020/EU and 2019/2015/EU