Product datasheet

STORMBELL

ST117030WF830NOW



STORMBELL DECO 3000 WW WFL WH.


Shiny white RAL 9010

Description:

Finish:

Weight: 4.504 g

LAMP pendant luminaire model STORMBELL DECO 3000. Body made of extruded and die-cast aluminium. COB model with polycarbonate reflector flood, with colour temperature 3000K and CRI80. Electronic ON OFF gear included. IP20, IK07 ratings. Insulation Class I. LED life time: 50.000 L80 B10. Available finishes: White and black.



Installation: Suspended

TECHNICAL SPECIFICATIONS:

Light output:	2.985 lm	⁰K :	3000	
Plum:	26,3W	CRI :	80	
Efficacy:	113,5 lm/w	MacAdam:	<3	
Туре:	СОВ	Power Supply:	220-240V 50/60Hz	
LED Lifetime:	50.000 L80 B10 (Ta=25°C)	Gear:	Electronic	
Power:	25W			

Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:



LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es Worktitude for light

STORMBELL

ST117030WF830NOW

STORMBELL DECO 3000 WW WFL WH.



PHOTOMETRIC DATA :

10441010	180°	alpha = 58,4°	H (m)	D (m)	Emax	Emed
$\eta = 100\%$			1	1,12	2370	1541
Imax = 796 cd/klm UTE: 0,98B + 0,03T	90° 90°		2	2,23	593	385
CIE: 71 90 99 97 100						
			3	3,35	263	171
	0°		4	4,47	148	96

Product datasheet

STORMBELL

ACCESORIES :

Optical




Product code: ST102OP

Description: STORMBELL ACC. OPAL GLASS



Product code: ST102TR



Worktitude for light



Product code:

STBE420B

Description: STORMBELL ACC. BELL BK.




Product code: STBE420OP

Description: STORMBELL ACC. BELL OPAL



Product code: STBE420W





Product code: STHO102B

Description: STORMBELL ACC. HONEYCOMB GRILLE