


## ST117080FL840NOB



## STORMBELL DECO 8000 NW FL BK

**Description:**

LAMP pendant luminaire model STORMBELL 8000 . Body made of extruded and die-cast aluminium. COB model with polycarbonate reflector flood, with colour temperature 4000K and CRI80. Electronic ON OFF gear included. IP20, rating. Insulation Class I. LED life time: 50.000 L90 B10. Available finishes: White and black.

**Finish:** Shiny black RAL 9011

**Weight:** 4.504 g

**Installation:** Suspended

**TECHNICAL SPECIFICATIONS:**

<b>Light output:</b>	5.649 lm	<b>°K :</b>	4000
<b>Plum:</b>	68W	<b>CRI :</b>	80
<b>Efficacy:</b>	83,1 lm/w	<b>MacAdam:</b>	2
<b>Type:</b>	COB	<b>Power Supply:</b>	220-240V 50/60Hz
<b>LED Lifetime:</b>	50.000 L90 B10 (Ta=25°C)	<b>Gear:</b>	Electronic
<b>Power:</b>	60W		

*Light output tolerance +/- 10%*


**CUSTOM MADE OPTIONS:**

STORMBELL

ST117080FL840NOB

STORMBELL DECO 8000 NW FL BK

PHOTOMETRIC DATA :



**ACCESORIES :**

**Optical**



**Product code:**

ST102OP

**Description:**

STORMBELL ACC. OPAL GLASS



**Product code:**

ST102TR

**Description:**

STORMBELL ACC. TRANS GLASS



**Product code:**

STBE420B

**Description:**

STORMBELL ACC. BELL BK.



**Product code:**

STBE420OP

**Description:**

STORMBELL ACC. BELL OPAL




**Product code:**

STBE420W

**Description:**

STORMBELL ACC. BELL WH.



**Product code:**

STHO102B

**Description:**

STORMBELL ACC. HONEYCOMB GRILLE