

# STORBELL

ST117080WF840NBW



## STORBELL 8000 NW WFL WH

### Description:

LAMP pendant luminaire model STORBELL DECO 8000. Body made of extruded and die-cast aluminium. COB model with polycarbonate reflector wide flood, with colour temperature 4000K and CRI80. Electronic ON OFF gear included. IP20, rating. Insulation Class I. LED life time: 50.000 L90 B10. Available finishes: White and black.


**Finish:** Shiny white RAL 9010

**Weight:** 4.504 g

**Installation:** Suspended

### TECHNICAL SPECIFICATIONS:

<b>Light output:</b>	5.271 lm	<b>°K :</b>	4000
<b>Plum:</b>	68W	<b>CRI :</b>	80
<b>Efficacy:</b>	77,5 lm/w	<b>MacAdam:</b>	2
<b>Type:</b>	COB	<b>Power Supply:</b>	220-240V 50/60Hz
<b>LED Lifetime:</b>	50.000 L90 B10 (Ta=25°C)	<b>Gear:</b>	Electronic
<b>Power:</b>	60W		




*Light output tolerance +/- 10%*



### CUSTOM MADE OPTIONS:



**PHOTOMETRIC DATA :**



**ACCESORIES :**

**Optical**



**Product code:**

ST102OP

**Description:**

STORBELL ACC. OPAL GLASS



**Product code:**

ST102TR

**Description:**

STORBELL ACC. TRANS GLASS



**Product code:**

STBE420B

**Description:**

STORBELL ACC. BELL BK.



**Product code:**

STBE420OP

**Description:**

STORBELL ACC. BELL OPAL




**Product code:**

STBE420W

**Description:**

STORBELL ACC. BELL WH.



**Product code:**

STHO102B

**Description:**

STORBELL ACC. HONEYCOMB GRILLE