


ST18SELOWF9TWDOP1





STOR 80 DECO SU RE 1500 TW WFL DA OP/MA

Description:

Downlight to suspend model STOR 80 DECO SU RE 1500 TW WFL DA OP/MA LAMP brand. Body made of injected aluminum with white/black/Materiality finish, and with black/opal polycarbonate ring, for decorative lighting effect and possibility of accessory color filter, depending on his model. COB LED, TW color temperature (2700-6500K) and CRI90. Aluminium reflector WIDE FLOOD. Luminaire with ceiling rose and electronic DALI equipment included. Insulation class I. LED life time: 65000 L90 B10. Compatible with 4 different models of bells (accessories) that complete the luminaire.

Finish: Palette MATERIALITE - 1 TEXTURED
Weight: 800 g

Installation: Suspended

TECHNICAL SPECIFICATIONS:

Light output:	1.399 lm	⁰K :	2700-6500
Plum:	20,7W	CRI :	90
Efficacy:	67,6 lm/w	R9 :	83
Туре:	СОВ	MacAdam:	3
LED Lifetime:	50.000 L90 B10 (Ta=25⁰C)	Power Supply:	220-240V 50/60Hz
Power:	16.2W	Gear:	Adjustable DALI

Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:







ST18SELOWF9TWDOP1


STOR 80 DECO SU RE 1500 TW WFL DA OP/MA

PHOTOMETRIC DATA :









S8BE363W

Description: ACC. BELL STORMBELL 80 Ø363x60 WH

Product code: S8BE86B

ACC. BELL STORMBELL 80 Ø86x50 BK

Product datasheet





Product code:

S8BE86B1

Description: ACC. BELL STORMBELL 80 Ø86x50 MA



Product code: S8BE86W Description: ACC. BELL STORMBELL 80 Ø86x50 WH