


ST18SSL0MF930NOP1



STORMBELL 80 DECO SU SF 1500 WW MF OP/MA

Description:

Downlight to suspend model STORMBELL 80 DECO SU SF 1500 WW MFL OP/MA LAMP brand. Body made of injected aluminum with white/black/Materiality finish, and with black/opal polycarbonate ring, for decorative lighting effect and possibility of accessory color filter, depending on his model. COB LED 3000K color temperature and CRI90. Aluminium reflector MEDIUM FLOOD, UGR<19. Luminaire with ceiling rose and electronic equipment included. Insulation class I. LED life time: 50000 L90 B10. Compatible with 4 different models of bells (accessories) that complete the luminaire.

Finish: Palette MATERIALITE - 1 TEXTURED

Weight: 800 g

Installation: Suspended

TECHNICAL SPECIFICATIONS:

| | | | |
|----------------------|--------------------------|----------------------|------------------|
| Light output: | 1.376 lm | °K : | 3000 |
| Plum: | 14,1W | CRI : | 90 |
| Efficacy: | 97,6 lm/w | R9 : | 60 |
| UGR: | <19 | MacAdam: | 3 |
| Type: | COB | Power Supply: | 220-240V 50/60Hz |
| LED Lifetime: | 50.000 L90 B10 (Ta=25°C) | Gear: | Electronic |
| Power: | 12.2W | | |

Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:










ST18SSLOMF930NOP1

STORMBELL 80 DECO SU SF 1500 WW MF OP/MA

PHOTOMETRIC DATA :

ST18SSLOMF930NOP1
 $\eta = 100\%$
 $I_{max} = 3441 \text{ cd/klm}$
 UTE:
 CIE: 100 100 100 100 100



ACCESORIES :

Optical



Product code:

HSHO50

Description:

HANCE 1000/2000 ACC. HONEYCOMB GRILLE



Product code:

S8BE161B

Description:

ACC. BELL STORMBELL 80 Ø161x150 BK



Product code:

S8BE161B1

Description:

ACC. BELL STORMBELL 80 Ø161x150 MA



Product code:

S8BE161W

Description:

ACC. BELL STORMBELL 80 Ø161x150 WH



Product code:

S8BE227B

Description:

ACC. BELL STORMBELL 80 Ø227x89 BK



Product code:

S8BE227B1

Description:

ACC. BELL STORMBELL 80 Ø227x89 MA



Product code:

S8BE227W

Description:

ACC. BELL STORMBELL 80 Ø227x89 WH



Product code:

S8BE363B

Description:

ACC. BELL STORMBELL 80 Ø363x60 BK



Product code:

S8BE363B1

Description:

ACC. BELL STORMBELL 80 Ø363x60 MA



Product code:

S8BE363CK

Description:

ACC. BELL STORMBELL 80 Ø363x60 CK



Product code:
S8BE363PT

Description:
ACC. BELL STORMBELL 80 Ø363x60 PT



Product code:
S8BE363W

Description:
ACC. BELL STORMBELL 80 Ø363x60 WH



Product code:
S8BE86B

Description:
ACC. BELL STORMBELL 80 Ø86x50 BK



Product code:
S8BE86B1

Description:
ACC. BELL STORMBELL 80 Ø86x50 MA



Product code:
S8BE86W

Description:
ACC. BELL STORMBELL 80 Ø86x50 WH