LAMP Worktitude for light

ST18SSLOMFWB4DOP1



STORMBELL 80 DECO SU SF 1500 WB MF D O/M

Description:

Downlight to suspend model STORMBELL 80 DECO SU SF 1500 WBN MFL DA OP/MA LAMP brand. Body made of injected aluminum with white/black/Materiality finish, and with black/opal polycarbonate ring, for decorative lighting effect and possibility of accessory color filter, depending on his model. COB LED 4000 WB color temperature and CRI95. Aluminium reflector MEDIUM FLOOD, UGR<19. Luminaire with ceiling rose and electronic equipment included. Insulation class I. LED life time: 50000 L80 B10. Compatible with 4 different models of bells (accessories) that complete the luminaire.



Finish: Palette MATERIALITE - 1 TEXTURED

Weight: 800 g

Installation: Suspended

TECHNICAL SPECIFICATIONS:

 Light output:
 1.278 lm
 °K:
 4000

 Plum:
 14W
 CRI:
 95

 Efficacy:
 91,6 lm/w
 R9:
 99

 UGR:
 <19</td>
 MacAdam:
 3

 UGR:
 <19</th>
 MacAdam:
 3

 Type:
 COB
 Power Supply:
 220-240V 50/60Hz

LED Lifetime: 50.000 L80 B10 (Ta=25°C) Gear: Adjustable DALI

Power: 11,9W

Light output tolerance +/- 10%

















CUSTOM MADE OPTIONS:



























STORMBELL 80 DECO SU SF 1500 WB MF D O/M


PHOTOMETRIC DATA:


ST18SSLOMFWB4DOP1 η = 100% lmax = 3441 cd/klmUTE:


CIE: 100 100 100 100 100






















ACCESORIES:

Optical



Product code:

HSHO50



Product code:

S8BE161B

Description:

ACC. BELL STORMBELL 80 Ø161x150 BK



Product code:

S8BE161B1



Product code:

S8BE161W


Description:

ACC. BELL STORMBELL 80 Ø161x150 WH



Product code:

S8BE227B



Description:

Description:

Description:

HANCE 1000/2000 ACC. HONEYCOMB GRILLE

ACC. BELL STORMBELL 80 Ø227x89 BK

ACC. BELL STORMBELL 80 Ø161x150 MA



Product code:

S8BE227B1

Description:

ACC. BELL STORMBELL 80 Ø227x89 MA



Product code:

S8BE227W

Description:

ACC. BELL STORMBELL 80 Ø227x89 WH



Product code:

S8BE363B

Description:

ACC. BELL STORMBELL 80 Ø363x60 BK



Product code:

S8BE363B1

Description:

ACC. BELL STORMBELL 80 Ø363x60 MA



Product code:

S8BE363CK

Description:

ACC. BELL STORMBELL 80 Ø363x60 CK

Data according to regulations 2019/2020/EU and 2019/2015/EU

Product datasheet





Product code:

S8BE363PT



ACC. BELL STORMBELL 80 Ø363x60 PT



Product code:

S8BE363W



ACC. BELL STORMBELL 80 Ø363x60 WH



Product code:

S8BE86B



ACC. BELL STORMBELL 80 Ø86x50 BK



Product code:

S8BE86B1

Description:

ACC. BELL STORMBELL 80 Ø86x50 MA



Product code:

Description:

S8BE86W ACC. BELL STORMBELL 80 Ø86x50 WH