


**ST18SSLOWFWB3DOP1**



**STOR 80 DECO SU SF 1500 WBW WFL DA OP/MA**

**Description:**

**Finish:** Palette MATERIALITE - 1 TEXTURED

**Weight:** 800 g

**Installation:** Suspended

**TECHNICAL SPECIFICATIONS:**

<b>Light output:</b>	1.082 lm	<b>°K :</b>	3000 WB
<b>Plum:</b>	14,4W	<b>CRI :</b>	97
<b>Efficacy:</b>	75,1 lm/w	<b>R9 :</b>	88
<b>Type:</b>	COB	<b>MacAdam:</b>	3
<b>LED Lifetime:</b>	50.000 L80 B10 (Ta=25°C)	<b>Power Supply:</b>	220-240V 50/60Hz
<b>Power:</b>	12.5W	<b>Gear:</b>	Adjustable DALI

*Light output tolerance +/- 10%*

**CUSTOM MADE OPTIONS:**










ST18SSLOWFWB3DOP1

STOR 80 DECO SU SF 1500 WBW WFL DA OP/MA

PHOTOMETRIC DATA :

ST18SSLOWFWB3DOP1  
 $\eta = 100\%$   
 $I_{max} = 1205 \text{ cd/klm}$   
 UTE: 1,00A  
 CIE: 96 100 100 100 100



**ACCESORIES :**

**Optical**



**Product code:**

HSHO50

**Description:**

HANCE 1000/2000 ACC. HONEYCOMB GRILLE



**Product code:**

S8BE227B

**Description:**

ACC. BELL STORMBELL 80 Ø227x89 BK



**Product code:**

S8BE227B1

**Description:**

ACC. BELL STORMBELL 80 Ø227x89 MA



**Product code:**

S8BE227W

**Description:**

ACC. BELL STORMBELL 80 Ø227x89 WH



**Product code:**

S8BE363B

**Description:**

ACC. BELL STORMBELL 80 Ø363x60 BK



**Product code:**

S8BE363B1

**Description:**

ACC. BELL STORMBELL 80 Ø363x60 MA



**Product code:**

S8BE363CK

**Description:**

ACC. BELL STORMBELL 80 Ø363x60 CK



**Product code:**

S8BE363PT

**Description:**

ACC. BELL STORMBELL 80 Ø363x60 PT



**Product code:**

S8BE363W

**Description:**

ACC. BELL STORMBELL 80 Ø363x60 WH



**Product code:**

S8BE86B

**Description:**

ACC. BELL STORMBELL 80 Ø86x50 BK



**Product code:**

S8BE86B1

**Description:**

ACC. BELL STORMBELL 80 Ø86x50 MA



**Product code:**

S8BE86W

**Description:**

ACC. BELL STORMBELL 80 Ø86x50 WH