STORMBELL 80

Worktitude for light

ST18STLOMF930DOPB



STORMBELL 80 DECO SUT 1500 WW MF D OP/BK

Description:

Downlight to suspend on TRACK 220V rail model STORMBELL 80 DECO SUT 1500 WW MFL DALI OP/BK LAMP brand. Body made of injected aluminum with white/black/Materiality finish, and with black/opal polycarbonate ring, for decorative lighting effect and possibility of accessory color filter, depending on his model. COB LED 3000K color temperature and CRI90. Aluminium reflector MEDIUM FLOOD, UGR<19. Luminaire with ceiling rose and electronic DALI equipment included. Insulation class II. LED life time: 50000 L90 B10. Compatible with 4 different models of hoods (accessories) that complete the luminaire.



Finish: Texturised black RAL 9011

Weight: 800 g

Installation: Suspended

TECHNICAL SPECIFICATIONS:

Light output: 1.376 lm °K: 3000 Plum: 14,7W CRI: 90 Efficacy: 93,6 lm/w R9: 60 UGR: <19 MacAdam: 3

 Type:
 COB
 Power Supply:
 220-240V 50/60Hz

 LED Lifetime:
 50.000 L90 B10 (Ta=25°C)
 Gear:
 Adjustable DALI

Power: 12.2W

Light output tolerance +/- 10%

















CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU















STORMBELL 80




ST18STLOMF930DOPB


STORMBELL 80 DECO SUT 1500 WW MF D OP/BK


PHOTOMETRIC DATA:


ST18STLOMF930NOPB $\eta = 100\%$ $lmax = 3441 \ cd/klm$ UTE:


CIE: 100 100 100 100 100




















Data according to regulations 2019/2020/EU and 2019/2015/EU

STORMBELL 80



ACCESORIES:

Optical



Product code:

HSHO50



Product code:

S8BE161B



ACC. BELL STORMBELL 80 Ø161x150 BK



Product code:

S8BE161B1



Product code:

S8BE161W

Description:

ACC. BELL STORMBELL 80 Ø161x150 WH



Product code:

S8BE227B



Product code: S8BE227B1

e:

Description:

ACC. BELL STORMBELL 80 Ø227x89 MA



Product code:

S8BE227W

Description:

Description:

Description:

Description:

HANCE 1000/2000 ACC. HONEYCOMB GRILLE

ACC. BELL STORMBELL 80 Ø161x150 MA

ACC. BELL STORMBELL 80 Ø227x89 WH

ACC. BELL STORMBELL 80 Ø227x89 BK



Product code:

S8BE363B

Description:

ACC. BELL STORMBELL 80 Ø363x60 BK



Product code:

S8BE363B1

Description:

ACC. BELL STORMBELL 80 Ø363x60 MA



Product code:

S8BE363CK

Description:

ACC. BELL STORMBELL 80 Ø363x60 CK

Data according to regulations 2019/2020/EU and 2019/2015/EU

Product datasheet

STORMBELL 80





Product code:

S8BE363PT

Description:

ACC. BELL STORMBELL 80 Ø363x60 PT



Product code:

S8BE363W

Description:

ACC. BELL STORMBELL 80 Ø363x60 WH



Product code:

S8BE86B

Description:

ACC. BELL STORMBELL 80 Ø86x50 BK



Product code:

S8BE86B1

Description:

ACC. BELL STORMBELL 80 Ø86x50 MA



Product code:

Description:

S8BE86W

ACC. BELL STORMBELL 80 Ø86x50 WH