#### **STORMBELL 80**


# ST18STLOSP930DOPW



#### STORMBELL 80 DECO SUT 1500 WW SP D OP/WH

#### Description:

Downlight to suspend on TRACK 220V rail model STORMBELL 80 DECO SUT 1500 WW SP DA OP/WH LAMP brand. Body made of injected aluminum with white/black/Materiality finish, and with black/opal polycarbonate ring, for decorative lighting effect and possibility of accessory color filter, depending on his model. COB LED 3000K color temperature and CRI90. Aluminium reflector SPOT, UGR<19. Luminaire with ceiling rose and electronic DALI equipment included. Insulation class II. LED life time: 50000 L90 B10. Compatible with 4 different models of hoods (accessories) that complete the luminaire.



Finish: Texturised white RAL 9010

Weight: 800 g

Installation: Suspended

#### **TECHNICAL SPECIFICATIONS:**

Light output: 1.342 lm °K: 3000 Plum: 14,7W CRI: 90 Efficacy: 91,3 lm/w R9: 60 UGR: <19 3

MacAdam: Type: СОВ Power Supply: 220-240V 50/60Hz

LED Lifetime: 50.000 L90 B10 (Ta=25°C) Gear: Adjustable DALI

12.2W Power:

### Light output tolerance +/- 10%

















# **CUSTOM MADE OPTIONS:**









Data according to regulations 2019/2020/EU and 2019/2015/EU



















# **STORMBELL 80**



ST18STLOSP930DOPW


# STORMBELL 80 DECO SUT 1500 WW SP D OP/WH


### **PHOTOMETRIC DATA:**


ST18STLOSP930NOPW  $\eta$  = 100% Imax = 4815 cd/klm UTE:


CIE: 100 100 100 100 100




















#### **STORMBELL 80**



**ACCESORIES:** 

Optical



Product code:

HSHO50



Product code:

S8BE161B



ACC. BELL STORMBELL 80 Ø161x150 BK



Product code:

S8BE161B1



Product code:

S8BE161W

Description:

ACC. BELL STORMBELL 80 Ø161x150 WH



Product code:

S8BE227B



ACC. BELL STORMBELL 80 Ø227x89 BK

ACC. BELL STORMBELL 80 Ø161x150 MA

HANCE 1000/2000 ACC. HONEYCOMB GRILLE



Product code: S8BE227B1

Description:

ACC. BELL STORMBELL 80 Ø227x89 MA



Product code:

S8BE227W

# Description:

Description:

ACC. BELL STORMBELL 80 Ø227x89 WH



Product code:

S8BE363B

Description:

ACC. BELL STORMBELL 80 Ø363x60 BK



Product code:

S8BE363B1

Description:

ACC. BELL STORMBELL 80 Ø363x60 MA



Product code:

S8BE363CK

Description:

ACC. BELL STORMBELL 80 Ø363x60 CK

Data according to regulations 2019/2020/EU and 2019/2015/EU

# **Product datasheet**

# STORMBELL 80





Product code:

S8BE363PT

#### Description:

ACC. BELL STORMBELL 80 Ø363x60 PT



Product code:

S8BE363W

#### Description:

ACC. BELL STORMBELL 80 Ø363x60 WH



Product code:

S8BE86B

# Description:

ACC. BELL STORMBELL 80 Ø86x50 BK



Product code:

S8BE86B1

# Description:

ACC. BELL STORMBELL 80 Ø86x50 MA



Product code:

# Description:

S8BE86W ACC. BELL STORMBELL 80 Ø86x50 WH